

## HYDRO OIL AW 46

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 - Product identifier

Trade name/designation HYDRO OIL AW 46

Chemical name

Product-type Mixture

Product code 22148

#### 1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - Industrial oil

Uses advised against - The uses are provided in Section 1.2. Other uses are not recommended unless a risk assessment is carried out, prior to commencement of that use, which demonstrates that the is safe.

#### 1.3 - Details of the supplier of the safety data sheet

PETROL OF S A . .

Ünalıan Mahallesi, Libadiye Caddesi No: 82F

Kat: 2-3-4, 34700 Üsküdar/ İstanbul

Turkey

Telephone : +90 850 339 1919 Fax +90 216 275 3854

Website : www.petrolofisi.com.tr - madeniyag@petrolofisi.com.tr

#### 1.4 - Emergency telephone number

- National Poisons Information Service of England: <http://npis.org> -  
NHS 111: dial 111 United Kingdom

- Company phone number (see section 1.3).

### SECTION 2: Hazards identification

#### 2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
-------------------	--

#### 2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word : None

Pictograms : None

Hazard statements

H412	Harmful to aquatic life with long lasting effects.
------	--

Precautionary statements

P273	Avoid release to the environment.
------	-----------------------------------

P501	Dispose of contents to an appropriate recycling or disposal facility in accordance with national regulation.
------	--

EUH-phrases : None

#### 2.3 - Other hazards

## HYDRO OIL AW 46

### SECTION 3: Composition / information on ingredients

#### 3.1 - Substances

Not applicable

#### 3.2 - Mixtures

Chemical name	No.	%	Class(es)	Specific concentration limit
Distillates (petroleum), hydrotreated, heavy paraffinic [Note L]	CAS No. : 64742-54-7 Index No. : 649-467-00-8 EC No. : 265-157-1 REACH No. : 01-2119484627-25-0033	95 - 99	Not Classified	Not applicable
2,6-di-tert-butylphenol	CAS No. : 128-39-2 Index No. : EC No. : 204-884-0	< 0,25	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Skin Irrit. 2 - H315	M-factor: 1 / 1
Fuels, diesel	CAS No. : 68334-30-5 Index No. : 649-224-00-6 EC No. : 269-822-7	< 0,25	Carc. 2 - H351	Not applicable
phenol, (tetrapropenyl) derivatives	CAS No. : 74499-35-7 Index No. : 604-092-00-9 EC No. : 310-154-3	< 0,1	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Eye Dam. 1 - H318 Repr. 1B - H360F Skin Corr. 1C - H314	M-factor: 10 / 10

### SECTION 4: First aid measures

#### 4.1 - Description of first aid measures

Following inhalation - Provide fresh air.

Following skin contact - No information available.

After eye contact - Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion - When in doubt or if symptoms are observed, get medical advice.

#### 4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation - No information available.

Symptoms and effects - Following skin contact - No data available.

Symptoms and effects - After eye contact - No information available.

Symptoms and effects - After ingestion - No information available.

#### 4.3 - Indication of any immediate medical attention and special treatment needed

- No information available.

### SECTION 5: Firefighting measures

#### 5.1 - Extinguishing media

Suitable extinguishing media - ABC-powder  
- Water mist

---

## HYDRO OIL AW 46

---

- Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media - Strong water jet

### 5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture - No data available.

Hazardous decomposition products - No data available.

### 5.3 - Advice for firefighters

- Do not allow run-off from fire-fighting to enter drains or water courses.

---

## SECTION 6: Accidental release measures

---

### 6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Use personal protection equipment.  
- Provide adequate ventilation.

For emergency responders - Avoid generation of dust.  
- Provide adequate ventilation.  
- Use personal protection equipment.

### 6.2 - Environmental precautions

- Do not allow to enter into soil/subsoil.  
- Do not allow to enter into surface water or drains.

### 6.3 - Methods and material for containment and cleaning up

Methods and material for containment - No information available.

Methods and material for cleaning up - Avoid generation of dust.  
- Take up dust-free and set down dust-free.  
- Use approved industrial vacuum cleaner for removal.  
- Ventilate affected area.

Inappropriate techniques - No information available.

### 6.4 - Reference to other sections

- Disposal: See section 13  
- Personal protection equipment: see section 8  
- Safe handling: See section 7

---

## SECTION 7: Handling and storage

---

### 7.1 - Precautions for safe handling

Recommendation - No information available.

## HYDRO OIL AW 46

Advices on general occupational hygiene - No information available.

### 7.2 - Conditions for safe storage, including any incompatibilities

- Keep/store only in original container.

### 7.3 - Specific end use(s)

- Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 - Control parameters

#### Distillates (petroleum), hydrotreated, heavy paraffinic [Note L] (64742-54-7)

IOELV TWA mg/m <sup>3</sup> (UE)	5 mg/m <sup>3</sup>
----------------------------------	---------------------

- No data available.

#### DNEL / PNEC

#### 2,6-di-tert-butylphenol (128-39-2)

Type	Value	User	Effect
DNEL long-term oral (repeated)	6,75 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	70,61 mg/m <sup>3</sup>	Workers	Systemic
DNEL long-term inhalative	20,9 mg/m <sup>3</sup>	Consumers	Systemic
DNEL long-term dermal	11,25 mg/kg bw/day	Workers	Systemic
DNEL long-term dermal	6,75 mg/kg bw/day	Consumers	Systemic
PNEC aquatic, freshwater	0,001 mg/l		
PNEC aquatic, marine water	0,0001 mg/l		
PNEC aquatic, intermittent release	0,004 mg/l		
PNEC sediment, freshwater	0,317 mg/kg		
PNEC sediment, marine water	0,032 mg/kg		
PNEC soil	0,697 mg/kg		
PNEC Secondary Poisoning	60 mg/kg		
PNEC sewage treatment plant (STP)	10 mg/l		

#### Fuels, diesel (68334-30-5)

Type	Value	User	Effect
DNEL long-term oral (repeated)	1,25 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	68,34 mg/m <sup>3</sup>	Workers	Systemic
DNEL long-term inhalative	20,22 mg/m <sup>3</sup>	Consumers	Systemic
DNEL long-term dermal	2,91 mg/kg bw/day	Workers	Systemic
DNEL long-term dermal	1,25 mg/kg bw/day	Consumers	Systemic

### 8.2 - Exposure controls

Appropriate engineering controls - No information available.

Individual protection measures, such as personal protective equipment

- Lab coat.
- Dust protection safety glasses.



## HYDRO OIL AW 46

Environmental exposure controls - No data available.

### SECTION 9: Physical and chemical properties

#### 9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	Solid	<u>Appearance</u>	Gel
<u>Colour</u>	yellow	<u>Odour</u>	characteristic
Odour threshold	No information available.		
pH	No information available.		
Melting point	No information available.		
Freezing point	No information available.		
Boiling point	No information available.		
Flash point	230 °C approx. Open cup		
Evaporation rate	No information available.		
flammability	Not relevant.		
Lower explosion limit	No information available.		
Upper explosion limit	No information available.		
Vapour pressure	No information available.		
Vapour density	No information available.		
Relative density	No information available.		
Density	0,88 g/ml approx. @15°C		
Solubility (Water)	Insoluble		
Solubility (Ethanol)	No information available.		
Solubility (Acetone)	No information available.		
Solubility (Organic solvents)	No information available.		
Log KOC	No information available.		
Auto-ignition temperature	No information available.		
Decomposition temperature	No information available.		
Kinematic viscosity	41,4 mm <sup>2</sup> /s < V < 50,6 mm <sup>2</sup> /s (cSt) @40°C		
Dynamic viscosity	No information available.		

#### Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

#### 9.2 - Other information

VOC content	Undetermined
Minimum ignition energy	No data available
Conductivity	No data available

## HYDRO OIL AW 46

Refractive index	No data available
Solids content	No data available
Surface tension	No data available
Saturation concentration	No data available

- No data available.

### SECTION 10: Stability and reactivity

#### 10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

#### 10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

#### 10.4 - Conditions to avoid

- Stable under recommended storage and handling conditions.

#### 10.5 - Incompatible materials

- No data available.

#### 10.6 - Hazardous decomposition products

- No data available.

### SECTION 11: Toxicological information

#### 11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

#### Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation gas (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- No data available.

#### Toxicity : Substances

2,6-di-tert-butylphenol (128-39-2)	
LD50 oral (rat)	> 5000 mg/kg (OECD Guideline 401, Acute Oral Toxicity)

## HYDRO OIL AW 46

Fuels, diesel (68334-30-5)	
LD50 oral (rat)	17900 mg/kg (OECD Guideline 401, Acute Oral Toxicity)
LD50 dermal (rabbit)	> 4300 mg/kg OECD 434
LC50 inhalation dusts and mists (rat)	5,4 mg/l (OECD Guideline 403, Acute inhalation toxicity)

Skin corrosion/irritation - Not classified

- No data available.

Serious eye damage/eye irritation - Not classified

- No data available.

Respiratory or skin sensitisation - Not classified

- No data available.

Germ cell mutagenicity - Not classified

- No data available.

Carcinogenicity - Not classified

- No data available.

Reproductive toxicity - Not classified

- No data available.

STOT-single exposure - Not classified

- No data available.

STOT-repeated exposure - Not classified

- No data available.

Aspiration hazard - Not classified

- Not applicable

### 11.2 - Information on other hazards

- No information available.

## SECTION 12: Ecological information

### 12.1 - Toxicity

#### Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available

## HYDRO OIL AW 46

NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

- Harmful to aquatic life with long lasting effects.

### Toxicity : Substances

2,6-di-tert-butylphenol (128-39-2)	
EC50 48 hr crustacea	0,45 mg/l Daphnia magna (Big water flea)
LC50 96 hr fish	1,4 mg/l Pimephales promelas (fathead minnow)
ErC50 algae	1,2 mg/l Pseudokirchneriella subcapitata
NOEC chronic crustacea	0,035 mg/l Daphnia magna (Big water flea)
NOEC chronic algae	0,64 mg/l Pseudokirchneriella subcapitata

### 12.2 - Persistence and degradability

#### Mixture

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No data available.

#### Substances

2,6-di-tert-butylphenol (128-39-2)	
% of biodegradation in 28 days	12 % < V < 24 % Chemical oxygen demand (COD) Not readily biodegradable (according to OECD criteria).
phenol, (tetrapropenyl) derivatives (74499-35-7)	
% of biodegradation in 28 days	6 % < V < 25 % Not readily biodegradable (according to OECD criteria).

### 12.3 - Bioaccumulative potential

#### Mixture

Bioconcentration factor (BCF)	No data available
Log KOC	No information available.

- No data available.

## HYDRO OIL AW 46

### Substances

2,6-di-tert-butylphenol (128-39-2)	
Bioconcentration factor (BCF)	660 L/kg May accumulate in organisms.
phenol, (tetrapropenyl) derivatives (74499-35-7)	
Bioconcentration factor (BCF)	289 < V < 1601 May accumulate in organisms.

#### 12.4 - Mobility in soil

- No data available.

#### 12.5 - Results of PBT and vPvB assessment

#### 12.6 - Endocrine disrupting properties

- No information available.

#### 12.7 - Other adverse effects

- No data available.

### **SECTION 13: Disposal considerations**

#### 13.1 - Waste treatment methods

Waste treatment methods - No information available.

Sewage disposal - No information available.

Special precautions for waste treatment - No information available.

Community or national or regional provisions - Dispose of waste according to applicable legislation.

### **SECTION 14: Transport information**

#### 14.1 - UN number or ID number

Not applicable

#### 14.2 - UN proper shipping name

Not applicable

#### 14.3 - Transport hazard class(es)

Not applicable

#### 14.4 - Packing group

Not applicable

#### 14.5 - Environmental hazards

Not applicable

#### 14.6 - Special precautions for user

## HYDRO OIL AW 46

Not applicable

14.7 - Maritime transport in bulk according to IMO instruments

Not applicable

- Not applicable.

### SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content No data available

15.2 - Chemical Safety Assessment

### SECTION 16: Other information

#### SDS versions

Version	Issue date	Author	Description of the amendments
5	22/02/2025		Updated according to current legislation.
4	16/12/2020		Updated according to current legislation.
1	17/06/2011		It was prepared for the first time.

Issued by: Sena Ezgi Selçuk

#### Abbreviations and acronyms

- ADR: The Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE: Acute Toxicity Estimate.
- LC50: Lethal Concentration to 50 % of a test animals.
- LOEC: Lowest Observed Effect Concentration.
- LD50: Lethal Dose to 50% of a test animals.
- LOEL: Lowest Observed Adverse Effect Level.
- DNEL: Derived no-effect level.
- EC50: Effective concentration of the substance that causes adverse effects in 50% of test animals.
- IATA: International Air Transport Association.
- IMDG: International Maritime Dangerous Goods.
- EC No: European Community number
- NOEC: No Observed Effect Concentration.
- NOEL: No observable effect level.
- CAS No.: Chemical Abstracts Service number.
- ICAO: International Civil Aviation Organization
- PBT: Persistent, Bioaccumulative and Toxic.
- PNEC: Predicted no-effect concentration.
- RID: International Carriage of Dangerous Goods by Rail.
- STEL: Short-term exposure limit

## HYDRO OIL AW 46

- TWA: Time weighted average
- OEL: Occupational exposure limit.
- vPvB: very Persistent and very Bioaccumulative.

### Texts of the regulatory sentences

Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Aquatic Chronic 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
Carc. 2	Carcinogenicity - Category 2
Eye Dam. 1	Serious eye damage, Category 1
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H351	Suspected of causing cancer .
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Not Classified	Not classified
Repr. 1B	Reproductive toxicity - Category 1B (H360F)
Skin Corr. 1C	Skin corrosion, Category 1C
Skin Irrit. 2	Irritation, Category 2

The information provided in this Safety Data Sheet (SDS) is current on the date the SDS was prepared or revised. Implementation of measures that are provided on SDS is under downstream user companies' responsibility. Downstream users may change the measures in the SDS according to the conditions in their own business.

\*\*\* \*\*