



SAFETY DATA SHEET

MAXIMUS M 5W30

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MAXIMUS M 5W30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

Uses advised against This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. This product is designed only to suit automotive applications and no provision is made for the requirements of aviation applications.

1.3. Details of the supplier of the safety data sheet

Contact person Customer Services: madeniyag@petrolofisi.com.tr

Manufacturer PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone number Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P401 Store in accordance with national regulations.
P262 Do not get in eyes, on skin, or on clothing.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P273 Avoid release to the environment.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

MAXIMUS M 5W30

As supplied, the material does not present a health hazard.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic baseoil CAS number: 64742-54-7 EC number: 265-157-1 REACH registration number: 01-2119484627-25-0065	25-40%
Classification Asp. Tox. 1 - H304	
1-Decene Homopolymer Hydrogenated CAS number: 68037-01-4 EC number: 500-183-1	25-40%
Classification Not Classified	
Mineral oil (mixture) CAS number: — The mineral oil contained in this material may be described by one or more of the following CAS No's.: 64742-54-7, 64742-65-0, 6474255-8, and 64742-56-9.	10-20%
Classification Asp. Tox. 1 - H304	
Distillates (petroleum), hydrogenated heavy paraffinic CAS number: — EC number: 265-157-1	10-20%
Classification Asp. Tox. 1 - H304	
bis(nonylphenyl)amine CAS number: 36878-20-3 EC number: 253-249-4	1-5%
Classification Aquatic Chronic 4 - H413	
Butanedioic acid, 2,3-dihydroxy-, mixed C12-16-alkyl and C13-rich C11-14-isoalkyl diesters, (2R,3R)-rel- CAS number: — EC number: 482-100-8	<1%
Classification Eye Dam. 1 - H318	

MAXIMUS M 5W30

Zinc O,O,O',O'-tetrakis(1,3dimethylbutyl)bis(fosforodithioat)		<1%
CAS number: —		EC number: 218-679-9
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
Mineral oil		<1%
CAS number: —		
The mineral oil contained in this material may be identified by one or more of the following CAS Numbers: 64742-54-7, 64742-65-0, 64742-55-8 and 64742-56-9.		
Classification Asp. Tox. 1 - H304		
Phenol, dodecyl-, branched		<1%
CAS number: —		EC number: 310-154-3
M factor (Acute) = 10		M factor (Chronic) = 10
Classification Skin Corr. 1C - H314 Eye Dam. 1 - H318 Repr. 1B - H360 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
2,6-di-tert-butyl-p-cresol		<1%
CAS number: —		EC number: 204-881-4
M factor (Acute) = 1		M factor (Chronic) = 1
Classification Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

Composition comments The DMSO contents of some substances are classified by the manufacturer as <3% according to IP 346.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	If in doubt, get medical attention promptly. First aid personnel should wear appropriate protective equipment during any rescue. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical attention.

MAXIMUS M 5W30

Ingestion	If throat irritation or coughing persists, proceed as follows. Do not induce vomiting unless under the direction of medical personnel. Get medical attention if symptoms are severe or persist. Consult a physician for specific advice.
Skin contact	Get medical attention immediately. Brush off loose particles from skin. Remove contamination with soap and water or recognised skin cleansing agent. Take off immediately all contaminated clothing and wash it before reuse. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention. Show this Safety Data Sheet to the medical personnel.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically. See Section 11 for additional information on health hazards.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	No specific chemical antidote is known to be required after exposure to this product. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish. Water can be used to cool and protect exposed material.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional information. Water may cause splattering. Container may rupture on heating.
Hazardous combustion products	Carbon dioxide (CO ₂). Carbon monoxide (CO). A complex mixture of airborne solids, liquids and gases can be released.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid the spillage or runoff entering drains, sewers or watercourses. No action shall be taken without appropriate training or involving any personal risk. Control run-off water by containing and keeping it out of sewers and watercourses. Contain and collect extinguishing water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use special protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

MAXIMUS M 5W30

Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No action shall be taken without appropriate training or involving any personal risk. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.
For non-emergency personnel	Necessary precautions should be taken to ensure that non-educated personnel do not intervene.
For emergency responders	Wear protective clothing as shown in section 8 of this safety data sheet. Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods.

6.2. Environmental precautions

Environmental precautions	Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Small spill : Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Large spill : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water sources, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may be pose the same hazard as the spilled product.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 1 for emergency contact information. For waste disposal, see Section 13. See Section 7 for more information on safe handling. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.
------------------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Take precautionary measures against static discharges. Wear protective clothing as described in Section 8 of this safety data sheet.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Avoid breathing vapors / mist. Do not eat, drink or smoke when using this product. Wash after use and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in a demarcated bunded area to prevent release to drains and/or watercourses. Store away from incompatible materials (see Section 10). Bund storage facilities to prevent soil and water pollution in the event of spillage. Keep only in the original container. Protect from freezing and direct sunlight.
----------------------------	--

7.3. Specific end use(s)

MAXIMUS M 5W30

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

There is no available data.

Ingredient comments If this product contains a component with exclusion limits, to determine the effectiveness of ventilation and other control measures; and / or the necessity of the use of respiratory protective devices, the working environment or biological measurement and monitoring of employees may be required. The European Standard EN 689 and the relevant national guidelines should be taken as reference for the detection methods for assessing exposure to inhalation of chemicals of hazardous substances.

Biological limit values No information available.

DNEL Information given is based on data of the components and of similar products.

DMEL Information given is based on data of the components and of similar products.

PNEC Information given is based on data of the components and of similar products.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil (CAS: 64742-54-7)

Ingredient comments There is no available data.

Biological limit values There is no available data.

DNEL Workers - Inhalation; Long term systemic effects: 2,7 (8h) mg/m³
 Workers - Inhalation; Long term local effects: 5,4 (8h) mg/m³
 Consumer - Inhalation; Long term local effects: 1,2 (24h) mg/m³
 Consumer - Oral; Long term systemic effects: 0,74 (24h) mg/kg/day
 Workers - Dermal; Long term systemic effects: 1,0 (8h) mg/kg

DMEL No information available.

PNEC No information available.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Personal protection The following recommendations are made based on information available for the major chemical component.

Eye/face protection Wear chemical splash goggles. Wear face protection.

Hand protection Wear protective gloves. Frequent changes are recommended.

MAXIMUS M 5W30

Other skin and body protection	Avoid contact with skin. Wear apron or protective clothing in case of contact.
Hygiene measures	Good personal hygiene procedures should be implemented. Wash contaminated skin thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are unsuitable (e.g. airborne concentrations are high, risk of oxygen deficiency, confined space) use appropriate positive pressure breathing apparatus. Where airfiltering respirators are suitable, select an appropriate combination of mask and filter. All respiratory protection equipment and use must be in accordance with local regulations.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Brownish.
Odour	Characteristic.
Odour threshold	No specific test data are available.
pH	Scientifically unjustified.
Melting point	-42°C
Initial boiling point and range	No specific test data are available.
Flash point	~ 232°C Cleveland open cup.
Evaporation rate	No specific test data are available.
Evaporation factor	No specific test data are available.
Flammability (solid, gas)	No specific test data are available.
Upper/lower flammability or explosive limits	No specific test data are available.
Other flammability	No specific test data are available.
Vapour pressure	No specific test data are available.
Vapour density	No specific test data are available.
Relative density	No specific test data are available.
Bulk density	~ 0,85 g/ml
Solubility(ies)	Insoluble in water.

MAXIMUS M 5W30

Partition coefficient	No specific test data are available.
Auto-ignition temperature	No specific test data are available.
Decomposition Temperature	No specific test data are available.
Viscosity	12,0 cSt @ 100°C
Explosive properties	No specific test data are available.
Explosive under the influence of a flame	No information available.
Oxidising properties	Not known.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	No information required.
Refractive index	No specific test data are available.
Particle size	No specific test data are available.
Molecular weight	No specific test data are available.
Volatility	No specific test data are available.
Saturation concentration	No specific test data are available.
Critical temperature	No specific test data are available.
Volatile organic compound	No specific test data are available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Not known.
------------	------------

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Keep away from heat, sparks and open flame.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong acids. Inorganic halides. Strong acids. Strong alkalis.
--------------------	---

10.6. Hazardous decomposition products

Hazardous decomposition products	In the event of incomplete combustion, smoke, carbon dioxide and carbon monoxide are formed. Oxides of nitrogen.
----------------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Information given is based on data of the components and of similar products.
Other health effects	No information required.

MAXIMUS M 5W30

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation Based on available data the classification criteria are not met.

Animal data Based on available data the classification criteria are not met.

Human skin model test Based on available data the classification criteria are not met.

Extreme pH Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary Based on available data the classification criteria are not met.

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Summary Based on available data the classification criteria are not met.

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Summary Based on available data the classification criteria are not met.

Carcinogenicity Based on available data the classification criteria are not met.

Target organ for carcinogenicity No specific target organs known.

IARC carcinogenicity Not listed.

NTP carcinogenicity Not listed.

Reproductive toxicity

Summary Based on available data the classification criteria are not met.

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

MAXIMUS M 5W30

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

STOT - single exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

STOT - repeated exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Aspiration hazard

Summary Based on available data the classification criteria are not met.

Aspiration hazard Based on available data the classification criteria are not met.

Toxicokinetics Based on available data the classification criteria are not met.

General information Based on available data the classification criteria are not met.

Inhalation Based on available data the classification criteria are not met.

Ingestion Based on available data the classification criteria are not met.

Skin contact Based on available data the classification criteria are not met.

Eye contact Based on available data the classification criteria are not met.

Acute and chronic health hazards Based on available data the classification criteria are not met.

Route of exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Medical symptoms Based on available data the classification criteria are not met.

Medical considerations Based on available data the classification criteria are not met.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicological effects Information given is based on data of the components and of similar products.

Other health effects No information required.

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Notes (oral LD₅₀) LD₅₀ >5000 (OECD 401)/API 1982a mg/kg, Oral, Rat

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Notes (dermal LD₅₀) LD₅₀ >5000 (OECD 402)/API 1982a mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

MAXIMUS M 5W30

Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	LC50, 4h 5,53 (OECD 403)/Exxon Biomedical Sciences, Inc.(1988a) mg/l, Inhalation, Rat
<u>Skin corrosion/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.
<u>Serious eye damage/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.
<u>Germ cell mutagenicity</u>	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u>	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Not listed.
NTP carcinogenicity	Not listed.
<u>Reproductive toxicity</u>	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - single exposure</u>	

MAXIMUS M 5W30

Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
<u>Specific target organ toxicity - repeated exposure</u>	
Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
<u>Aspiration hazard</u>	
Summary	Slight irritation of the respiratory tract may occur, if mists are inhaled.
Aspiration hazard	May be fatal if swallowed and enters airways.
.	
Toxicokinetics	No information required.
General information	No information required.
Inhalation	No information required.
Ingestion	No information required.
Skin contact	No information required.
Eye contact	No information required.
Acute and chronic health hazards	No information required.
Route of exposure	No information required.
Target organs	No specific target organs known.
Medical symptoms	No information required.
Medical considerations	No information required.

1-Decene Homopolymer Hydrogenated

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >5,2 (4h) mg/l, Inhalation, Rat

Skin corrosion/irritation

Summary Basen on the available data, the classification criteria are not met.

Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

Skin sensitisation

MAXIMUS M 5W30

Skin sensitisation	Did not cause sensitization on laboratory animals. (Supplier information.)
<u>Germ cell mutagenicity</u>	
Summary	Animal testing did not show any mutagenic effects. (Supplier information.)
<u>Carcinogenicity</u>	
Carcinogenicity	Carcinogenicity in humans is not expected. Supplier's information.
<u>Reproductive toxicity</u>	
Summary	Species: Rat Sex: male and female Application Route: oral gavage Dose: 0, 100, 500, 1000 mg/kg Number of exposures: daily Test period: 10 weeks Method: OECD Test Guideline 415 NOAEL Parent: 1.000 mg/kg

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOEL 6,245 mg/kg, Oral, Rat NOEL 4159,4 mg/kg, Oral, Rat

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met. Supplier's information.

Mineral oil (mixture)

Skin sensitisation

Skin sensitisation Classification: Not a skin sensitizer. (Read across) (Supplier information)

Specific target organ toxicity - single exposure

STOT - single exposure If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information)

Aspiration hazard

Aspiration hazard Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)

Distillates (petroleum), hydrogenated heavy paraffinic

Carcinogenicity

Carcinogenicity This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

Aspiration hazard

Aspiration hazard Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)

bis(nonylphenyl)amine

Germ cell mutagenicity

Genotoxicity - in vitro This material has not exhibited mutagenic or genotoxic potential in laboratory tests. (Supplier information)

Zinc O,O',O',O'-tetrakis(1,3dimethylbuthyl)bis(fosforodithioat)

Skin sensitisation

Skin sensitisation Classification: Not a skin sensitizer.

MAXIMUS M 5W30**Mineral oil****Acute toxicity - oral**

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Phenol, dodecyl-, branched**Skin sensitisation**

Skin sensitisation Classification: Not a skin sensitizer.

Germ cell mutagenicity

Genotoxicity - in vitro This material has not exhibited mutagenic or genotoxic potential in laboratory tests. (Supplier data)

Reproductive toxicity

Summary May damage fertility. (Supplier information)

Specific target organ toxicity - single exposure

STOT - single exposure May cause irritation to the mucous membranes and upper respiratory tract.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure This product contains para-dodecylphenol. Rats given high, repeated daily doses of para-dodecylphenol by oral intubation experienced effects on a number of organs including adrenal, thyroid, liver, ovary, testes, bone marrow and blood cell formation.

2,6-di-tert-butyl-p-cresol**Reproductive toxicity**

Reproductive toxicity - development Gestation to pregnant mice 6-13. days after di-tert-butyl-p-cresol up to 800 mg / kg / day, no teratogenic effect was observed. (Supplier information)

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life.

Ecological information on ingredients.**Distillates (petroleum), hydrotreated heavy paraffinic baseoil**

Ecotoxicity Based on available data the classification criteria are not met.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish No specific test data are available.

Acute toxicity - aquatic invertebrates Based on available data the classification criteria are not met.

Acute toxicity - aquatic plants Based on available data the classification criteria are not met.

MAXIMUS M 5W30

Acute toxicity - microorganisms Based on available data the classification criteria are not met.

Acute toxicity - terrestrial Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary Based on available data the classification criteria are not met.

Chronic toxicity - fish early life stage Based on available data the classification criteria are not met.

Short term toxicity - embryo and sac fry stages Based on available data the classification criteria are not met.

Chronic toxicity - aquatic invertebrates Based on available data the classification criteria are not met.

Toxicity to soil Based on available data the classification criteria are not met.

Toxicity to terrestrial plants Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish LL₅₀, : >100 mg/l, Fish
LL₅₀, 96 (OECD 203) hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates LL₅₀, 24 (OECD 202) hours: >10000 mg/l, Gammarus pulex
EL₅₀, 24 (OECD 202) hours: >10000 mg/l, Daphnia magna

Acute toxicity - aquatic plants No information required.

Acute toxicity - microorganisms LL₅₀, : >100 mg/l, Micro-organisms

Acute toxicity - terrestrial No information required.

Chronic aquatic toxicity

Summary Based on available data the classification criteria are not met.

Chronic toxicity - fish early life stage No information required.

Short term toxicity - embryo and sac fry stages No information required.

Chronic toxicity - aquatic invertebrates No information required.

Toxicity to soil No information required.

Toxicity to terrestrial plants No information required.

1-Decene Homopolymer Hydrogenated

Acute aquatic toxicity

MAXIMUS M 5W30

Acute toxicity - fish	LC ₅₀ , 96 hour: >750 mg/l, Fathead Minnow
Acute toxicity - aquatic invertebrates	EL50, 48 hour: >1000 mg/l, Daphnia Magna
Acute toxicity - aquatic plants	EC ₅₀ , 96 hour: >1000 mg/l, Selenastrum capricornutum

Mineral oil (mixture)

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 4 day: >100 mg/l, Fathead Minnow
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: >10000 mg/l, Daphnia magna EC ₅₀ , 21 day: >10 mg/l, Daphnia magna NOEC, 21 day: >10 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 3 day: >100 mg/l, Scenedesmus quadricauda

Distillates (petroleum), hydrogenated heavy paraffinic

Acute aquatic toxicity

Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: >10000 mg/l, Daphnia magna EC ₅₀ , 21 day: >10 mg/l, Daphnia magna NOEC, 21 day: 10 mg/l, Daphnia magna
---	--

bis(nonylphenyl)amine

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 4 day: >100 mg/l, Danio rerio (Zebrafish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 3 day: 600 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	EC ₅₀ , 0,1 day: >1000 mg/l, Sludge

Zinc O,O',O',O'-tetrakis(1,3dimethylbuthyl)bis(fosforodithioat)

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 4 day: 4,5 mg/l, Oncorhynchus mykiss (Rainbow trout) NOEC, 4 day: 1,8 mg/l, Oncorhynchus mykiss (Rainbow trout) LC ₅₀ , 4 day: 46 mg/l, Sheepshead Minnow
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: 23 mg/l, Daphnia magna NOEC, 2 day: 10 mg/l, Daphnia magna NOEC, 21 day: 0,4 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 3 day: 21 mg/l, Selenastrum capricornutum

Mineral oil

Acute aquatic toxicity

MAXIMUS M 5W30

Acute toxicity - fish	LC ₅₀ , 4 day: >100 mg/l, Fathead Minnow
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: >10000 mg/l, Daphnia magna EC ₅₀ , 21 day: >10 mg/l, Daphnia magna NOEC, 21 day: >10 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 3 day: >100 mg/l, Scenedesmus quadricauda

Phenol, dodecyl-, branched**Acute aquatic toxicity**

LE(C)₅₀	0.01 < L(E)C ₅₀ ≤ 0.1
M factor (Acute)	10
Acute toxicity - fish	LC ₅₀ , 4 day: 40 mg/l, Fathead Minnow
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: 0,037 mg/l, Daphnia magna EC ₅₀ , 4 day: >0,58 mg/l, Shrimp (Mysidopsis Bahia) EC ₅₀ , 21 day: 0,0079 mg/l, Daphnia magna NOEC, 21 day: 0,0037 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hour: 0,36 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	EC ₅₀ , 0,1 day: >1000 mg/l, Sludge

Chronic aquatic toxicity

M factor (Chronic)	10
---------------------------	----

2,6-di-tert-butyl-p-cresol**Acute aquatic toxicity**

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: 0,48 mg/l, Daphnia magna

Chronic aquatic toxicity

M factor (Chronic)	1
---------------------------	---

12.2. Persistence and degradability

Persistence and degradability Based on available data the classification criteria are not met.

Phototransformation No specific test data are available.

Stability (hydrolysis) No specific test data are available.

Biodegradation No specific test data are available.

Biological oxygen demand No specific test data are available.

Chemical oxygen demand No specific test data are available.

Ecological information on ingredients.**Distillates (petroleum), hydrotreated heavy paraffinic baseoil**

MAXIMUS M 5W30

Persistence and degradability	OECD 301B:2-4 %,28 d ;OECD 301F:31 %,28 d
Phototransformation	Inconclusive data.
Stability (hydrolysis)	Inconclusive data.
Biodegradation	Inconclusive data.
Biological oxygen demand	Inconclusive data.
Chemical oxygen demand	Inconclusive data.

1-Decene Homopolymer Hydrogenated

Biodegradation	Not expected to be readily biodegradable.
-----------------------	---

Mineral oil (mixture)

Biodegradation	Carbon dioxide formation - 31: 28 day, OECD TG 301B
-----------------------	---

Distillates (petroleum), hydrogenated heavy paraffinic

Biodegradation	Oxygen discharge - 31 %: 28 day, OECD TG 301 F
-----------------------	--

bis(nonylphenyl)amine

Biodegradation	Carbon dioxide formation - 0 %: 28 day, OECD TG 301B
-----------------------	--

Zinc O,O',O',O'-tetrakis(1,3dimethylbutyl)bis(fosforodithioat)

Biodegradation	Carbon dioxide formation - 1,5 %: 28 day, OECD TG 301B
-----------------------	--

Mineral oil

Biodegradation	Carbon dioxide formation - 31 %: 28 day, OECD TG 301B
-----------------------	---

Phenol, dodecyl-, branched

Biodegradation	Miscellaneous - 10 %: 56 day Carbon dioxide formation - 25 %: 28 day, OECD TG 301B
-----------------------	---

2,6-di-tert-butyl-p-cresol

Biodegradation	Miscellaneous - 30 %: 14 day, OECD TG 302 C Oxygen discharge - 4,5 %: 28 day, OECD TG 301 C
-----------------------	--

12.3. Bioaccumulative potential

Bioaccumulative potential No specific test data are available.

Partition coefficient No specific test data are available.

Ecological information on ingredients.**Distillates (petroleum), hydrotreated heavy paraffinic baseoil**

Bioaccumulative potential Inconclusive data.

Partition coefficient Inconclusive data.

MAXIMUS M 5W30**1-Decene Homopolymer Hydrogenated**

Bioaccumulative potential Bioaccumulation is unlikely.

bis(nonylphenyl)amine

Bioaccumulative potential BCF: 1584,89, Measured

Zinc O,O',O',O'-tetrakis(1,3dimethylbuthyl)bis(fosforodithioat)

Partition coefficient log Kow: °C 2,21 20

Phenol, dodecyl-, branched

Bioaccumulative potential BCF: 794,33, Measured

Partition coefficient log Kow: 7,14

2,6-di-tert-butyl-p-cresol

Partition coefficient log Kow: 5,03

12.4. Mobility in soil

Mobility Based on available data the classification criteria are not met.

Adsorption/desorption coefficient No specific test data are available.

Henry's law constant No specific test data are available.

Surface tension No specific test data are available.

Ecological information on ingredients.**Distillates (petroleum), hydrotreated heavy paraffinic baseoil**

Mobility No data available.

Adsorption/desorption coefficient Inconclusive data.

Henry's law constant Inconclusive data.

Surface tension Inconclusive data.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment Not relevant.

Ecological information on ingredients.**Distillates (petroleum), hydrotreated heavy paraffinic baseoil**

Results of PBT and vPvB assessment Not relevant.

12.6. Other adverse effects

Other adverse effects Not known.

Ecological information on ingredients.

MAXIMUS M 5W30

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Other adverse effects

This product contains components that have a harmful effect on the aquatic environment. Do not allow to enter into soil, rivers or sewers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

Disposal methods

Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General

Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Not applicable.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization. According to Regulation (EC) No 1907/2006, Annex II, as amended.

Guidance

Safety Data Sheets for Substances and Preparations.

MAXIMUS M 5W30

Health and environmental listings Hazardous ingredients are listed.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>DMSO: Dimethyl sulfoxide T.C. : Republic of Turkey TWA: Workplace exposure limits UZEM: National Poison Information Center ATE: Acute Toxicity Estimate. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. LC₅₀: Lethal Concentration to 50 % of a test population. PBT: Persistent, Bioaccumulative and Toxic substance. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. vPvB: Very Persistent and Very Bioaccumulative. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. BCF: Bioconcentration Factor. BOD: Biochemical Oxygen Demand. EC₅₀: 50% of maximal Effective Concentration. NOEC: No Observed Effect Concentration. DMEL: Derived Minimal Effect Level.</p>
Classification abbreviations and acronyms	<p>Acute Tox. = Acute toxicity Asp. Tox. = Aspiration hazard STOT SE = Specific target organ toxicity-single exposure STOT RE = Specific target organ toxicity-repeated exposure Skin Corr. = Skin corrosion Skin Sens. = Skin sensitisation Skin Irrit. = Skin irritation Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Carc. = Carcinogenicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p>
General information	<p>Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. MSDS Distribution : The information in this document should be made available to all who may handle the product. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.</p>
Key literature references and sources for data	<p>This SDS is prepared based on the information received from raw material suppliers.</p>

MAXIMUS M 5W30

Classification procedures according to Regulation (EC) 1272/2008	Aquatic Chronic 3 - H412: Calculation method.
Training advice	Untrained personnel should not use.
Issued by	Sevda ŞAHAN Certified Safety Data Sheet Preparer (Certificate Id:GBF01.23.08;Dates: 03.11.2018-03.11.2021)
Revision	0
Supersedes date	11/10/2019
SDS number	20578
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H360 May damage fertility or the unborn child if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.