

# SAFETY DATA SHEET HYDRO TECH HVI 100

Commission Regulation (EU) No 2015/830 of 28 May 2015.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name HYDRO TECH HVI 100

Product number 22146

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial oil

Uses advised against This product must not be used outside of the practices recommended in Section 1 without

prior advice from the supplier.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFISI A.Ş.

Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul

Tel: +90 850 339 1919 Fax: +90 216 275 3854 madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone Emergency Medical Services: 112 National Poison Consultance Center: 114

number

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

**Environmental** The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P401 Store in accordance with local regulations.

P501 Dispose of contents/ container in accordance with local regulations.

#### 2.3. Other hazards

As supplied, the material does not present a health hazard.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## Distillates (petroleum), hydrotreated heavy paraffinic

80-95%

 REACH registration number: 01-

2119484627-25-0033

#### Classification

Not Classified

## Damıtıklar (petrol), solvent cilası alınmış ağır parafinik

5-10%

CAS number: 64742-65-0 EC number: 265-169-7

# Classification

Not Classified

## Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)

<1%

CAS number: 4259-15-8

#### Classification

Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

## 2,6-di-tert-butylphenol

<1%

CAS number: 128-39-2 M factor (Acute) = 1 EC number: 204-884-0 M factor (Chronic) = 1

#### Classification

Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

## Phenol, dodecyl-, sulfurized, carbonates, calcium salts,

<1%

overbased

CAS number: 122384-87-6

EC number: 272-234-3

## Classification

Aquatic Chronic 4 - H413

# Bis(nonilfenil)amin

<1%

CAS number: 36878-20-3

EC number: 253-249-4

#### Classification

Aquatic Chronic 4 - H413

## **HYDRO TECH HVI 100**

Polyglycol ether <1%

CAS number: -

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Calcium bis (dinonilnaftalinsülfonat)

CAS number: 57855-77-3 EC number: 260-991-2

**Classification** Skin Irrit. 2 - H315

Eye Dam. 1 - H318

Fuelsi diesel <1%

CAS number: 68334-30-5 EC number: 269-822-7

Classification Carc. 2 - H351

phenol, (tetrapropenyl) derivatives

Classification

Skin Corr. 1 - H314 Eye Dam. 1 - H318 Repr. 1B - H360 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

Composition comments Some substances are not classified by legistlation. They are self classified by the

manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes See Section 8 for occupational exposure limits.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General information Get medical advice/attention if you feel unwell.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

#### **HYDRO TECH HVI 100**

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

InhalationNo specific symptoms known.IngestionNo specific symptoms known.Skin contactNo specific symptoms known.Eye contactNo specific symptoms known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Specific treatments** Treat symptomatically.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

## 5.2. Special hazards arising from the substance or mixture

Specific hazards Not known.

Hazardous combustion

products

A complex mixture of airborne solids, liquids and gases can be released. Carbon monoxide (CO). Oxides of sulphur. Unidentified organic or inorganic compounds. Oxides of carbon. Carbon dioxide (CO2). Oxides of nitrogen. Oxides of phosphorus. Metal oxide(s). Hydrogen sulphide (H2S).

## 5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Necessary precautions should be taken to ensure that non-educated personnel do not

intervene.

For emergency responders Notification: In case of spillage, notify the local authorities as appropriate or as necessary.

> Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

#### 6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. See Section 1 for emergency contact information. See

Section 11 for additional information on health hazards. See Section 12 for additional

information on ecological hazards.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

Advice on general

Do not eat, drink or smoke when using this product. Eye wash facilities and emergency occupational hygiene shower must be available when handling this product. Good personal hygiene procedures

should be implemented.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet.

## SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

## Occupational exposure limits

There is no available data.

#### Distillates (petroleum), hydrotreated heavy paraffinic

Oil mist: TWA: 5 mg/m3 (ACGIH). In no case should this limit be exceeded or the local limit, if it is more restrictive.

#### Damıtıklar (petrol), solvent cilası alınmış ağır parafinik

TWA: Workplace exposure limits

5 mg/m3 8 hours

STEL: Short term exposure limit

10 mg/m3 15 minutes.

Ingredient comments Oil Mist TWA: 5 mg /m3 (ACGIH). Distillates (petroleum) hydrotreated heavy parafinic: EU

OEL (Eu.) TWA: 5 mg/m3 (8 h.)

There is no available data.

Biological limit values There is no available data.

DNEL There is no available data.

DMEL There is no available data.

8.2. Exposure controls

## Protective equipment



**PNEC** 





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational

exposure limits for the product or ingredients.

Personal protection Personal protective equipment (PPE) should meet recommended national standards. Check

with PPE suppliers.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

Thermal hazards If there is a risk of contact with hot product, all protective equipment worn should be suitable

for use with high temperatures.

**Environmental exposure** 

controls

Store in a demarcated bunded area to prevent release to drains and/or watercourses.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Yellow.

Odour Characteristic.

Odour threshold No specific test data are available.

pH Scientifically unjustified.

Melting point No information available.

Initial boiling point and range No information available.

Flash point ~ 230°C OC (Open cup).

Evaporation rate No information available.

Evaporation factor No information available.

Upper/lower flammability or

Flammability (solid, gas)

explosive limits

No specific test data are available.

No information available.

Other flammability No specific test data are available.

Vapour pressure

No information available.

Vapour density

No information available.

Relative density

No information available.

Bulk density ~ 0,88 @15°C g/ml
Solubility(ies) Insoluble in water.

Partition coefficient

No specific test data are available.

Auto-ignition temperature

No specific test data are available.

Decomposition Temperature

No specific test data are available.

Viscosity 90-110 cSt @ 40°C

**Explosive properties** Not considered to be explosive.

Explosive under the influence

of a flame

No suitable data is available.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

Comments Information declared as "Not available" or "Not applicable" is not considered to be relevant to

the implementation of the proper control measures.

9.2. Other information

Other information No information required. Refractive index No information available. Particle size No information available. Molecular weight No information available. Volatility No information available. Saturation concentration No information available. Critical temperature No information available. Volatile organic compound No information available.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

#### **HYDRO TECH HVI 100**

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising

agents.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Methacrylates. Oil vapors in

**products** case of overheating.

#### SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Toxicological effects Information given is based on product data, a knowledge of the components and the

toxicology of similar products.

Other health effects No relevant information available.

Acute toxicity - oral

**Summary** Based on available data, the classification criteria are not met.

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

**Summary** Based on the available data, the classification criteria are not met.

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

**Summary** Basen on the available data, the classification criteria are not met.

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

**Summary** Basen on the available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data the classification criteria are not met.

Animal data Inconclusive data.

Human skin model test Inconclusive data.

Extreme pH Inconclusive data.

Serious eye damage/irritation

**Summary** Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary Based on available data, the classification criteria are not met. Mist may cause slight irritation

if inhaled.

Respiratory sensitisation Inconclusive data.

Skin sensitisation

#### **HYDRO TECH HVI 100**

**Summary** Does not meet the classification criteria.

Skin sensitisation Inconclusive data.

Germ cell mutagenicity

**Summary** It is not expected to cause genetic damage in the light of current data.

Genotoxicity - in vitro Inconclusive data.

Genotoxicity - in vivo Inconclusive data.

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP 346.

**Carcinogenicity** Based on available data the classification criteria are not met.

Target organ for carcinogenicity

No specific target organs known.

Reproductive toxicity

**Summary** There is no test data indicating that this product has a toxic effect on the reproductive system.

Reproductive toxicity - fertility Inconclusive data.

Reproductive toxicity -

No information is required.

development

Specific target organ toxicity - single exposure

**Summary** There is no available data.

STOT - single exposure Inconclusive data.

**Target organs** No specific target organs known.

Specific target organ toxicity - repeated exposure

**Summary** There is no available data.

STOT - repeated exposure Inconclusive data.

**Target organs** No specific target organs known.

Aspiration hazard

**Summary** Slight irritation of the respiratory tract may occur, if mists are inhaled.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Toxicokinetics** No information is required.

General information Information given is based on data of the components and of similar products.

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Liquid may irritate skin.

**Eye contact** Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health

hazards

There is not enough data.

Route of exposure There is no available data.

Target organs

No specific target organs known.

Medical symptoms

No specific tes data are available.

Medical considerations

No specific tes data are available.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Dermal,

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP

346.

distillates (petroleum), solventrefined heavy paraffinic; baseoil - unspecified

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Dermal, Rat

Damıtıklar (petrol), solvent cilası alınmış ağır parafinik

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week,

Vapour Rat

Skin corrosion/irritation

**Skin corrosion/irritation** Moderately irritating.

Serious eye damage/irritation

Serious eye Moderately irritating.

damage/irritation

Respiratory sensitisation Not sensitising.

Germ cell mutagenicity

Respiratory sensitisation

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration, memeliler-

hayvan: Negative.

Reproductive toxicity

Reproductive toxicity -

Fertility - Negative. , Oral, Rat

fertility

## **HYDRO TECH HVI 100**

Reproductive toxicity -

Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Oral,

**development** Rat Teratogenicity: - Negative.: , Dermal, Rat

Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 3100 mg/kg, Oral, Rat NOAEL, Sub-akut 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >5000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Not corrosive to skin. Rabbit

Serious eye damage/irritation

Serious eye

damage/irritation

Causes serious eye damage.

Skin sensitisation

**Skin sensitisation** Not sensitising.

Germ cell mutagenicity

**Genotoxicity - in vitro** memeliler-hayvan: Positive. Bacterial reverse mutation test: Negative.

**Genotoxicity - in vivo** Micronucleus Test, memeliler-hayvan: Negative.

Reproductive toxicity

Reproductive toxicity -

fertility

Fertility - Negative., ,

Reproductive toxicity -

development

Developmental toxicity: -: Negative., , Maternal toxicity: -: Negative., ,

2,6-di-tert-butylphenol

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 270 mg/kg, Oral, Rat NOAEL,

Sub-akut 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >10000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

**Skin corrosion/irritation** Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation

Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

**Genotoxicity - in vitro**Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

#### **HYDRO TECH HVI 100**

Reproductive toxicity -

fertility

Fertility - Negative., Oral, Rat

Reproductive toxicity -

development

Developmental toxicity: -: Ambiguous uncertain, Oral, Rat Maternal toxicity: -:

Positive., Oral, Rat

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 30 mg/kg, Dermal, Rat,

Female NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LCso) LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,22 mg/l, 4 week,

Dust/Mist Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Dust/Mist Rat

Skin corrosion/irritation

**Skin corrosion/irritation** Not irritating.

Serious eye damage/irritation

Serious eye

Not irritating.

damage/irritation
Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

\_\_\_\_\_

Carcinogenicity

Carcinogenicity 78 week, Negative., Dermal, Mouse

Reproductive toxicity

Reproductive toxicity -

fertility

Fertility - Negative., Oral, Rat

Reproductive toxicity -

development

Teratogenicity: -: Negative., Dermal, Rat Maternal toxicity: - Negative.:, Oral, Rat

Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Developmental toxicity: - Negative.: , Oral, Rat

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased

Acute toxicity - oral

Notes (oral LD $_{50}$ ) LD $_{50}$  >5000 mg/kg, Oral, Rat NOAEL, Sub-akut 200 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >2000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 250 mg/kg, Dermal, Rat

Skin corrosion/irritation

**Skin corrosion/irritation** Slightly irritating.

Serious eye damage/irritation

Serious eye

Slightly irritating.

damage/irritation

## **HYDRO TECH HVI 100**

Germ cell mutagenicity

**Genotoxicity - in vitro**Bacterial reverse mutation test: Negative. Gene mutation, memeliler-hayvan:

Negative.

Reproductive toxicity

Reproductive toxicity - development

Teratogenicity: -: Negative., Oral, Rat

Bis(nonilfenil)amin

Acute toxicity - oral

Notes (oral LD50) LD50 >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

**Skin corrosion/irritation** Moderately irritating.

Skin sensitisation

**Skin sensitisation** Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. Gene

mutation: Negative.

Reproductive toxicity

Reproductive toxicity -

development

Teratogenicity: -: Negative., Oral, Rat

Polyglycol ether

Acute toxicity - oral

Notes (oral LD₅o) LD₅o 300-2000 mg/kg, Oral, Rat NOAEL, Sub-akut 100 mg/kg, Oral, Rat

**ATE oral (mg/kg)** 500.0

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Dermal, Rabbit

Skin sensitisation

**Skin sensitisation** Not sensitising.

Germ cell mutagenicity

**Genotoxicity - in vitro**Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity -

fertility

Two-generation study - Maternal toxicity: Positive., Inhalation, Rat Fertility, Two-generation study - Negative., Inhalation, Rat Two-generation study - Developmental

toxicity: Negative., Inhalation, Rat

Reproductive toxicity -

development

Maternal toxicity: -: Positive., Oral, Rat Developmental toxicity: -: Negative., Oral, Rat Fertility -: Negative., Oral, Rat Teratogenicity: -: Negative., Dermal, Rat

Calcium bis (dinonilnaftalinsülfonat)

## **HYDRO TECH HVI 100**

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat NOAEL, Sub-akut 95 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >20000 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC₅o) LC50 >18 mg/l, 1 hour, Vapour Rat

Skin corrosion/irritation

**Skin corrosion/irritation** Corrosive to skin.

Serious eye damage/irritation

Serious eye

damage/irritation

Causes serious eye irritation.

Germ cell mutagenicity

**Genotoxicity - in vitro**Bacterial reverse mutation test, memeliler-hayvan: Negative.

Fuelsi diesel

Carcinogenicity

**Carcinogenicity** Known or suspected carcinogen for humans.

phenol, (tetrapropenyl) derivatives

Acute toxicity - oral

Notes (oral LD50) LD50 2200 mg/kg, Oral, Rat NOAEL, Sub-kronik 15 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> 15000 mg/kg, Dermal, Rabbit

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

**Genotoxicity - in vitro**Bacterial reverse mutation test: Negative. Gene mutation: Negative.

Reproductive toxicity

Reproductive toxicity -

fertility

Fertility - Positive., Oral, Rat

Reproductive toxicity -

development

Maternal toxicity: -: Positive., Oral, Rat Developmental toxicity: -: Positive., Oral,

Rat

SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment. May be harmful to aquatic organisms. Spills

form film layer on water surface and prevent oxygen transfer

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

**Ecotoxicity** May be harmful to aquatic organisms. Spills form film layer on water surface and

prevent oxygen transfer

#### 12.1. Toxicity

**Toxicity** There is not enough data.

Acute aquatic toxicity

Summary Based on available information, the classification criteria are not met.

Acute toxicity - fish Based on available data the classification criteria are not met.

Acute toxicity - aquatic

invertebrates

Based on available data the classification criteria are not met.

Acute toxicity - aquatic plants Based on available data the classification criteria are not met.

Acute toxicity microorganisms Based on available data the classification criteria are not met.

Acute toxicity - terrestrial No information required.

Chronic aquatic toxicity

Based on available information, the classification criteria are not met. Summary

Chronic toxicity - fish early life No information required.

stage

Short term toxicity - embryo

and sac fry stages

No information required.

Chronic toxicity - aquatic

invertebrates

Based on available data the classification criteria are not met.

Toxicity to soil There is not enough data. Toxicity to terrestrial plants There is not enough data.

#### Ecological information on ingredients.

#### Damıtıklar (petrol), solvent cilası alınmış ağır parafinik

Acute aquatic toxicity

Acute toxicity - fish LL<sub>50</sub>, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)

NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - aquatic

NOEL, 21 day: 10 mg/l, Daphnia magna

invertebrates

NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)

Acute aquatic toxicity

Acute toxicity - fish LL<sub>50</sub>, 96 hour: 4,4 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: 75 mg/l, Daphnia magna NOEC, 21 day: 0,4 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EL50, 72 hour: 410 mg/l, Desmodesmus subspicatus

NOEL, chronic, 72 hour: 220 mg/l, Scenedesmus subspicatus

Acute toxicity -

microorganisms

EL50, 16 hour: 380 mg/l, Micro-organisms

### 2,6-di-tert-butylphenol

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute)

Acute toxicity - fish LC<sub>50</sub>, 96 hour: 1,4 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hour: 0,45 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 96 hour: 1,2 mg/l, Algae

Acute toxicity -

microorganisms

EC<sub>50</sub>, 3 hour: >1000 mg/l, Micro-organisms

Chronic aquatic toxicity

M factor (Chronic) 1

Chronic toxicity - aquatic

NOEC, 21 day: 0,035 mg/l, Daphnia magna

invertebrates NOEC, 96 hour: 0,64 mg/l, Alg

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute aquatic toxicity

Acute toxicity - fish LL<sub>50</sub>, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)

NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - aquatic

NOEL, 21 day: 10 mg/l, Daphnia magna

invertebrates NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased

Acute aquatic toxicity

Acute toxicity - fish LL<sub>50</sub>, 96 hour: >1000 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >1000 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EL50, 96 hour: >500 mg/l, Desmodesmus subspicatus

Acute toxicity -

microorganisms

EL50, 3 hour: >10000 mg/l, Micro-organisms

Bis(nonilfenil)amin

Acute aquatic toxicity

Acute toxicity - fish LL<sub>50</sub>, 96 hour: >100 mg/l, Danio rerio (Zebrafish)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >100 mg/l, Daphnia magna

## **HYDRO TECH HVI 100**

Acute toxicity - aquatic

plants

EL50, 72 hour: 100 mg/l, Desmodesmus subspicatus

Acute toxicity - microorganisms

IC<sub>50</sub>, 3 hour: >100 mg/l, Micro-organisms

Chronic aquatic toxicity

Chronic toxicity - aquatic

NOEL, 72 hour: >10 mg/l, Alg

invertebrates

Polyglycol ether

Acute aquatic toxicity

Acute toxicity - fish LL<sub>50</sub>, 96 hour: 104 mg/l, Danio rerio (Zebrafish)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >100 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EL50, 96 hour: 326 mg/l, Selenastrum capricornutum

EL10, chronic, 96 hour: 113 mg/l, Selenastrum capricornutum

Acute toxicity - microorganisms

EL50, 10 minute: >1000 mg/l, Micro-organisms

Calcium bis (dinonilnaftalinsülfonat)

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hour: >0,28 mg/l, Cyprinus carpio (Common carp)

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hour: >0,27 mg/l, Daphnia magna NOEL, chronic, 21 day: 4,6 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 72 hour: >1,2 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms

EL50, 3 hour: 560 mg/l, Micro-organisms

phenol, (tetrapropenyl) derivatives

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.01 < L(E)C50 \le 0.1$ 

M factor (Acute) 10

Acute toxicity - fish LL<sub>50</sub>, 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: 0,037 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus

Acute toxicity -

microorganisms

EL50, 3 hour: >1000 mg/l, Micro-organisms

Chronic aquatic toxicity

M factor (Chronic) 10

#### **HYDRO TECH HVI 100**

Chronic toxicity - aquatic

NOEL, 21 day: 0,0037 mg/l, Daphnia magna

invertebrates

## 12.2. Persistence and degradability

Persistence and degradability Based on available information, the classification criteria are not met.

Phototransformation

No specific test data are available.

Stability (hydrolysis)

No specific test data are available.

Biological oxygen demand

No specific test data are available.

Chemical oxygen demand

No specific test data are available.

No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

**Biodegradation** Not expected to be readily biodegradable.

Damıtıklar (petrol), solvent cilası alınmış ağır parafinik

Biodegradation OECD 301 F - 31 %: 28 day

Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)

**Biodegradation** OECD 301 D - <5%: The other substances in the product are not expected to be

readily biodegradable. 27 day

2,6-di-tert-butylphenol

Biodegradation OECD TG 302 C - 12-24: % 28 day

Not readily biodegradable.

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Biodegradation OECD 301 F - 31 %: 28 day

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased

**Biodegradation** OECD 301 B - 13,4 %: 28 day

Bis(nonilfenil)amin

Biodegradation OECD 301 B - 1: % 28 day

Polyglycol ether

Biodegradation OECD 301 F - 79: % 28 day

Calcium bis (dinonilnaftalinsülfonat)

Biodegradation OECD 301 B - 14: % 29 day

phenol, (tetrapropenyl) derivatives

#### **HYDRO TECH HVI 100**

**Biodegradation** OECD 301 B - 6-25 %: 28 day

12.3. Bioaccumulative potential

Bioaccumulative potential No information required.

Partition coefficient No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Bioaccumulative potential Potentially bioaccumulating.

Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)

Partition coefficient log Pow: 3,59

2,6-di-tert-butylphenol

Bioaccumulative potential log Pow: 4,5,

Bis(nonilfenil)amin

Bioaccumulative potential log Pow: 3,64-7,02, BCF: 1730,

Polyglycol ether

Bioaccumulative potential log Pow: 1,18-4,37,

phenol, (tetrapropenyl) derivatives

Bioaccumulative potential BCF: 289-1601,

12.4. Mobility in soil

**Mobility** The product is insoluble in water and will spread on the water surface.

Adsorption/desorption

coefficient

No specific test data are available.

Henry's law constant

No specific test data are available.

Surface tension

No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Mobility Liquid under most environmental conditions. Floats on water. If spread into ground

the groundwater may be polluted.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

No data available.

assessment

Ecological information on ingredients.

Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)

#### **HYDRO TECH HVI 100**

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

## Calcium bis (dinonilnaftalinsülfonat)

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### Fuelsi diesel

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

## phenol, (tetrapropenyl) derivatives

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

## 12.6. Other adverse effects

Other adverse effects

This product contains components that have a harmful effect on the aquatic environment.Do

not allow to enter into soil, rivers or sewers.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue

(EWC).

## **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

Not classified.

Road transport notes Not classified.

Rail transport notes Not classified.

Sea transport notes Not classified.

## 14.1. UN number

Air transport notes

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

#### Transport labels

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No

#### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures

No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization. T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on

Hazardous Substances and Mixtures

**EU legislation** Commission Regulation (EU) No 453/2010 of 20 May 2010.

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

**Guidance** Safety Data Sheets for Substances and Preparations.

Health and environmental

listings

Hazardous ingredients are listed.

## 15.2. Chemical safety assessment

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

DMSO: Dimethyl sulfoxide E.U.: European union

KKE: Personal protective aquipment

T.C.: Republic of Turkey

TWA: Workplace exposure limits

UZEM: National Poison Information Center

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

CAS: Chemical Abstracts Service.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

vPvB: Very Persistent and Very Bioaccumulative. NOEC: No Observed Effect Concentration. EC<sub>50</sub>: 50% of maximal Effective Concentration.

#### **HYDRO TECH HVI 100**

Classification abbreviations

and acronyms

Asp. Tox. = Aspiration hazard Eye Dam. = Serious eye damage

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Skin Irrit. = Skin irritation

Aquatic Acute = Hazardous to the aquatic environment (acute)

Acute Tox. = Acute toxicity Eye Irrit. = Eye irritation Skin Corr. = Skin corrosion Repr. = Reproductive toxicity

General information

Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Uses and Restrictions: This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Key literature references and

sources for data

This SDS is prepared based on the information received from raw material suppliers. Source: European Chemicals Agency, http://echa.europa.eu/

Classification procedures according to Regulation (EC)

1272/2008

Not classified for health hazards.: Calculation method., Supplier information Not classified for environmental hazards.: Calculation method., Supplier information Not classified for physical hazards.: Calculation method., Supplier information

Training advice

Untrained personnel should not use.

**Revision comments** 

Revised classification.

Issued by

Sevda SAHAN Certified Safety Data Sheet Preparer (Certificate Id:GBF01.23.08;Dates:

03.11.2018-03.11.2021)

Revision date

16/09/2020

Revision

3

Supersedes date

17/06/2011

SDS number

10034

SDS status

Approved.

Hazard statements in full

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer if swallowed.

H360 May damage fertility or the unborn child if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.