

SAFETY DATA SHEET HYDRO OIL HD 22

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| SECTION 1: Identification of the s | SECTION 1: Identification of the substance/mixture and of the company/undertaking | |
|---|---|--|
| 1.1. Product identifier | | |
| Product name | HYDRO OIL HD 22 | |
| Product number | 22121 | |
| 1.2. Relevant identified uses of th | e substance or mixture and uses advised against | |
| Identified uses | Industrial oil | |
| Uses advised against | This product must not be used outside of the practices recommended in Section 1 without prior advice from the supplier. | |
| 1.3. Details of the supplier of the | safety data sheet | |
| Supplier | PETROL OFİSİ A.Ş. Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul Tel: +90 850 339 1919 Fax: +90 216 275 3854 madeniyag@petrolofisi.com.tr | |
| Contact person | Customer Services: madeniyag@petrolofisi.com.tr | |
| 1.4. Emergency telephone number | ər | |
| Emergency telephone | Madeni Yağ Customer Services: 0850 339 1919 (working hours) | |
| National emergency telephone number | Emergency Medical Services: 112 National Poison Consultance Center: 114 | |
| SECTION 2: Hazards identification | | |
| | 11 | |
| 2.1. Classification of the substance Classification (EC 1272/2008) | | |
| 2.1. Classification of the substance | | |
| 2.1. Classification of the substance Classification (EC 1272/2008) | e or mixture | |
| 2.1. Classification of the substance Classification (EC 1272/2008) Physical hazards | e or mixture Not Classified | |
| 2.1. Classification of the substance Classification (EC 1272/2008) Physical hazards Health hazards | e or mixture Not Classified Not Classified | |
| 2.1. Classification of the substance Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards | e or mixture Not Classified Not Classified Not Classified | |
| 2.1. Classification of the substance Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards Environmental | e or mixture Not Classified Not Classified Not Classified | |

2.3. Other hazards

As supplied, the material does not present a health hazard.



| SECTION 3: Composition/information | on ingreaients | | |
|---|--------------------------------|--|--------|
| 3.2. Mixtures | | | |
| Distillates (petroleum), hydrotreated | heavy paraffinic | | 40-60 |
| CAS number: 64742-54-7 | EC number: 265-157-1 | REACH registration number: 01- 2119484627-25-0033 | |
| Classification Not Classified | | | |
| Lubricating Oils, complex combination from solvent extraction and dewaxing | | | 40-609 |
| CAS number: 74869-22-0 | EC number: 278-012-2 | | |
| See Section 8 for occupational expo | sure limits. | | |
| Classification Not Classified | | | |
| Zin bis [O, O-bis (2-ethylhexyl)] bis (CAS number: 4259-15-8 | dihtiophosphate) | | <19 |
| Classification Eye Dam. 1 - H318 Aquatic Chronic 2 - H411 | | | |
| 2,6-di-tert-butylphenol | | | <19 |
| CAS number: 128-39-2 | EC number: 204-884-0 | | |
| M factor (Acute) = 1 | M factor (Chronic) = 1 | | |
| Classification Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | | | |
| Phenol, dodecyl-, sulfurized, carbona | ates, calcium salts, overbased | | <19 |
| CAS number: 122384-87-6 | EC number: 272-234-3 | | |
| Classification Aquatic Chronic 4 - H413 | | | |
| Bis(nonilfenil)amin | | | <1 |
| CAS number: 36878-20-3 | EC number: 253-249-4 | | |
| Classification Aquatic Chronic 4 - H413 | | | |



| Debushing | |
|--|--|
| Polyglycol ether | <1% |
| CAS number: — | |
| Classification | |
| Acute Tox. 4 - H302 | |
| Skin Irrit. 2 - H315 | |
| Eye Irrit. 2 - H319 | |
| Fuelsi diesel | <1% |
| CAS number: 68334-30-5 | EC number: 269-822-7 |
| Classification | |
| Carc. 2 - H351 | |
| | |
| Calcium bis (dinonilnaftalinsülf | ionat) <1% |
| CAS number: 57855-77-3 | EC number: 260-991-2 |
| Classification | |
| Skin Irrit. 2 - H315 | |
| Eye Dam. 1 - H318 | |
| | |
| phenol, (tetrapropenyl) derivat | ives <1% |
| CAS number: 74499-35-7 | EC number: 616-100-8 |
| M factor (Acute) = 10 | M factor (Chronic) = 10 |
| Classification | |
| Skin Corr. 1 - H314 | |
| Eye Dam. 1 - H318 | |
| Repr. 1B - H360 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |
| The full text for all hazard stater | nents is displayed in Section 16. |
| Composition comments | Some substances are not classified by legistlation.They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3% |
| Ingredient notes | See Section 8 for occupational exposure limits. |
| SECTION 4: First aid measures | |
| 4.1. Description of first aid measured | sures |
| General information | Get medical advice/attention if you feel unwell. |
| Inhalation | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. |
| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. |

Personal precautions

For non-emergency personnel



HYDRO OIL HD 22

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| 6.1. Personal precautions, protec | |
|---|---|
| SECTION 6: Accidental release measures | |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |
| 5.3. Advice for firefighters Protective actions during firefighting | Avoid breathing fire gases or vapours. |
| Hazardous combustion products | A complex mixture of airborne solids, liquids and gases can be released. Carbon monoxide (CO). Oxides of sulphur. Unidentified organic or inorganic compounds. Oxides of carbon. Carbon dioxide (CO2). Oxides of nitrogen. Oxides of phosphorus. Metal oxide(s). Hydrogen sulphide (H2S). |
| Specific hazards | Not known. |
| 5.2. Special hazards arising from | the substance or mixture |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Suitable extinguishing media | The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. |
| 5.1. Extinguishing media | |
| SECTION 5: Firefighting measure | 35 |
| Specific treatments | Treat symptomatically. |
| Notes for the doctor | Treat symptomatically. |
| 4.3. Indication of any immediate r | nedical attention and special treatment needed |
| Eye contact | No specific symptoms known. |
| Skin contact | No specific symptoms known. |
| Ingestion | No specific symptoms known. |
| Inhalation | No specific symptoms known. |
| General information | Treat symptomatically. |
| 4.2. Most important symptoms an | d effects, both acute and delayed |
| Protection of first aiders | First aid personnel should wear appropriate protective equipment during any rescue. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. |
| Skin contact | Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. |

Wear protective clothing as described in Section 8 of this safety data sheet.

Necessary precautions should be taken to ensure that non-educated personnel do not intervene.



| For emergency responders | Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk.Limit spillage to prevent further contamination of soil, surface or ground water.Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection.Use suitable techniques such as non-flammable absorbent materials or pumping.When possible or appropriate, remove the contaminated soil from the area.Place contaminated products in disposable boxes and dispose of in accordance with regulations.If a |
|--|--|
| | heated material is spilled, allow it to cool before handling with disposal methods. |
| 6.2. Environmental precautions | |
| Environmental precautions | Avoid discharge into drains or watercourses or onto the ground. |
| 6.3. Methods and material for con | tainment and cleaning up |
| Methods for cleaning up | Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. |
| 6.4. Reference to other sections | |
| Reference to other sections | For waste disposal, see Section 13. See Section 1 for emergency contact information. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. |
| SECTION 7: Handling and storag | e |
| 7.1. Precautions for safe handling | I Contraction of the second second second second second second second second second second second second second |
| Usage precautions | Avoid spilling. Avoid contact with skin and eyes. |
| Advice on general occupational hygiene | Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. |
| 7.2. Conditions for safe storage, in | ncluding any incompatibilities |
| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. |
| Storage class | Chemical storage. |
| 7.3. Specific end use(s) | |
| Specific end use(s) | The identified uses for this product are detailed in Section 1.2. |
| Usage description | The product must be used as specified in the data sheet. |
| SECTION 8: Exposure controls/P | ersonal protection |
| 8.1. Control parameters Occupational exposure limits There is no available data. | |
| Distillates (petroleum), hydrotreat | ed heavy paraffinic |
| Oil mist: TWA: 5 mg/m3 (ACGIH) | In no case should this limit be exceeded or the local limit, if it is more restrictive. |
| | ation of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) |
| None of the components has assi | igned exposure limits. |
| Ingredient comments | Oil Mist TWA: 5 mg /m3 (ACGIH). Distillates (petroleum) hydrotreated heavy parafinic: EU OEL (Eu.) TWA: 5 mg/m3 (8 h.) |
| Biological limit values | There is no available data. |
| DNEL | There is no available data. |
| | 5/00 |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| DMEL | There is no available data. | | |
|------------------|--|--|--|
| PNEC | There is no available data. | | |
| | Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) (CAS: 74869-22-0) | | |
| | Ingredient commen | ts There is no approximate limit value for this product. Steam, fog or smoke should be controlled to the lowest possible level. | |
| | Biological limit value | es No information available. | |
| | DNEL | No information available. | |
| | DMEL | No information available. | |
| | PNEC | No information available. | |
| | Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate) (CAS: 4259-15-8) | | |
| | DNEL | Workers - Dermal; Long term systemic effects: 9,6 mg/kg, bw/day | |
| | PNEC | Water; 0,004 mg/l | |
| | | 2,6-di-tert-butylphenol (CAS: 128-39-2) | |
| | DNEL | Workers - Dermal; Long term systemic effects: 11,25 mg/kg, bw/day Workers - Inhalation; Long term systemic effects: 70,61 mg/m³ Consumer - Oral; Long term systemic effects: 6,75 mg/kg, bw/day Consumer - Inhalation; Long term systemic effects: 20,9 mg/m³ | |
| | PNEC | - Water; 0,00045 mg/l - marine water; 0,000045 mg/l | |
| | | Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik (CAS: 64742-54-7) | |
| | DNEL | Workers - Inhalation; Long term : 5,4 mg/m³ Consumer - Inhalation; Long term : 1,2 mg/m³ | |
| | PNEC | Oral Value: 9,33 mg/kg | |
| 8.2. Exposure | | | |
| Protective equip | | | |
| Appropriate e | ngineering controls | Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients. | |
| Personal prot | ection | Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. | |

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. |
|---------------------------------|---|
| Other skin and body protection | Wear appropriate clothing to prevent any possibility of skin contact. |
| Hygiene measures | Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. |
| Respiratory protection | No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs. |
| Thermal hazards | If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures. |
| Environmental exposure controls | Store in a demarcated bunded area to prevent release to drains and/or watercourses. |

SECTION 9: Physical and chemical properties

| - | | |
|--|--------------------------------------|--|
| 9.1. Information on basic physical and chemical properties | | |
| Appearance | Liquid. | |
| Colour | Yellow. | |
| Odour | Characteristic. | |
| Odour threshold | No specific test data are available. | |
| рН | Scientifically unjustified. | |
| Melting point | No information available. | |
| Initial boiling point and range | No information available. | |
| Flash point | ~ 210°C OC (Open cup). | |
| Evaporation rate | No information available. | |
| Evaporation factor | No information available. | |
| Flammability (solid, gas) | No information available. | |
| Upper/lower flammability or explosive limits | No specific test data are available. | |
| Other flammability | No specific test data are available. | |
| Vapour pressure | No information available. | |
| Vapour density | No information available. | |
| Relative density | No information available. | |
| Bulk density | ~ 0,87 @15°C g/ml | |
| Solubility(ies) | Insoluble in water. | |
| Partition coefficient | No specific test data are available. | |
| Auto-ignition temperature | No specific test data are available. | |
| Decomposition Temperature | No specific test data are available. | |
| | | |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| Viscosity | 19,8-24,2 cSt @ 40°C | |
|--|--|--|
| Explosive properties | Not considered to be explosive. | |
| Explosive under the influence of a flame | No suitable data is available. | |
| Oxidising properties | The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising. | |
| Comments | Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures. | |
| Particle characteristic | Not applicable. | |
| 9.2. Other information | | |
| Other information | No information required. | |
| Refractive index | No information available. | |
| Particle size | No information available. | |
| Molecular weight | No information available. | |
| Volatility | No information available. | |
| Saturation concentration | No information available. | |
| Critical temperature | No information available. | |
| Volatile organic compound | No information available. | |
| SECTION 10: Stability and reactivi | ty | |
| 10.1. Reactivity | | |
| Reactivity | There are no known reactivity hazards associated with this product. | |
| 10.2. Chemical stability | | |
| Stability | Stable at normal ambient temperatures. | |
| 10.3. Possibility of hazardous reac | tions | |
| Possibility of hazardous reactions | Under normal conditions of storage and use, no hazardous reactions will occur. | |
| 10.4. Conditions to avoid | | |
| Conditions to avoid | Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents. | |
| 10.5. Incompatible materials | | |
| Materials to avoid | Strong oxidising agents. | |
| 10.6. Hazardous decomposition products | | |
| Hazardous decomposition products | Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Methacrylates. Oil vapors in case of overheating. | |
| SECTION 11: Toxicological information | | |
| SECTION 11: Toxicological inform | ation | |

11.1. Information on toxicological effects



| Information on hazard classes as defined in Regulation (EC) No 1272/2008 | |
|--|--|
| Other health effects | No relevant information available. |
| Toxicological effects | Information given is based on product data, a knowledge of the components and the toxicology of similar products. |
| Acute toxicity - oral | |
| Summary | Based on available data, the classification criteria are not met. |
| Notes (oral LD∞) | Based on available data the classification criteria are not met. |
| Acute toxicity - dermal | |
| Summary | Based on the available data, the classiication criteria are not met. |
| Notes (dermal LD₅₀) | Based on available data the classification criteria are not met. |
| Acute toxicity - inhalation | Description of the state of the |
| Summary | Basen on the available data, the classification criteria are not met. |
| Notes (inhalation LC ₅₀) | Based on available data the classification criteria are not met. |
| Skin corrosion/irritation Summary | Basen on the available data, the classification criteria are not met. |
| Skin corrosion/irritation | Based on available data the classification criteria are not met. |
| Animal data | Inconclusive data. |
| Human skin model test | Inconclusive data. |
| | |
| Extreme pH | Inconclusive data. |
| Serious eye damage/irritation Summary | Based on available data, the classification criteria are not met. |
| Serious eye damage/irritation | Based on available data the classification criteria are not met. |
| Respiratory sensitisation Summary | Based on available data, the classification criteria are not met. Mist may cause slight irritation if inhaled. |
| Respiratory sensitisation | Inconclusive data. |
| Skin sensitisation | |
| Summary | Does not meet the classification criteria. |
| Skin sensitisation | Inconclusive data. |
| Germ cell mutagenicity Summary | It is not expected to cause genetic damage in the light of current data. |
| Genotoxicity - in vitro | Inconclusive data. |
| Genotoxicity - in vivo | Inconclusive data. |
| Carcinogenicity Summary | The base oils in the product content contain less than 3% DMSO according to IP 346. |
| | |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| Carcinogenicity | Based on available data the classification criteria are not met. |
|--|---|
| Target organ for carcinogenicity | No specific target organs known. |
| Reproductive toxicity | |
| Summary | There is no test data indicating that this product has a toxic effect on the reproductive system. |
| Reproductive toxicity - fertility | Inconclusive data. |
| Reproductive toxicity - development | No information is required. |
| Specific target organ toxicity - sing | le exposure |
| Summary | There is no available data. |
| STOT - single exposure | Inconclusive data. |
| Target organs | No specific target organs known. |
| Specific target organ toxicity - repe | eated exposure |
| Summary | There is no available data. |
| STOT - repeated exposure | Inconclusive data. |
| Target organs | No specific target organs known. |
| Aspiration hazard | |
| Summary | Slight irritation of the respiratory tract may occur, if mists are inhaled. |
| | |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| | |
| Toxicokinetics | No information is required. |
| Toxicokinetics General information | No information is required. Information given is based on data of the components and of similar products. |
| Toxicokinetics | No information is required. |
| Toxicokinetics General information | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following |
| Toxicokinetics General information Inhalation | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. |
| Toxicokinetics General information Inhalation Ingestion | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. |
| Toxicokinetics General information Inhalation Ingestion Skin contact | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. Liquid may irritate skin. |
| Toxicokinetics General information Inhalation Ingestion Skin contact Eye contact | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. Liquid may irritate skin. Vapour or spray in the eyes may cause irritation and smarting. |
| Toxicokinetics General information Inhalation Ingestion Skin contact Eye contact Acute and chronic health hazards | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. Liquid may irritate skin. Vapour or spray in the eyes may cause irritation and smarting. There is not enough data. |
| Toxicokinetics General information Inhalation Ingestion Skin contact Eye contact Acute and chronic health hazards Route of exposure | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. Liquid may irritate skin. Vapour or spray in the eyes may cause irritation and smarting. There is not enough data. There is no available data. |
| Toxicokinetics General information Inhalation Ingestion Skin contact Eye contact Acute and chronic health hazards Route of exposure Target organs | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. Liquid may irritate skin. Vapour or spray in the eyes may cause irritation and smarting. There is not enough data. There is no available data. No specific target organs known. |
| Toxicokinetics General information Inhalation Ingestion Skin contact Eye contact Acute and chronic health hazards Route of exposure Target organs Medical symptoms | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. Liquid may irritate skin. Vapour or spray in the eyes may cause irritation and smarting. There is not enough data. There is no available data. No specific target organs known. No specific tes data are available. |
| Toxicokinetics General information Inhalation Ingestion Skin contact Eye contact Eye contact Acute and chronic health hazards Route of exposure Target organs Medical symptoms Medical considerations | No information is required. Information given is based on data of the components and of similar products. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. May cause discomfort if swallowed. Liquid may irritate skin. Vapour or spray in the eyes may cause irritation and smarting. There is not enough data. There is no available data. No specific target organs known. No specific tes data are available. |

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic



| Acute toxicity - oral | |
|----------------------------------|--|
| Notes (oral LD∞) | LD₅₀ >2000 mg/kg, Oral, |
| Acute toxicity - dermal | |
| Notes (dermal LD ₅₀) | LD₅₀ >2000 mg/kg, Dermal, |
| Carcinogenicity | |
| Summary | The base oils in the product content contain less than 3% DMSO according to IP 346. |
| Lubricating Oils, comple | ex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) |
| Other health effects | No information available. |
| Toxicological effects | No information available. |
| Acute toxicity - oral | |
| Summary | Based on available data the classification criteria are not met. |
| Notes (oral LD₅₀) | Inconclusive data. |
| Acute toxicity - dermal | |
| Summary | Based on available data the classification criteria are not met. |
| Notes (dermal LD ₅₀) | Inconclusive data. |
| Acute toxicity - inhalation | |
| Summary | Based on available data the classification criteria are not met. |
| Notes (inhalation LC₅₀) | Inconclusive data. |
| Skin corrosion/irritation | |
| Summary | Based on available data the classification criteria are not met. |
| Skin corrosion/irritation | Based on available data the classification criteria are not met. |
| Animal data | Based on available data the classification criteria are not met. |
| Human skin model test | Based on available data the classification criteria are not met. |
| Extreme pH | Based on available data the classification criteria are not met. |
| Serious eye damage/irritation | |
| Summary | Based on available data the classification criteria are not met. |
| Serious eye damage/irritation | Based on available data the classification criteria are not met. |
| Respiratory sensitisation | |
| Summary | Based on available data the classification criteria are not met. |
| Respiratory sensitisation | Based on available data the classification criteria are not met. |
| Skin sensitisation | |
| Summary | Based on available data the classification criteria are not met. |
| Skin sensitisation | Based on available data the classification criteria are not met. |
| | |



| Germ cell mutagenicity | |
|--|--|
| Summary | Based on available data the classification criteria are not met. |
| Genotoxicity - in vitro | Based on available data the classification criteria are not met. |
| Genotoxicity - in vivo | Based on available data the classification criteria are not met. |
| Carcinogenicity | |
| Summary | Based on available data the classification criteria are not met. |
| Carcinogenicity | Based on available data the classification criteria are not met. |
| Target organ for carcinogenicity | No specific target organs known. |
| IARC carcinogenicity | Based on available data the classification criteria are not met. |
| NTP carcinogenicity | Not listed. |
| Reproductive toxicity | |
| Summary | Based on available data the classification criteria are not met. |
| Reproductive toxicity - fertility | Based on available data the classification criteria are not met. |
| Reproductive toxicity - development | Based on available data the classification criteria are not met. |
| Specific target organ toxicity - | single exposure |
| Summary | Based on available data the classification criteria are not met. |
| STOT - single exposure | Based on available data the classification criteria are not met. |
| Target organs | No specific target organs known. |
| Specific target organ toxicity - | repeated exposure |
| Summary | Based on available data the classification criteria are not met. |
| STOT - repeated exposure | Based on available data the classification criteria are not met. |
| Target organs | No specific target organs known. |
| Aspiration hazard | |
| Summary | Based on available data the classification criteria are not met. |
| Aspiration hazard | Based on available data the classification criteria are not met. |
| Toxicokinetics | None known. |
| General information | None known. |
| Inhalation | None known. |
| Ingestion | None known. |
| Skin contact | None known. |
| Eye contact | None known. |



| Acute and chronic health | None known. | | | |
|--|--|--|--|--|
| hazards | | | | |
| Route of exposure | None known. | | | |
| Target organs | No specific target organs known. | | | |
| Medical symptoms | None known. | | | |
| Medical considerations | None known. | | | |
| | Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate) | | | |
| Acute toxicity - oral | | | | |
| Notes (oral LD₅₀) | LD₅₀ 3100 mg/kg, Oral, Rat NOAEL, Sub-akut 125 mg/kg, Oral, Rat | | | |
| Acute toxicity - dermal | | | | |
| Notes (dermal LD₅₀) | LD₅₀ >5000 mg/kg, Dermal, Rabbit | | | |
| Skin corrosion/irritation | | | | |
| Skin corrosion/irritation | Not corrosive to skin. Rabbit | | | |
| Serious eye damage/irritation | | | | |
| Serious eye damage/irritation | Causes serious eye damage. | | | |
| Skin sensitisation | | | | |
| Skin sensitisation | Not sensitising. | | | |
| Germ cell mutagenicity | | | | |
| Genotoxicity - in vitro | memeliler-hayvan: Positive. Bacterial reverse mutation test: Negative. | | | |
| Genotoxicity - in vivo | Micronucleus Test, memeliler-hayvan: Negative. | | | |
| Reproductive toxicity | | | | |
| Reproductive toxicity - fertility | Fertility - Negative., , | | | |
| Reproductive toxicity - development | Developmental toxicity: - : Negative., , Maternal toxicity: - : Negative., , | | | |
| 2,6-di-tert-butylphenol | | | | |
| Acute toxicity - oral | | | | |
| Notes (oral LD₅₀) | LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 270 mg/kg, Oral, Rat NOAEL, Sub-akut 100 mg/kg, Oral, Rat | | | |
| Acute toxicity - dermal | | | | |
| Notes (dermal LD ₅₀) | LD₅₀ >10000 mg/kg, Dermal, Rabbit | | | |
| Skin corrosion/irritation | | | | |
| Skin corrosion/irritation | Skin irritation. | | | |
| Serious eye damage/irritation | | | | |
| Serious eye damage/irritation | Not irritating. | | | |
| Skin sensitisation | | | | |
| | | | | |



| Skin sensitisation | Not sensitising. | | |
|--|---|--|--|
| Germ cell mutagenicity | | | |
| Genotoxicity - in vitro | Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. | | |
| Reproductive toxicity | | | |
| Reproductive toxicity - fertility | Fertility - Negative., Oral, Rat | | |
| Reproductive toxicity - development | Developmental toxicity: - : Ambiguous uncertain, Oral, Rat Maternal toxicity: - : Positive., Oral, Rat | | |
| | Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik | | |
| Acute toxicity - oral | | | |
| Notes (oral LD₅₀) | LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 125 mg/kg, Oral, Rat | | |
| Acute toxicity - dermal | | | |
| Notes (dermal LD₅₀) | LD₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 30 mg/kg, Dermal, Rat, Female NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit | | |
| Acute toxicity - inhalation | | | |
| Notes (inhalation LC ₅₀) | LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,22 mg/l, 4 week, Dust/Mist Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Dust/Mist Rat | | |
| Skin corrosion/irritation | | | |
| Skin corrosion/irritation | Not irritating. | | |
| Serious eye damage/irritation | | | |
| Serious eye damage/irritation | Not irritating. | | |
| Skin sensitisation | | | |
| Skin sensitisation | Not sensitising. | | |
| Germ cell mutagenicity | | | |
| Genotoxicity - in vitro | Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. | | |
| Carcinogenicity | | | |
| Carcinogenicity | 78 week, Negative., Dermal, Mouse | | |
| Reproductive toxicity | | | |
| Reproductive toxicity - fertility | Fertility - Negative., Oral, Rat | | |
| Reproductive toxicity - development | Teratogenicity: - : Negative., Dermal, Rat Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Oral, Rat | | |
| Exchangeable neutral oils | | | |
| Acute toxicity - oral | | | |
| Notes (oral LD₅₀) | LD₅₀ >2000 mg/kg, Oral, Rat | | |
| Acute toxicity - dermal | | | |
| Notes (dermal LD₅₀) | LD₅₀ >2000 mg/kg, Dermal, Rabbit | | |
| | | | |



HYDRO OIL HD 22

| Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | | | |
|--|--|--|--|
| Acute toxicity - oral | | | |
| Notes (oral LD₅₀) | LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-akut 200 mg/kg, Oral, Rat | | |
| Acute toxicity - dermal | | | |
| Notes (dermal LD₅₀) | LD₅₀ >2000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 250 mg/kg, Dermal, Rat | | |
| Skin corrosion/irritation | | | |
| Skin corrosion/irritation | Slightly irritating. | | |
| Serious eye damage/irritation | | | |
| Serious eye damage/irritation | Slightly irritating. | | |
| Germ cell mutagenicity | | | |
| Genotoxicity - in vitro | Bacterial reverse mutation test: Negative. Gene mutation, memeliler-hayvan: Negative. | | |
| Reproductive toxicity | | | |
| Reproductive toxicity - development | Teratogenicity: - : Negative., Oral, Rat | | |
| | Bis(nonilfenil)amin | | |
| Acute toxicity - oral | | | |
| Notes (oral LD∞) | LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 100 mg/kg, Oral, Rat | | |
| Acute toxicity - dermal | | | |
| Notes (dermal LD₅₀) | LD₅₀ >2000 mg/kg, Dermal, Rat | | |
| Skin corrosion/irritation | | | |
| Skin corrosion/irritation | Moderately irritating. | | |
| Skin sensitisation | | | |
| Skin sensitisation | Not sensitising. | | |
| Germ cell mutagenicity | | | |
| Genotoxicity - in vitro | Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. Gene mutation: Negative. | | |
| Reproductive toxicity | | | |
| Reproductive toxicity - development | Teratogenicity: - : Negative., Oral, Rat | | |
| Polyglycol ether | | | |
| Acute toxicity - oral | | | |
| Notes (oral LD∞) | LD₅₀ 300-2000 mg/kg, Oral, Rat NOAEL, Sub-akut 100 mg/kg, Oral, Rat | | |
| ATE oral (mg/kg) | 500.0 | | |
| Acute toxicity - dermal | | | |
| Notes (dermal LD₅₀) | LD₅₀ >2000 mg/kg, Dermal, Rabbit | | |



| Skin sensitisation | | | | |
|--|---|--|--|--|
| Skin sensitisation | Not sensitising. | | | |
| Germ cell mutagenicity | | | | |
| Genotoxicity - in vitro | Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. | | | |
| Reproductive toxicity | | | | |
| Reproductive toxicity - fertility | Two-generation study - Maternal toxicity: Positive., Inhalation, Rat Fertility, Two-generation study - Negative., Inhalation, Rat Two-generation study - Developmental toxicity: Negative., Inhalation, Rat | | | |
| Reproductive toxicity - development | Maternal toxicity: - : Positive., Oral, Rat Developmental toxicity: - : Negative., Oral, Rat Fertility - : Negative., Oral, Rat Teratogenicity: - : Negative., Dermal, Rat | | | |
| | Fuelsi diesel | | | |
| Carcinogenicity | | | | |
| Carcinogenicity | Known or suspected carcinogen for humans. | | | |
| | Calcium bis (dinonilnaftalinsülfonat) | | | |
| Acute toxicity - oral | | | | |
| Notes (oral LD₅₀) | LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-akut 95 mg/kg, Oral, Rat | | | |
| Acute toxicity - dermal | | | | |
| Notes (dermal LD₅₀) | LD₅₀ >20000 mg/kg, Dermal, Rat | | | |
| Acute toxicity - inhalation | | | | |
| Notes (inhalation LC₅₀) | LC50 >18 mg/l, 1 hour, Vapour Rat | | | |
| Skin corrosion/irritation | | | | |
| Skin corrosion/irritation | Corrosive to skin. | | | |
| Serious eye damage/irritation | | | | |
| Serious eye damage/irritation | Causes serious eye irritation. | | | |
| Germ cell mutagenicity | | | | |
| Genotoxicity - in vitro | Bacterial reverse mutation test, memeliler-hayvan: Negative. | | | |
| phenol, (tetrapropenyl) derivatives | | | | |
| Acute toxicity - oral | | | | |
| Notes (oral LD₅₀) | LD₅₀ 2200 mg/kg, Oral, Rat NOAEL, Sub-kronik 15 mg/kg, Oral, Rat | | | |
| Acute toxicity - dermal | | | | |
| Notes (dermal LD50) | LD₅₀ 15000 mg/kg, Dermal, Rabbit | | | |
| Skin sensitisation | | | | |
| Skin sensitisation | Not sensitising. | | | |
| Germ cell mutagenicity | | | | |
| Genotoxicity - in vitro | Bacterial reverse mutation test: Negative. Gene mutation: Negative. | | | |
| | | | | |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| Reproductive toxic | city | |
|--|---|--|
| Reproductive toxic | city - fertility Fertility - Positive., Oral, Rat | |
| Reproductive toxic development | city - Maternal toxicity: - : Positive., Oral, Rat Developmental toxicity: - : Positive., Oral, Rat | |
| SECTION 12: Ecological informa | tion | |
| Ecotoxicity | Not regarded as dangerous for the environment. May be harmful to aquatic organisms. Spills form filr layer on water surface and prevent oxygen transfer | |
| Ecological information on ingredi | ents. | |
| | Distillates (petroleum), hydrotreated heavy paraffinic | |
| Ecotoxicity | May be harmful to aquatic organisms. Spills form film layer on water surface and prevent oxygen transfer | |
| Lubricating | Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) | |
| Ecotoxicity | No information available. | |
| 12.1. Toxicity | | |
| Toxicity | There is not enough data. | |
| Acute aquatic toxicity | | |
| Summary | Based on available information, the classification criteria are not met. | |
| Acute toxicity - fish | Based on available data the classification criteria are not met. | |
| Acute toxicity - aquatic invertebrates | Based on available data the classification criteria are not met. | |
| Acute toxicity - aquatic plants | Based on available data the classification criteria are not met. | |
| Acute toxicity - microorganisms | Based on available data the classification criteria are not met. | |
| Acute toxicity - terrestrial | No information required. | |
| Chronic aquatic toxicity | | |
| Summary | Based on available information, the classification criteria are not met. | |
| Chronic toxicity - fish early life stage | No information required. | |
| Short term toxicity - embryo and sac fry stages | No information required. | |
| Chronic toxicity - aquatic invertebrates | Based on available data the classification criteria are not met. | |
| Toxicity to soil | There is not enough data. | |
| Toxicity to terrestrial plants | There is not enough data. | |

Ecological information on ingredients.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)



| Toxicity | No information available. |
|--|---|
| Acute aquatic toxicity | |
| Summary | No information available. |
| Acute toxicity - fish | Inconclusive data. |
| Acute toxicity - aquatic invertebrates | No information available. |
| Acute toxicity - aquatic plants | No information available. |
| Acute toxicity - microorganisms | Not known. |
| Acute toxicity - terrestrial | No information available. |
| Chronic aquatic toxicity | |
| Summary | No information available. |
| Chronic toxicity - fish early life stage | No information available. |
| Short term toxicity - embryo and sac fry stages | No information available. |
| Chronic toxicity - aquatic invertebrates | No information available. |
| Toxicity to soil | No information available. |
| Toxicity to terrestrial plants | No information available. |
| | Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate) |
| Acute aquatic toxicity | |
| Acute toxicity - fish | LL ₅₀ , 96 hour: 4,4 mg/l, Oncorhynchus mykiss (Rainbow trout) |
| Acute toxicity - aquatic invertebrates | EL50, 48 hour: 75 mg/l, Daphnia magna NOEC, 21 day: 0,4 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | EL50, 72 hour: 410 mg/l, Desmodesmus subspicatus NOEL, chronic, 72 hour: 220 mg/l, Scenedesmus subspicatus |
| Acute toxicity - microorganisms | EL50, 16 hour: 380 mg/l, Micro-organisms |
| | 2,6-di-tert-butylphenol |
| Acute aquatic toxicity | |
| LE(C) ₅₀ | 0.1 < L(E)C50 ≤ 1 |
| M factor (Acute) | 1 |
| Acute toxicity - fish | LC₅₀, 96 hour: 1,4 mg/l, Pimephales promelas (Fat-head Minnow) |
| Acute toxicity - aquatic invertebrates | EC₅₀, 48 hour: 0,45 mg/l, Daphnia magna |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| Acute toxicity - aquatic plants | EC₅₀, 96 hour: 1,2 mg/l, Algae | |
|---|---|--|
| Acute toxicity - microorganisms | EC₅₀, 3 hour: >1000 mg/l, Micro-organisms | |
| Chronic aquatic toxicity | | |
| M factor (Chronic) | 1 | |
| Chronic toxicity - aquatic invertebrates | NOEC, 21 day: 0,035 mg/l, Daphnia magna NOEC, 96 hour: 0,64 mg/l, Alg | |
| | Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik | |
| Acute aquatic toxicity | | |
| Acute toxicity - fish | LL ₅₀ , 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow) NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout) | |
| Acute toxicity - aquatic invertebrates | EL50, 48 hour: >10000 mg/l, Daphnia magna | |
| Chronic aquatic toxicity | | |
| Chronic toxicity - aquatic invertebrates | NOEL, 21 day: 10 mg/l, Daphnia magna NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata | |
| I | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | |
| Acute aquatic toxicity | | |
| Acute toxicity - fish | LL ₅₀ , 96 hour: >1000 mg/l, Pimephales promelas (Fat-head Minnow) | |
| Acute toxicity - aquatic invertebrates | EL50, 48 hour: >1000 mg/l, Daphnia magna | |
| Acute toxicity - aquatic plants | EL50, 96 hour: >500 mg/l, Desmodesmus subspicatus | |
| Acute toxicity - microorganisms | EL50, 3 hour: >10000 mg/l, Micro-organisms | |
| | Bis(nonilfenil)amin | |
| Acute aquatic toxicity | | |
| Acute toxicity - fish | LL₅₀, 96 hour: >100 mg/l, Danio rerio (Zebrafish) | |
| Acute toxicity - aquatic invertebrates | EL50, 48 hour: >100 mg/l, Daphnia magna | |
| Acute toxicity - aquatic plants | EL50, 72 hour: 100 mg/l, Desmodesmus subspicatus | |
| Acute toxicity - microorganisms | IC₅₀, 3 hour: >100 mg/l, Micro-organisms | |
| Chronic aquatic toxicity | | |
| Chronic toxicity - aquatic invertebrates | NOEL, 72 hour: >10 mg/l, Alg | |

Polyglycol ether



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| Acute aquatic tox | icity | |
|--|---|---|
| Acute toxicity - fis | h | LL₅₀, 96 hour: 104 mg/l, Danio rerio (Zebrafish) |
| Acute toxicity - ac invertebrates | luatic | EL50, 48 hour: >100 mg/l, Daphnia magna |
| Acute toxicity - ac | juatic plants | EL50, 96 hour: 326 mg/l, Selenastrum capricornutum EL10, chronic, 96 hour: 113 mg/l, Selenastrum capricornutum |
| Acute toxicity - microorganisms | | EL50, 10 minute: >1000 mg/l, Micro-organisms |
| | | Calcium bis (dinonilnaftalinsülfonat) |
| Acute aquatic tox | icity | |
| Acute toxicity - fis | h | LC₅₀, 96 hour: >0,28 mg/l, Cyprinus carpio (Common carp) |
| Acute toxicity - ac invertebrates | luatic | EC₅₀, 48 hour: >0,27 mg/l, Daphnia magna NOEL, chronic, 21 day: 4,6 mg/l, Daphnia magna |
| Acute toxicity - ac | juatic plants | EC ₅₀ , 72 hour: >1,2 mg/l, Pseudokirchneriella subcapitata |
| Acute toxicity - microorganisms | | EL50, 3 hour: 560 mg/l, Micro-organisms |
| | | phenol, (tetrapropenyl) derivatives |
| | | |
| Acute aquatic tox | icity | |
| Acute aquatic tox LE(C)∞ | icity | 0.01 < L(E)C50 ≤ 0.1 |
| • | icity | 0.01 < L(E)C50 ≤ 0.1 10 |
| LE(C) ₅₀ | · | |
| LE(C)∞ M factor (Acute) | h | 10 |
| LE(C)∞ M factor (Acute) Acute toxicity - fis Acute toxicity - ac | h Juatic | 10 LL₅₀, 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) |
| LE(C)∞ M factor (Acute) Acute toxicity - fis Acute toxicity - ac invertebrates | h Juatic | 10 LL ₅₀ , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) EL50, 48 hour: 0,037 mg/l, Daphnia magna EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus |
| LE(C) ₅₀ M factor (Acute) Acute toxicity - fis Acute toxicity - ac invertebrates Acute toxicity - ac Acute toxicity - | h juatic juatic plants | 10 LL ₅₀ , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) EL50, 48 hour: 0,037 mg/l, Daphnia magna EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus |
| LE(C)∞ M factor (Acute) Acute toxicity - fis Acute toxicity - ac invertebrates Acute toxicity - ac Acute toxicity - microorganisms | h juatic juatic plants oxicity | 10 LL ₅₀ , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) EL50, 48 hour: 0,037 mg/l, Daphnia magna EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus |
| LE(C) ₅₀ M factor (Acute) Acute toxicity - fis Acute toxicity - ac invertebrates Acute toxicity - ac Acute toxicity - ac Acute toxicity - microorganisms Chronic aquatic to | h juatic juatic plants pxicity | 10 LL _{so} , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) EL50, 48 hour: 0,037 mg/l, Daphnia magna EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus EL50, 3 hour: >1000 mg/l, Micro-organisms |
| LE(C) ₅₀ M factor (Acute) Acute toxicity - fis Acute toxicity - ac invertebrates Acute toxicity - ac Acute toxicity - ac Acute toxicity - microorganisms Chronic aquatic to M factor (Chronic Chronic toxicity - | h juatic juatic plants pxicity) aquatic | 10 LL ₅₀ , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) EL50, 48 hour: 0,037 mg/l, Daphnia magna EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus EL50, 3 hour: >1000 mg/l, Micro-organisms 10 |
| LE(C) ₅₀ M factor (Acute) Acute toxicity - fis Acute toxicity - ac invertebrates Acute toxicity - ac Acute toxicity - ac Acute toxicity - ac Chronic aquatic to M factor (Chronic Chronic toxicity - invertebrates | h juatic juatic plants pxicity) aquatic | 10 LL ₅₀ , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) EL50, 48 hour: 0,037 mg/l, Daphnia magna EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus EL50, 3 hour: >1000 mg/l, Micro-organisms 10 |
| LE(C) ₅₀ M factor (Acute) Acute toxicity - fis Acute toxicity - ac invertebrates Acute toxicity - ac Acute toxicity - ac Acute toxicity - ac Chronic aquatic to M factor (Chronic Chronic toxicity - invertebrates | h juatic juatic plants pxicity aquatic ility Based on | 10 LL _{so} , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow) EL50, 48 hour: 0,037 mg/l, Daphnia magna EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus EL50, 3 hour: >1000 mg/l, Micro-organisms 10 NOEL, 21 day: 0,0037 mg/l, Daphnia magna |

Biodegradation No specific test data are available.



| Biological oxygen demand No specif | ical oxygen demand No specific test data are available. | | |
|--|--|--|--|
| Chemical oxygen demand No specif | nical oxygen demand No specific test data are available. | | |
| Ecological information on ingredients. | | | |
| | Distillates (petroleum), hydrotreated heavy paraffinic | | |
| Biodegradation | Not expected to be readily biodegradable. | | |
| Lubricating Oils, comple | ex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) | | |
| Persistence and degradability | It has the ability to accumulate in the soil. May have negative effects on aquatic organisms. | | |
| Phototransformation | Inconclusive data. | | |
| Stability (hydrolysis) | Inconclusive data. | | |
| Biodegradation | Inconclusive data. | | |
| Biological oxygen demand | Inconclusive data. | | |
| Chemical oxygen demand | Inconclusive data. | | |
| | Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate) | | |
| Biodegradation | OECD 301 D - <5%: The other substances in the product are not expected to be readily biodegradable. 27 day | | |
| | 2,6-di-tert-butylphenol | | |
| Biodegradation | OECD TG 302 C - 12-24: % 28 day Not readily biodegradable. | | |
| | Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik | | |
| Biodegradation | OECD 301 F - 31 %: 28 day | | |
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | | |
| Biodegradation | OECD 301 B - 13,4 %: 28 day | | |
| Bis(nonilfenil)amin | | | |
| Biodegradation | OECD 301 B - 1: % 28 day | | |
| | Polyglycol ether | | |
| Biodegradation | OECD 301 F - 79: % 28 day | | |
| | Calcium bis (dinonilnaftalinsülfonat) | | |
| Biodegradation | OECD 301 B - 14: % 29 day | | |
| | phenol, (tetrapropenyl) derivatives | | |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| Biodegradation | | OECD 301 B - 6-25 %: 28 day |
|--|---|--|
| 12.3. Bioaccumulative potential | | |
| Bioaccumulative potential | No information required. | |
| Partition coefficient | No specific test data are available. | |
| Ecological information on ingredients. | | |
| | | Distillates (petroleum), hydrotreated heavy paraffinic |
| Bioaccumulative potential | | Potentially bioaccumulating. |
| Lubricating C | Dils, complex | x combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) |
| Bioaccumulative po | otential | Inconclusive data. |
| Partition coefficient | : | Inconclusive data. |
| | | Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate) |
| Partition coefficient | : | log Pow: 3,59 |
| | | 2,6-di-tert-butylphenol |
| Bioaccumulative potential | | log Pow: 4,5, |
| | | Bis(nonilfenil)amin |
| Bioaccumulative po | otential | log Pow: 3,64-7,02, BCF: 1730, |
| | | Polyglycol ether |
| Bioaccumulative potential | | log Pow: 1,18-4,37, |
| | | phenol, (tetrapropenyl) derivatives |
| Bioaccumulative po | otential | BCF: 289-1601, |
| 12.4. Mobility in soil | | |
| Mobility | The product is insoluble in water and will spread on the water surface. | |
| Adsorption/desorption coefficient No specific test data are available. | | c test data are available. |
| Henry's law constant No specifi | | c test data are available. |
| Surface tension No specific | | c test data are available. |
| Ecological information on ingredients. | | |
| Distillates (petroleum), hydrotreated heavy paraffinic | | |
| Mobility | | Liquid under most environmental conditions. Floats on water. If spread into ground the |

groundwater may be polluted.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

| | Mobility | | The product is non-volatile. It has the ability to accumulate in the soil. |
|---|---------------------------------------|--------------|--|
| | Adsorption/desorption coefficient | | Inconclusive data. |
| | Henry's law constant | | Inconclusive data. |
| Surface tension | | | Inconclusive data. |
| 12.5. Results | of PBT and vPvB as | sessment | |
| Results of PBT and vPvB No data av assessment | | No data a | available. |
| 12.6 Endocri properties | ne disrupting | | |
| Endocrine dis | srupting properties | This prod | luct does not have endocrine disrupting properties. |
| Ecological in | ormation on ingredie | nts. | |
| | Lubricating (| Dils, comple | ex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) |
| | Results of PBT and vPvB assessment | | Not relevant. |
| | | | Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate) |
| Results of PBT and vPvB assessment | | I vPvB | This product does not contain any substances classified as PBT or vPvB. |
| | | | Fuelsi diesel |
| | Results of PBT and assessment | I vPvB | This product does not contain any substances classified as PBT or vPvB. |
| | Calcium bis (dinonilnaftalinsülfonat) | | Calcium bis (dinonilnaftalinsülfonat) |
| | Results of PBT and assessment | i vPvB | This product does not contain any substances classified as PBT or vPvB. |
| | | | phenol, (tetrapropenyl) derivatives |
| | Results of PBT and assessment | I vPvB | This product does not contain any substances classified as PBT or vPvB. |
| 12.6. Other a | dverse effects | | |
| | | | luct contains components that have a harmful effect on the aquatic environment.Do not allow to o soil, rivers or sewers. |
| Ecological information on ingredients. | | | |

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)



| Other adverse effects Not known. | | |
|--|---|--|
| SECTION 13: Disposal consideration | tions | |
| 13.1. Waste treatment methods | | |
| General information | The generation of waste should be minimised or avoided wherever possible. | |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. | |
| Waste class | The waste code classification is to be carried out according to the European Waste Catalogue (EWC). | |
| SECTION 14: Transport information | on | |
| General | The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). | |
| Road transport notes | Not classified. | |
| Rail transport notes | Not classified. | |
| Sea transport notes | Not classified. | |
| Air transport notes | Not classified. | |
| 14.1. UN number | | |
| UN number or ID number | | |
| Not applicable. | | |
| 14.2. UN proper shipping name | | |
| Not applicable. | | |
| 14.3. Transport hazard class(es) | | |
| No transport warning sign require | d. | |
| Transport labels No transport warning sign required. | | |
| 14.4. Packing group | | |
| Not applicable. | | |
| 14.5. Environmental hazards | | |
| Environmentally hazardous substance/marine pollutant No. | | |
| 14.6. Special precautions for user | | |
| Not applicable. | | |
| 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code | | |
| Maritime transport in bulk according to IMO instruments | Not applicable. | |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. | |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| SECTION 15: Regulatory information | | | |
|--|---|--|--|
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | | | |
| National regulations | T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization. T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on Hazardous Substances and Mixtures | | |
| EU legislation | Commission Regulation (EU) No 453/2010 of 20 May 2010. Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC. | | |
| Guidance | Safety Data Sheets for Substances and Preparations. | | |
| Health and environmental listings | Hazardous ingredients are listed. | | |

15.2. Chemical safety assessment

SECTION 16: Other information

| Abbreviations and acronyms used | DMSO: Dimethyl sulfoxide |
|----------------------------------|---|
| in the safety data sheet | E.U. : European union |
| | KKE: Personal protective aquipment |
| | T.C. : Republic of Turkey |
| | TWA: Workplace exposure limits |
| | UZEM: National Poison Information Center |
| | ATE: Acute Toxicity Estimate. |
| | ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. |
| | CAS: Chemical Abstracts Service. |
| | LC₅₀: Lethal Concentration to 50 % of a test population. |
| | LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). |
| | PBT: Persistent, Bioaccumulative and Toxic substance. |
| | REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. |
| | vPvB: Very Persistent and Very Bioaccumulative. |
| | NOEC: No Observed Effect Concentration. |
| | EC ₅₀ : 50% of maximal Effective Concentration. |
| Classification abbreviations and | Asp. Tox. = Aspiration hazard |
| acronyms | Eye Dam. = Serious eye damage |
| - | Aquatic Chronic = Hazardous to the aquatic environment (chronic) |
| | Skin Irrit. = Skin irritation |
| | Aquatic Acute = Hazardous to the aquatic environment (acute) |
| | Acute Tox. = Acute toxicity |
| | Eye Irrit. = Eye irritation |
| | Skin Corr. = Skin corrosion |
| | Repr. = Reproductive toxicity |
| | |



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

| General information | Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. |
|--|--|
| Key literature references and sources for data | This SDS is prepared based on the information received from raw material suppliers. |
| Classification procedures according to Regulation (EC) 1272/2008 | Not classified for health hazards.: Calculation method., Supplier information Not classified for environmental hazards.: Calculation method., Supplier information Not classified for physical hazards.: Calculation method., Supplier information |
| Training advice | Untrained personnel should not use. |
| Revision comments | Revised classification. |
| Issued by | Sena Ezgi Selçuk Chemical Assessment Specialist (Certificate No: KDU01.29.06 17.12.2027) |
| Revision date | 05/04/2024 |
| Revision | 5 |
| Supersedes date | 17/06/2011 |
| SDS number | 10008 |
| SDS status | Approved. |
| Hazard statements in full | H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer if swallowed. H360 May damage fertility or the unborn child if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.