



SAFETY DATA SHEET

MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MAXIGEAR EP-X 85W-90 LS

Product number 12145

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive Gear Oil

Uses advised against This product must not be used outside of the practices recommended in Section 1 without prior advice from the supplier.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Müşteri Hizmetleri: 0850 339 19 19 (mesai saatleri)

National emergency telephone number Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements EUH208 Contains SUBSTITUTED THIADIAZOLE. May produce an allergic reaction.

2.3. Other hazards

Not applicable.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Alkylamine salt of alkyl phosphoric acid		1-5%
CAS number: —		
Classification		
Aquatic Chronic 4 - H413		
Phosphoric acid esters/amine salt		1-5%
CAS number: —		EC number: 294-716-2
Classification		
Aquatic Chronic 2 - H411		

The full text for all hazard statements is displayed in Section 16.

Composition comments	Some substances are not classified by legislation. They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%
Ingredient notes	See Section 8 for occupational exposure limits. If REACH registration numbers cannot be seen, the item is exempt from registering, minimum volume threshold for recording does not meet, the registration date has not yet arrived, or this information has been registered.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Do not induce vomiting. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

5.1. Extinguishing media

Suitable extinguishing media Foam, carbon dioxide or dry powder.

Unsuitable extinguishing media Do not use the following: Water.

5.2. Special hazards arising from the substance or mixture

Specific hazards Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. Forms explosive mixtures with air.

Hazardous combustion products Carbon monoxide (CO). Oxides of sulphur. Unidentified organic or inorganic compounds.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Necessary precautions should be taken to ensure that non-educated personnel do not intervene.

For emergency responders Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections Not applicable.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Work place should be well ventilated and inhalation of product vapor should be avoided.

Advice on general occupational hygiene In the areas where the product is handled, food should not be eaten, beverages should not be drink and smoke should not be smoked. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container. Store in a cool and well-ventilated place.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Not applicable.

Ingredient comments

Oil Mist TWA: 5 mg /m³ (ACGIH). Distillates (petroleum) hydrotreated heavy parafinic: EU OEL (Eu.)
TWA: 5 mg/m³ (8 h.)

Biological limit values

There is no available data.

DNEL

There is no available data.

DMEL

There is no available data.

PNEC

There is no available data.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Personal protection

Keep away from foodstuffs, beverages and foods. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately. The effectiveness of personal protective equipment, together with other elements, depends on the degree of ventilation. Depending on the particular situation in question, Get professional support.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

It is recommended that gloves are made of the following material: Nitrile rubber. Polyvinyl alcohol (PVA). Viton rubber (fluoro rubber).

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Thermal hazards If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.

Environmental exposure controls There is no available data.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Brown.
Odour	Characteristic.
Odour threshold	Inconclusive data.
pH	Inconclusive data.
Melting point	Inconclusive data.
Initial boiling point and range	Inconclusive data.
Flash point	222°C OC (Open cup).
Evaporation rate	Inconclusive data.
Evaporation factor	Inconclusive data.
Flammability (solid, gas)	Inconclusive data.
Upper/lower flammability or explosive limits	Inconclusive data.
Other flammability	Inconclusive data.
Vapour pressure	Inconclusive data.
Vapour density	Inconclusive data.
Relative density	0,898 g/ml @ 15°C
Bulk density	~ 0,90 @ 15°C kg/m³
Solubility(ies)	Insoluble in water.
Partition coefficient	Inconclusive data.
Auto-ignition temperature	Inconclusive data.
Decomposition Temperature	Inconclusive data.
Viscosity	140-180 cSt @ 40°C
Explosive properties	Inconclusive data.
Explosive under the influence of a flame	No suitable data is available.
Oxidising properties	No data available.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
Particle characteristic	Not applicable.



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

9.2. Other information

Other information	The information given is for the final product.
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents.
--------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
----------------------------------	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Other health effects	No relevant information available.
Toxicological effects	Information given is based on data of the components and of similar products.
Acute toxicity - oral	
Summary	Based on available data, the classification criteria are not met.



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Notes (oral LD₅₀)	64742-54-7 distillates (petroleum), hydrotreated heavy paraffinic: LD ₅₀ >2000 mg/kg, Oral, Zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate): LD ₅₀ 3100 mg/kg, Oral, Rat 2,6-di-tertiary-butylphenol: LD ₅₀ >5000 mg/kg, Oral, Rat Distillates (petroleum), hydrotreated heavy paraffinic: LD ₅₀ >5000 mg/kg, Oral, Rat bis(nonylphenyl)amine: LD ₅₀ >5000 mg/kg, Oral, Rat phenol, dodecyl-,sulfurized,carbonates,calcium salts,overbased: LD ₅₀ >5000 mg/kg, Oral, Rat Polyglycol ether: LD ₅₀ 300- 2000 mg/kg, Oral, Rat Calcium bis(dinonylnaphtalinesulphonate): LD ₅₀ >5000 mg/kg, Oral, Rat phenol, (tetrapropenyl) derivatives: LD ₅₀ 2200 mg/kg, Oral, Rat
Acute toxicity - dermal	
Summary	Based on the available data, the classification criteria are not met.
Notes (dermal LD₅₀)	64742-54-7: Distillates (petroleum), hydrotreated heavy paraffinic: LD ₅₀ > 2000 mg/kg, Dermal, Zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate) : LD ₅₀ >5000 mg/kg, Dermal, Rabbit 2,6-di-tertiary-butylphenol: LD ₅₀ >10000 mg/kg, Dermal, Rabbit Distillates (petroleum) hydrotreated heavy paraffinic: LD ₅₀ >5000 mg/kg, Dermal, Rabbit Bis(nonylphenyl)amine: LD ₅₀ >5000 mg/kg, Dermal, Rat Phenol, tetrapropylene-,sulfurized, carbonates, calcium salts, overbased LD ₅₀ >2000 mg/kg, Dermal, Rabbit Polyglycol ether: LD ₅₀ >2000 mg/kg, Dermal, Rabbit Calcium bis (dinonylnaphtalinesulphonate): LD ₅₀ >20000 mg/kg, Dermal, Rat phenol, (tetrapropenyl) derivatives: LD ₅₀ 15000 mg/kg, Dermal, Rabbit
Acute toxicity - inhalation	
Summary	Basen on the available data, the classification criteria are not met.
Notes (inhalation LC₅₀)	Distillates (petroleum), hydrotreated heavy paraffinic: LC50 5,53 (4 sa.) mg/l, Inhalation, Rat Calcium bis(dinonylnaphtalinesulphonate): LC50 >18 (1 sa.) mg/l, Inhalation, Rat
Skin corrosion/irritation	
Summary	Basen on the available data, the classification criteria are not met. In case of frequent and / or often contact with skin, irritation symptoms may occur.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	No information available.
Human skin model test	No information available.
Extreme pH	No information available.
Serious eye damage/irritation	
Summary	Based on available data, the classification criteria are not met. Eye contact may cause irritation.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data, the classification criteria are not met. Mist may cause slight irritation if inhaled.
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on the available data, the product is not expected to have a skin sensitizing effect.
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	It is not expected to cause genetic damage in the light of current data.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Carcinogenicity

Summary This product mainly consists of mineral based base oils. The base oils in this product are refined. The base oils in the product content contain less than 3% DMSO according to IP 346.

Carcinogenicity Based on available data the classification criteria are not met.

Target organ for carcinogenicity No specific target organs known.

Reproductive toxicity

Summary There is no test data indicating that this product has a toxic effect on the reproductive system.

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information is required.

Specific target organ toxicity - single exposure

Summary There is no available data.

STOT - single exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary There is no available data.

STOT - repeated exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Aspiration hazard

Summary Based on available data, the classification criteria are not met. Slight irritation of the respiratory tract may occur, if mists are inhaled.

Aspiration hazard Based on available data, the classification criteria are not met.

Toxicokinetics No information is required.

General information Information given is based on data of the components and of similar products.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact May cause temporary eye irritation.

Acute and chronic health hazards There is not enough data.

Route of exposure There is no available data.

Target organs No specific target organs known.

Medical symptoms No specific test data are available.

Medical considerations No specific test data are available.

11.2 Information on other hazards



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Information on other hazards This substance does not have endocrine disrupting properties.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity There is not enough data.

Acute aquatic toxicity

Summary

Based on available information, the classification criteria are not met.

Acute toxicity - fish

bis(dithiophosphate):
LL₅₀, 96 hours: 4,4 mg/l, Oncorhynchus mykiss (Rainbow trout)
2,6-di-tertiary-butylphenol:
LC₅₀, 96 hours: 1,4 mg/l, Pimephales promelas (Fat-head Minnow)
Distillates (petroleum), hydrotreated heavy parafinic:
LL₅₀, 96 hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)
Bis(nonylphenyl)amine:
LL₅₀, 96 hours: >100 mg/l, Danio rerio (Zebrafish)
Polyglycol ether:
LL₅₀, 96 hours: >1000 mg/l, Pimephales promelas (Fat-head Minnow)
LL₅₀, 96 hours: 104 mg/l, Danio rerio (Zebrafish)
Calcium bis(dinonylnaftalinsulphonate):
LC₅₀, 98 hours: >0,28 mg/l, Cyprinus carpio (Common carp)
phenol, (tetrapropenyl) derivatives:
LL₅₀, 96 hours: 40 mg/l, Pimephales promelas (Fat-head Minnow)
Supplier's information.

Acute toxicity - aquatic invertebrates

bis(dithiophosphate):
EL50, 48 hours: 75 mg/l, Daphnia magna
NOEC, 21 days: 0,4 mg/l, Daphnia magna
2,6-di-tertiary-butylphenol:
LC₅₀, 48 hours: 0,45 mg/l, Daphnia magna
Bis(nonylphenyl)amine:
EL50, 48 hours: >100 mg/l, Daphnia magna
Phenol, tetrapropylene-,sulfurized, carbonates, calcium salts, overbased
EL50, 48 hours: >1000 mg/l, Daphnia magna
Polyglycol ether:
EL50, 48 hours: >100 mg/l, Daphnia magna
Calcium bis(dinonylnaftalinsulphonate):
EC₅₀, 48 hours: >0,27 mg/l, Daphnia magna
phenol, (tetrapropenyl)derivatives:
EL50, 48 hours: 0,037 mg/l, Daphnia magna
Supplier's information.



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - aquatic plants	Zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate): EL50, 72 hours: 410 mg/l, <i>Desmodesmus subspicatus</i> 2,6-di-tertiary-butylphenol: EC₅₀, 96 hours: 1,2 mg/l, <i>Pseudokirchneriella subcapitata</i> Bis(nonylphenyl)amine: EL50, 72 hours: >100 mg/l, <i>Desmodesmus subspicatus</i> Phenol, tetrapropylene-,sulfurized, carbonates, calcium salts, overbased: EL50, 96 hours: >500 mg/l, <i>Pseudokirchneriella subcapitata</i> Polyglycol ether: EL50, 96 hours: 326 mg/l, <i>Selenastrum capricornutum</i> Calcium bis(dinonylnaftalinsulphonate): EC₅₀, 72 hours: >1,2 mg/l, <i>Pseudokirchneriella subcapitata</i> phenol, (tetrapropenyl) derivatives: EL50, 72 hours: 0,36 mg/l, <i>Desmodesmus subspicatus</i> Supplier's information.
Acute toxicity - microorganisms	Zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate): EL50, 16 hours: 380 mg/l, Micro-organisms 2,6-di-tertiary-butylphenol: EC₅₀, 3 hours: >1000 mg/l, Micro-organisms Bis(nonylphenyl)amine: IC₅₀, 3 hours: >100 mg/l, Micro-organisms Phenol, tetrapropylene-,sulfurized, carbonates, calcium salts, overbased: EL50, 3 hours: >10000 mg/l, Micro-organisms Polyglycol ether: EL50, 10 minutes: >1000 mg/l, Micro-organisms Calcium bis(dinonylnaftalinsulphonate): EL50, 3 hours: 560 mg/l, Micro-organisms phenol, (tetrapropenyl)derivatives: EL50, 3 hours: >1000 mg/l, Micro-organisms Supplier's information.
Acute toxicity - terrestrial	No information required.
Chronic aquatic toxicity	
Summary	Based on available information, the classification criteria are not met.
Chronic toxicity - fish early life stage	No information required.
Short term toxicity - embryo and sac fry stages	No information required.
Chronic toxicity - aquatic invertebrates	2,6-di-tertiary-butylphenol: NOEC, 21 day: 0,64 mg/l, <i>Daphnia magna</i> Distillates (petroleum),hydrotreated heavy parafinic: NOEL, 21 day: 10 mg/l, <i>Daphnia magna</i> Calcium bis(dinonylnaftalinsulphonate): NOEL, 21 day: 4,6 mg/l, <i>Daphnia magna</i> phenol, (tetrapropenyl) derivatives: NOEL, 21 day: 0,0037 mg/l, <i>Daphnia magna</i>
Toxicity to soil	There is not enough data.
Toxicity to terrestrial plants	There is not enough data.

12.2. Persistence and degradability



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Persistence and degradability	Not applicable.
Phototransformation	No specific test data are available.
Stability (hydrolysis)	No specific test data are available.
Biodegradation	Not readily biodegradable.
Biological oxygen demand	No specific test data are available.
Chemical oxygen demand	No specific test data are available.
12.3. Bioaccumulative potential	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Inconclusive data.
12.4. Mobility in soil	
Mobility	The product is immiscible with water and will spread on the water surface.
Adsorption/desorption coefficient	No specific test data are available.
Henry's law constant	No specific test data are available.
Surface tension	No specific test data are available.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment	Supplier data: This product does not contain PBT and vPvB.
12.6 Endocrine disrupting properties	
Endocrine disrupting properties	This product does not have endocrine disrupting properties.
12.6. Other adverse effects	
Other adverse effects	Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. please recycle empty packages.
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not classified.
Rail transport notes	Not classified.
Sea transport notes	Not classified.
Air transport notes	Not classified.



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

14.1. UN number

UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Maritime transport in bulk according to IMO instruments Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation <https://echa.europa.eu>

Guidance Workplace Exposure Limits EH40.
CHIP for everyone HSG228.
Approved Classification and Labelling Guide (Sixth edition) L131.
Safety Data Sheets for Substances and Preparations.

Health and environmental listings Hazardous ingredients are listed.

.

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Abbreviations and acronyms used in the safety data sheet

E.U. : European union
DMSO: Dimethyl sulfoxide
KKE: Personal protective equipment
T.C. : Republic of Turkey
TWA: Workplace exposure limits
UZEM: National Poison Information Center
CAS: Chemical Abstracts Service.
GHS: Globally Harmonized System.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
PBT: Persistent, Bioaccumulative and Toxic substance.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

Classification abbreviations and acronyms

Asp. Tox. = Aspiration hazard
Skin Corr. = Skin corrosion
Skin Sens. = Skin sensitisation
Skin Irrit. = Skin irritation
Eye Dam. = Serious eye damage
Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Aquatic Acute = Hazardous to the aquatic environment (acute)
Acute Tox. = Acute toxicity
Eye Irrit. = Eye irritation
Repr. = Reproductive toxicity

General information

Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Key literature references and sources for data

This SDS is prepared based on the information received from raw material suppliers.

Classification procedures according to Regulation (EC) 1272/2008

Not classified for environmental hazards., Not classified for physical hazards., Not classified for health hazards.: Calculation method.

Training advice

Untrained personnel should not use.

Revision comments

Revised classification.

Issued by

Sena Ezgi Selçuk Chemical Assessment Specialist (Certificate No: KDU01.29.06 17.12.2027)

Revision date

16/04/2024

Revision

7

Supersedes date

17/06/2011

SDS number

10100

SDS status

Approved.



MAXIGEAR EP-X 85W-90 LS

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Hazard statements in full

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains SUBSTITUTED THIADIAZOLE. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.