



SAFETY DATA SHEET

SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SPESİYAL SAE 40

Product number 11214

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Müşteri Hizmetleri: 0850 339 19 19 (mesai saatleri)

National emergency telephone number Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P273 Avoid release to the environment.
P401 Store in accordance with national regulations.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic			60-80%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01-2119484627-25-0033	
Classification Not Classified			
Highly refined mineral oil			20-25%
CAS number: 64742-01-4	EC number: 265-101-6		
Classification Not Classified			
Mineral oil (mixture)			1-5%
CAS number: —			
Classification Not Classified			
Zinc dialkyl dithiophosphate			<1%
CAS number: 68649-42-3	EC number: 272-028-3		
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411			
Calcium long chain alkylphenate sulphide			<1%
CAS number: 122384-87-6			
Classification Aquatic Chronic 4 - H413			
Exchangeable neutral oils			<1%
CAS number: —			
The mineral oil contained in this material may be identified by one or more of the following CAS Numbers: 64742-54-7, 64742-65-0, 64742-55-8 and 64742-56-9.			
Classification Not Classified			



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Alkaryl amine		<1%
CAS number: 36878-20-3	EC number: 253-249-4	
Classification		
Aquatic Chronic 4 - H413		
Acrylic copolymer		<1%
CAS number: —		
Classification		
Not Classified		
Phenol-4-dodecyl		<1%
CAS number: 104-43-8	EC number: 203-202-9	
M factor (Acute) = 10	M factor (Chronic) = 10	
Classification		
Skin Corr. 1C - H314		
Eye Dam. 1 - H318		
Repr. 1B - H360		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Fuelsi diesel		<1%
CAS number: 68334-30-5	EC number: 269-822-7	
Classification		
Carc. 2 - H351		

The full text for all hazard statements is displayed in Section 16.

Composition comments

Some substances are not classified by legislation. They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes

If REACH registration numbers do not appear the substance is either exempt from registration, does not meet the minimum volume threshold for registration, the registration date has not yet come due or this information is proprietary.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Get medical attention if any discomfort continues.

Inhalation

Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific treatment. Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with the following media: Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Using a water jet can be inconvenient.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m ³ . Oxides of carbon. Oxides of nitrogen.
Hazardous combustion products	Not known.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
For non-emergency personnel	Necessary precautions should be taken to ensure that non-educated personnel do not intervene.
For emergency responders	Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods.



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

6.4. Reference to other sections

Reference to other sections See Section 1 for emergency contact information. For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation.

Advice on general occupational hygiene Avoid breathing vapors / mist. Proper ventilation should be provided in areas where the product is used. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Wash contaminated skin thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse. Remove contaminated clothing and protective equipment before entering eating areas. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Mineral Oil- inhalable fraction: TWA : 5 mg/m³ (Source:US. ACGIH Threshold Limit Values (02 2012))

Distillates (petroleum) hydrotreated heavy paraffinic: EU OEL (Europe) TWA: 5 mg/m³, 8 hours.

Distillates (petroleum) solvent-dewaxed heavy paraffinic: EU OEL (Europe) TWA: 5 mg/m³, 8 hours/ STEL: 10 mg/m³, 15 minutes.

Distillates (petroleum), hydrotreated heavy paraffinic

Oil mist: TWA: 5 mg/m³ (ACGIH).In no case should this limit be exceeded or the local limit, if it is more restrictive.

Mineral oil (mixture)

Mineral oil: TWA: 5 mg/m³, 8 hours [EH-40 MEL, (Europe,2002)]

Ingredient comments WEL = Workplace Exposure Limits

Biological limit values No information available.



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

DNEL	64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic DNEL: 2,7 (8h) mg/m ³ (long term inhalativ worker systemic) DNEL: 5,4 (8h) mg/m ³ (long-term inhalativ worker local) DNEL: 1,2 (24h) mg/m ³ (long-term inhalativ consumer local) DNEL: 0,74 (24h) mg/kg/d (long-term oral consumer systemic) DNEL: 1,0 (8h) mg/kg (long-term dermal worker systemic)
DMEL	No information available.
PNEC	No information available.

Highly refined mineral oil (CAS: 64742-01-4)

Ingredient comments

Oil Mist TWA: 5 mg /m³ (ACGIH).

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Personal protection	Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. Keep away from foodstuffs, beverages and foods. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Nitrile rubber. Polyvinyl chloride (PVC).
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear rubber footwear. Wear apron or protective clothing in case of contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures. If there is a risk of contact with refrigerated product, all protective equipment should be suitable for use with low temperatures.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Characteristic.
Odour threshold	No specific test data are available.
pH	Scientifically unjustified.
Melting point	No specific test data are available.
Initial boiling point and range	No specific test data are available.
Flash point	270°C OC (Open cup).
Evaporation rate	No specific test data are available.
Evaporation factor	No specific test data are available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.89g/ml @ 15°C
Bulk density	~ 0,85 @15°C g/ml
Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	12.5-16.3 cSt @ 100°C
Explosive properties	No information available.
Explosive under the influence of a flame	No suitable data is available.
Oxidising properties	No data available.
Comments	Information given is applicable to the product as supplied.
Particle characteristic	
9.2. Other information	
Other information	No information required.
Refractive index	No specific test data are available.
Particle size	No specific test data are available.



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Molecular weight	No specific test data are available.
Volatility	No specific test data are available.
Saturation concentration	No specific test data are available.
Critical temperature	No specific test data are available.
Volatile organic compound	No specific test data are available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information required.
-------------------	--------------------------

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Will not polymerise.
---	----------------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Acids - oxidising.
---------------------------	--------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO ₂).
---	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Other health effects	No relevant information available.
Toxicological effects	Information given is based on data of the components and of similar products.
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation Not classified as a primary skin irritant. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Prolonged skin contact may cause temporary irritation.

Animal data No information available.

Human skin model test No information available.

Extreme pH No information available.

Serious eye damage/irritation

Summary Causes serious eye irritation.

Serious eye damage/irritation Irritation of eyes is assumed.

Respiratory sensitisation

Summary Based on available data the classification criteria are not met.

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Summary Based on available data the classification criteria are not met.

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Summary Based on available data the classification criteria are not met.

Carcinogenicity Based on available data the classification criteria are not met.

Target organ for carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity Based on available data the classification criteria are not met.

NTP carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Summary Based on available data the classification criteria are not met.

Reproductive toxicity - fertility No specific test data are available.

Reproductive toxicity - development No information is required.

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

STOT - single exposure No specific test data are available.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	No specific test data are available.
Target organs	No specific target organs known.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	May be fatal if swallowed and penetrates into the respiratory tract.
Toxicokinetics	No information is required.
General information	Information given is based on data of the components and of similar products.
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed. Gastrointestinal symptoms, including upset stomach.
Skin contact	Skin irritation should not occur when used as recommended. Liquid may irritate skin.
Eye contact	May cause temporary eye irritation.
Acute and chronic health hazards	There is not enough data.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Medical symptoms	No specific tes data are available.
Medical considerations	No specific tes data are available.
11.2 Information on other hazards	
Information on other hazards	
Toxicological information on ingredients.	

Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - oral	
Notes (oral LD₅₀)	LD ₅₀ >2000 mg/kg, Oral,
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD ₅₀ >2000 mg/kg, Dermal,
Carcinogenicity	
Summary	The base oils in the product content contain less than 3% DMSO according to IP 346.

Highly refined mineral oil

Acute toxicity - oral	
Notes (oral LD₅₀)	LD ₅₀ >2000 mg/kg, Oral,
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD ₅₀ >2000 mg/kg, Dermal,



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Mineral oil (mixture)

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀, 4h >5000 mg/m³, Inhalation, Rat

Zinc dialkyl dithiophosphate

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 2230 mg/kg, Oral, Rat LD₅₀ 3100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rat

Calcium long chain alkylphenate sulphide

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Exchangeable neutral oils

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Alkaryl amine

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Fuelsi diesel

Carcinogenicity

Carcinogenicity Known or suspected carcinogen for humans.

SECTION 12: Ecological information

Ecotoxicity

May be harmful to aquatic organisms. Spills form film layer on water surface and prevent oxygen transfer

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Ecotoxicity

May be harmful to aquatic organisms. Spills form film layer on water surface and prevent oxygen transfer

12.1. Toxicity

Toxicity

There is not enough data.

Acute aquatic toxicity

Summary

Harmful to aquatic life with long lasting effects.

Acute toxicity - fish

No specific test data are available.

Acute toxicity - aquatic invertebrates

No specific test data are available.

Acute toxicity - aquatic plants

No specific test data are available.

Acute toxicity - microorganisms

No specific test data are available.

Acute toxicity - terrestrial

No specific test data are available.

Chronic aquatic toxicity

Summary

No specific test data are available.

Chronic toxicity - fish early life stage

No information required.

Short term toxicity - embryo and sac fry stages

No information required.

Chronic toxicity - aquatic invertebrates

No specific test data are available.

Toxicity to soil

There is not enough data.

Toxicity to terrestrial plants

There is not enough data.

Ecological information on ingredients.

Phenol-4-dodecyl

Acute aquatic toxicity

LE(C)₅₀

0.01 < L(E)C50 ≤ 0.1

M factor (Acute)

10

Chronic aquatic toxicity

M factor (Chronic)

10

12.2. Persistence and degradability

Persistence and degradability

No data available.

Phototransformation

No specific test data are available.

Stability (hydrolysis)

No specific test data are available.

Biodegradation

No specific test data are available.

Biological oxygen demand

No specific test data are available.

Chemical oxygen demand

No specific test data are available.



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Biodegradation

Not expected to be readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

No information available.

Partition coefficient

No information available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Bioaccumulative potential

Potentially bioaccumulating.

12.4. Mobility in soil

Mobility

The product is immiscible with water and will spread on the water surface.

Adsorption/desorption coefficient

No specific test data are available.

Henry's law constant

No specific test data are available.

Surface tension

No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Mobility

Liquid under most environmental conditions. Floats on water. If spread into ground the groundwater may be polluted.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

Endocrine disrupting properties

Ecological information on ingredients.

Fuelsi diesel

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The packaging must be empty (drop-free when inverted).



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Environmental Manager must be informed of all major spillages. Avoid the spillage or runoff entering drains, sewers or watercourses.
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Avoid releasing into the environment.
Rail transport notes	Not classified.
Sea transport notes	Do not release into the environment.
Air transport notes	Not classified.
14.1. UN number	
UN number or ID number	
	Not applicable.
14.2. UN proper shipping name	
	Not applicable.
14.3. Transport hazard class(es)	
	No transport warning sign required.
Transport labels	
	No transport warning sign required.
14.4. Packing group	
	Not applicable.
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant	
	No.
14.6. Special precautions for user	
	Not applicable.
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	
Maritime transport in bulk according to IMO instruments	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

National regulations	T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization. According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010
EU legislation	Commission Regulation (EU) No 453/2010 of 20 May 2010. Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.
Guidance	Safety Data Sheets for Substances and Preparations.
Health and environmental listings	Hazardous ingredients are listed.
Authorisations (Annex XIV Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Annex XVII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>E.U. : European union DMSO: Dimethyl sulfoxide KKE: Personal protective equipment T.C. : Republic of Turkey TWA: Workplace exposure limits UZEM: National Poison Information Center ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. GHS: Globally Harmonized System. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. vPvB: Very Persistent and Very Bioaccumulative. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration.</p>
---	---



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Classification abbreviations and acronyms

Asp. Tox. = Aspiration hazard
Skin Irrit. = Skin irritation
Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Eye Dam. = Serious eye damage
Skin Corr. = Skin corrosion
Aquatic Acute = Hazardous to the aquatic environment (acute)
STOT SE = Specific target organ toxicity-single exposure
STOT RE = Specific target organ toxicity-repeated exposure
Skin Sens. = Skin sensitisation
Skin Irrit. = Skin irritation
Eye Irrit. = Eye irritation
Carc. = Carcinogenicity
Repr. = Reproductive toxicity

General information

Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. MSDS Distribution : The information in this document should be made available to all who may handle the product. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Key literature references and sources for data

This SDS is prepared based on the information received from raw material suppliers.

Classification procedures according to Regulation (EC) 1272/2008

Aquatic Chronic 3 - H412: Calculation method., Supplier information Eye Irrit. 2 - H319: Calculation method., Supplier information

Training advice

Untrained personnel should not use.

Revision comments

Revised classification.

Issued by

Sena Ezgi Selçuk Chemical Assessment Specialist (Certificate No: KDU01.29.06 17.12.2027)

Revision date

25/03/2024

Revision

4

Supersedes date

15/10/2019

SDS number

10089

Hazard statements in full

H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H351 Suspected of causing cancer if swallowed.
H360 May damage fertility or the unborn child if swallowed.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.



SPESİYAL SAE 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.