

MAXIGEAR EP-X 85W-140

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation MAXIGEAR EP-X 85W-140

Chemical name

Product-type Mixture

Product code -

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - Automotive gear oil.

Uses advised against - The uses are provided in Section 1.2. Other uses are not recommended unless a risk assessment is carried out, prior to commencement of that use, which demonstrates that the is safe.

1.3 - Details of the supplier of the safety data sheet

PETROL OF S A . .

Ünalıan Mahallesi, Libadiye Caddesi No: 82F

Kat: 2-3-4, 34700 Üsküdar/ İstanbul

Turkey

Telephone : +90 850 339 1919 Fax +90 216 275 3854

Website : www.petrolofisi.com.tr - madeniyag@petrolofisi.com.tr

1.4 - Emergency telephone number

- National Poisons Information Service of England: <http://npis.org> -
NHS 111: dial 111 United Kingdom

- Company phone number (see section 1.3).

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| | |
|-------------------|--|
| Skin Sens. 1 | Skin sensitization - Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Aquatic Chronic 2 |

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: long chain alkyl amine | Amines, C10-C14-tert-alkyl

Signal word : Warning

Hazard pictograms



Hazard statements

| | |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |
|------|--------------------------------------|

MAXIGEAR EP-X 85W-140

| | |
|--------------------------|--|
| H411 | Toxic to aquatic life with long lasting effects. |
| Precautionary statements | |
| P261 | Avoid breathing vapours/spray. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear eye protection/protective gloves/protective clothing/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water and soap. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P391 | Collect spillage. |
| P501 | Dispose of contents/container to an appropriate recycling or disposal facility in accordance with national regulation. |
| EUH-phrases | : None |

2.3 - Other hazards

PBT-substance. - The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.

vPvB-substance. - The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

| Chemical name | No. | % | Class(es) | Specific concentration limit |
|--|---|---------|--|---|
| Distillates (petroleum), hydrotreated, heavy paraffinic [Note L] | CAS No. : 64742-54-7 Index No. : 649-467-00-8 EC No. : 265-157-1 REACH No. : 01-2119484627-25-0033 | 20 - 25 | Not Classified | Not applicable |
| long chain alkyl amine | CAS No. : Index No. : EC No. : 942-671-0 | < 1 | Acute Tox. 3 Dermal - H311 Acute Tox. 3 Inhalation - H331 Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Skin Corr. 1B - H314 Skin Sens. 1 - H317 STOT RE 2 - H373 | M-factor: 1 / 1 ATE oral 500 ATE dermal 300 ATE Inhalation Dust/Mist 0,5 |
| Amines, C10-C14-tert-alkyl | CAS No. : Index No. : EC No. : 701-175-2 | < 1 | Acute Tox. 2 Inhalation - H330 Acute Tox. 3 Dermal - H311 Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Eye Dam. 1 - H318 Skin Corr. 1 - H314 Skin Sens. 1A - H317 | M-factor: 1 / 1 |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | CAS No. : 1213789-63-9 Index No. : EC No. : 627-034-4 | < 1 | Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Asp. Tox. 1 - H304 Skin Corr. 1B - H314 STOT RE 2 - H373 STOT SE 3 - H335 | M-factor: 10 / 10 |

MAXIGEAR EP-X 85W-140

- Note L: DMSO content <3% according to IP 346.
- If REACH registration numbers are not visible, the substance is exempt from registration, does not exceed the minimum volume threshold for registration, the registration date has not yet arrived, or this information is registered information.

SECTION 4: First aid measures

4.1 - Description of first aid measures

- | | |
|-------------------------------|--|
| <u>Following inhalation</u> | <ul style="list-style-type: none">- No special measures are necessary.- Provide fresh air.- When in doubt or if symptoms are observed, get medical advice. |
| <u>Following skin contact</u> | <ul style="list-style-type: none">- After contact with skin, wash immediately with plenty of water and soap.- Remove contaminated clothing and shoes.- When in doubt or if symptoms are observed, get medical advice. |
| <u>After eye contact</u> | <ul style="list-style-type: none">- Remove affected person from the danger area and lay down.- Rinse immediately carefully and thoroughly with eye-bath or water.- In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.- Protect uninjured eye. |
| <u>After ingestion</u> | <ul style="list-style-type: none">- Rinse mouth thoroughly with water.- Do not leave affected person unattended.- Do NOT induce vomiting.- Seek medical advice immediately.- Never give anything by mouth to an unconscious person or a person with cramps.- When in doubt or if symptoms are observed, get medical advice. |

4.2 - Most important symptoms and effects, both acute and delayed

- | | |
|--|---|
| <u>Symptoms and effects - Following inhalation</u> | <ul style="list-style-type: none">- No known symptoms to date. |
| <u>Symptoms and effects - Following skin contact</u> | <ul style="list-style-type: none">- In rare cases the product can cause temporary erythema of the skin.- Itching.- May cause skin sensitisation and allergic reactions in sensitive people. |
| <u>Symptoms and effects - After eye contact</u> | <ul style="list-style-type: none">- Itching.- Redness.- Causes eye irritation. |
| <u>Symptoms and effects - After ingestion</u> | <ul style="list-style-type: none">- Nausea |

4.3 - Indication of any immediate medical attention and special treatment needed

- No information available.
- Treat symptomatically.

SECTION 5: Firefighting measures

MAXIGEAR EP-X 85W-140

5.1 - Extinguishing media

Suitable extinguishing media

- Carbon dioxide (CO₂)
- Foam
- Dry sand
- Dry extinguishing powder

Unsuitable extinguishing media

- Strong water jet
- Water

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture

- In case of fire hazardous decomposition products may be formed, such as: Carbon monoxide, Carbon dioxide (CO₂).
- In case of combustion, emission of toxic fumes.
- Thermal decomposition results in the formation of smoke, carbon oxides and low molecular weight organic compounds of unknown composition.

Hazardous decomposition products

- Formation of CO and CO₂ in the event of combustion (carbon monoxide - carbon dioxide).
- Sulphur oxides

5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.
- Move undamaged containers from immediate hazard area if it can be done safely.
- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Use personal protection equipment.
- Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Provide adequate ventilation.
- Caution: Spreads are slippery

For emergency responders

- Provide adequate ventilation.
- Use personal protection equipment.
- Mittens.
- Spectacles.
- NOTICE: Report spillage to local authorities as appropriate or necessary.
- If it can be done without risk, stop the source of leakage.
- Limit spillage to prevent further contamination of soil, surface or groundwater.
- Use appropriate techniques such as non-flammable absorbent materials or pumping.
- Where possible or appropriate, scrape off the soil contaminated by the product from the area.
- Place product contaminated materials in disposable containers and dispose of in accordance with regulations.
- In case of spillage of a heated substance, allow it to cool down before proceeding with disposal methods.

MAXIGEAR EP-X 85W-140

- Provide adequate ventilation.

6.2 - Environmental precautions

- Ensure waste is collected and contained.
- Do not allow to enter into surface water or drains.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment - Soak up inert absorbent and dispose as waste requiring special attention.

- Collect in closed and suitable containers for disposal.

Methods and material for cleaning up

- Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
- Ventilate affected area.
- Clear contaminated areas thoroughly.
- Clean contaminated articles and floor according to the environmental legislation.
- Refer to manufacturer or supplier for information on recovery or recycling.
- Do not allow to enter into surface water or drains.
- If the product contaminates water tables, rivers or sewers, alert the competent authorities according to regulatory procedures.

Inappropriate techniques - Never return spills to original containers for reuse.

6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8
- Safe handling: see section 7
- See Section 1 for emergency contact information.

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation

- It is recommended to design all work processes always so that the following is excluded: Eye contact
- Ensure sufficient ventilation.
- Avoid breathing vapours, mist, spray, fumes.
- Keep away from sources of ignition - No smoking.

Advices on general occupational hygiene

- Avoid contact with skin, eyes and clothes.
- Wash contaminated clothing prior to re-use.
- Immediately remove any contaminated clothing, shoes or stockings.
- Wash hands before breaks and after work.
- Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be exposed to any process in which this product is used.
- If exposure limits have not been observed maintain airborne levels at an acceptable level. Provide eye wash station and safety shower.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep/store only in original container.
- Keep container tightly closed in a cool, well-ventilated place.

MAXIGEAR EP-X 85W-140

- Protect against:Heat
- Keep away from:Food and feedingstuffs
- Protect from direct sunlight.

7.3 - Specific end use(s)

- See section 1.2 of the SDS.

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

Distillates (petroleum), hydrotreated, heavy paraffinic [Note L] (64742-54-7)

| | |
|----------------------------------|---------------------|
| IOELV TWA mg/m ³ (UE) | 5 mg/m ³ |
|----------------------------------|---------------------|

- Oil vapour TWA: 5 mg/m³ (ACGIH).

DNEL / PNEC

Amines, C10-C14-tert-alkyl

| Type | Value | User | Effect |
|------------------------------------|------------------------|-----------|----------|
| DNEL long-term oral (repeated) | 0,35 mg/kg bw/day | Consumers | Systemic |
| DNEL long-term inhalative | 12,5 mg/m ³ | Workers | Systemic |
| DNEL long-term inhalative | 12,1 mg/m ³ | Workers | Local |
| DNEL long-term inhalative | 1,2 mg/m ³ | Consumers | Local |
| DNEL long-term inhalative | 2,5 mg/m ³ | Consumers | Systemic |
| PNEC aquatic, freshwater | 0,001 mg/l | | |
| PNEC aquatic, marine water | 0,0001 mg/l | | |
| PNEC aquatic, intermittent release | 0,004 mg/l | | |
| PNEC sediment, freshwater | 2,14 mg/kg | | |
| PNEC sediment, marine water | 0,214 mg/kg | | |
| PNEC soil | 0,428 mg/kg | | |
| PNEC Secondary Poisoning | 4,71 mg/kg | | |
| PNEC sewage treatment plant (STP) | 0,635 mg/l | | |

C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9)

| Type | Value | User | Effect |
|------------------------------------|-------------------------|-----------|----------|
| DNEL long-term oral (repeated) | 0,04 mg/kg bw/day | Consumers | Systemic |
| DNEL long-term inhalative | 0,38 mg/m ³ | Workers | Systemic |
| DNEL long-term inhalative | 1 mg/m ³ | Workers | Local |
| DNEL long-term inhalative | 0,035 mg/m ³ | Consumers | Systemic |
| PNEC aquatic, freshwater | 0,00026 mg/l | | |
| PNEC aquatic, marine water | 2,6E-05 mg/l | | |
| PNEC aquatic, intermittent release | 0,0016 mg/l | | |
| PNEC sediment, freshwater | 3,76 mg/kg | | |
| PNEC sediment, marine water | 0,376 mg/kg | | |
| PNEC soil | 10 mg/kg | | |
| PNEC sewage treatment plant (STP) | 0,55 mg/l | | |

8.2 - Exposure controls

Appropriate engineering controls

- Do not eat, drink or smoke during use.
- Ensure adequate ventilation.
- If exposure limits have not been observed maintain airborne levels at an acceptable level. Provide eye wash station and safety shower.

MAXIGEAR EP-X 85W-140

Individual protection measures, such as personal protective equipment

- Lab coat.
- Eye protection
- Tight-fitting goggles.
- In case of risk of splashes: Goggles with side-shields.
- EN 166
- Protective gloves
- Chemical resistant gloves conforming to EN 374.
- Wear suitable chemical resistant gloves.
- Nitrile rubber
- PVA (Polyvinyl alcohol).
- Protective apron.
- Suitable protective clothing: Protective apron
- If there is a danger of contact with hot product, suitable protective equipment must be used, which protects against high temperatures.



Environmental exposure controls

- It is important to test emissions from ventilation systems or process equipment to ensure that they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

| <u>Physical state</u> | Liquid | <u>Appearance</u> | Liquid |
|-----------------------|--------|---------------------------|----------------|
| <u>Colour</u> | brown | <u>Odour</u> | characteristic |
| Odour threshold | | No information available. | |
| pH | | No information available. | |
| Melting point | | No information available. | |
| Freezing point | | No information available. | |
| Boiling point | | No information available. | |
| Flash point | | 246 °C Open vase | |
| Evaporation rate | | No information available. | |
| flammability | | Not relevant. | |
| Lower explosion limit | | No information available. | |
| Upper explosion limit | | No information available. | |
| Vapour pressure | | No information available. | |

MAXIGEAR EP-X 85W-140

| | |
|-------------------------------|---|
| Vapour density | No information available. |
| Relative density | No information available. |
| Density | 0,9 g/ml @ 15°C |
| Solubility (Water) | Insoluble |
| Solubility (Ethanol) | No information available. |
| Solubility (Acetone) | No information available. |
| Solubility (Organic solvents) | No information available. |
| Log KOC | No information available. |
| Auto-ignition temperature | No information available. |
| Decomposition temperature | No information available. |
| Kinematic viscosity | 24,5 mm ² /s < V < 32,5 mm ² /s (cSt) @ 100°C |
| Dynamic viscosity | No information available. |

Particle characteristics

| | |
|-----------------------|-------------------|
| Particle size | No data available |
| Dustiness | No data available |
| Specific surface area | No data available |
| Shape | No data available |

9.2 - Other information

| | |
|--------------------------|-------------------|
| VOC content | Undetermined |
| Minimum ignition energy | No data available |
| Conductivity | No data available |
| Refractive index | No data available |
| Solids content | No data available |
| Surface tension | No data available |
| Saturation concentration | No data available |

- No data available.

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- Stable under recommended storage and handling conditions.

- The product can decompose at high temperature.

- Avoid:

- Prolonged exposure to extreme heat

MAXIGEAR EP-X 85W-140

10.5 - Incompatible materials

- Strong oxidising agents.

10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.
- Oil vapours in case of overheating.
- In combustion emits toxic fumes.
- Carbon dioxide (CO₂)
- Carbon monoxide

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

| | |
|---------------------------------------|-------------------|
| LD50 oral (rat) | No data available |
| LD50 dermal (rat) | No data available |
| LD50 dermal (rabbit) | No data available |
| LC50 inhalation gas (rat) | No data available |
| LC50 inhalation dusts and mists (rat) | No data available |
| LC50 inhalation vapours (rat) | No data available |

- The product has not been tested.
- Based on available data, the classification criteria are not met.

Toxicity : Substances

| Amines, C10-C14-tert-alkyl () | |
|--|---|
| LD50 oral (rat) | 612 mg/kg (OECD Guideline 401, Acute Oral Toxicity) |
| LD50 dermal (rat) | 251 mg/kg (OECD Guideline 402, Acute Dermal Toxicity) |
| LC50 inhalation vapours (rat) | 1,14 mg/l (OECD Guideline 403, Acute inhalation toxicity) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| LD50 oral (rat) | 1200 mg/kg (OECD Guideline 401, Acute Oral Toxicity) |
| LD50 dermal (rat) | > 2000 mg/kg (OECD Guideline 402, Acute Dermal Toxicity) |
| LC50 inhalation dusts and mists (rat) | Based on available data, the classification criteria are not met. |

Skin corrosion/irritation - Not classified

MAXIGEAR EP-X 85W-140

| | |
|--|--|
| | - Based on available data, the classification criteria are not met. |
| <u>Serious eye damage/eye irritation</u> | - Not classified |
| | - Based on available data, the classification criteria are not met. |
| <u>Respiratory or skin sensitisation</u> | - Skin sensitization - Category 1 - May cause an allergic skin reaction. |
| <u>Germ cell mutagenicity</u> | - Not classified |
| | - Based on available data, the classification criteria are not met. |
| <u>Carcinogenicity</u> | - Not classified |
| | - Based on available data, the classification criteria are not met. |
| <u>Reproductive toxicity</u> | - Not classified |
| | - Based on available data, the classification criteria are not met. |
| <u>STOT-single exposure</u> | - Not classified |
| | - Based on available data, the classification criteria are not met. |
| <u>STOT-repeated exposure</u> | - Not classified |
| | - Based on available data, the classification criteria are not met. |
| <u>Aspiration hazard</u> | - Not classified |
| | - Based on available data, the classification criteria are not met. |

11.2 - Information on other hazards

- This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

| | |
|-----------------------------------|-------------------|
| EC50 48 hr crustacea | No data available |
| LC50 96 hr fish | No data available |
| ErC50 algae | No data available |
| ErC50 other aquatic plants | No data available |
| NOEC chronic fish | No data available |
| NOEC chronic crustacea | No data available |
| NOEC chronic algae | No data available |
| NOEC chronic other aquatic plants | No data available |

- The product has not been tested.
- Toxic to aquatic life with long lasting effects.

Toxicity : Substances

MAXIGEAR EP-X 85W-140

| Amines, C10-C14-tert-alkyl () | |
|--|---|
| EC50 48 hr crustacea | 2,5 mg/l Daphnia magna (Big water flea) |
| LC50 96 hr fish | 1,3 mg/l Oncorhynchus mykiss (rainbow trout) OECD 203 |
| ErC50 algae | 0,435 mg/l Selenastrum capricornutum OECD 201 |
| NOEC chronic fish | 0,078 mg/l Oncorhynchus mykiss (rainbow trout) OECD 210 |
| NOEC chronic algae | 0,05 mg/l Selenastrum capricornutum OECD 201 |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| EC50 48 hr crustacea | 0,32 mg/l Daphnia magna (Big water flea) OECD 202 |
| LC50 96 hr fish | 0,84 mg/l Danio rerio (zebra-fish) OECD 203 |
| ErC50 algae | 0,39 mg/l Desmodesmus subspicatus OECD 201 |
| NOEC chronic crustacea | 0,013 mg/l Daphnia magna (Big water flea) OECD 211 |
| NOEC chronic algae | 0,123 mg/l Desmodesmus subspicatus OECD 201 |

12.2 - Persistence and degradability

Mixture

| | |
|---------------------------------|-------------------|
| Biochemical oxygen demand (BOD) | No data available |
| Chemical oxygen demand (COD) | No data available |
| % of biodegradation in 28 days | No data available |

- No information available.
- The product contains a substance that does not degrade easily.

Substances

| Distillates (petroleum), hydrotreated, heavy paraffinic [Note L] (64742-54-7) | |
|---|--|
| % of biodegradation in 28 days | 31 % Not readily biodegradable (according to OECD criteria). OECD 301F |

MAXIGEAR EP-X 85W-140

| | |
|--------------------------------|---|
| Amines, C10-C14-tert-alkyl () | |
| % of biodegradation in 28 days | 22 % Not readily biodegradable (according to OECD criteria). OECD 301C |

12.3 - Bioaccumulative potential

Mixture

| | |
|-------------------------------|---------------------------|
| Bioconcentration factor (BCF) | No data available |
| Log KOC | No information available. |

- No indication of bioaccumulation potential.

Substances

| | |
|---|---|
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| Bioconcentration factor (BCF) | 173 L/kg No bioaccumulation potential. |

12.4 - Mobility in soil

- The product is immiscible with water and will spread on the surface of water.

12.5 - Results of PBT and vPvB assessment

- The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.
- The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.

12.6 - Endocrine disrupting properties

- This product does not have endocrine disrupting properties.

12.7 - Other adverse effects

- No data available.
- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

| | |
|---|---|
| <u>Waste treatment methods</u> | - Dispose of waste according to applicable legislation. - Handle contaminated packages in the same way as the substance itself. |
| <u>Sewage disposal</u> | - Do not empty into drains. |
| <u>Special precautions for waste treatment</u> | - Consult the appropriate local waste disposal expert about waste disposal. - The waste is to be kept separate from other types of waste until its recycling. - For recycling, contact recycling exchanges. - Non-contaminated packages must be recycled or disposed of. |
| <u>Community or national or regional provisions</u> | - Dispose of waste according to applicable legislation. |

MAXIGEAR EP-X 85W-140

SECTION 14: Transport information

14.1 - UN number or ID number

Not applicable

14.2 - UN proper shipping name

Not applicable

14.3 - Transport hazard class(es)

Not applicable

14.4 - Packing group

Not applicable

14.5 - Environmental hazards

Not applicable

14.6 - Special precautions for user

Not applicable

14.7 - Maritime transport in bulk according to IMO instruments

Not applicable

- Not applicable.

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content No data available

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - A chemical safety assessment has been conducted for this mixture.

SECTION 16: Other information

SDS versions

| Version | Issue date | Author | Description of the amendments |
|---------|------------|--------|---|
| 5 | 18/02/2025 | | Updated according to current legislation. |
| 4 | 05/04/2024 | | Updated according to current legislation. |
| 1 | 17/06/2011 | | It was prepared for the first time. |

Issued by: Sena Ezgi Selçuk

Abbreviations and acronyms

- ADR: The Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE: Acute Toxicity Estimate.

MAXIGEAR EP-X 85W-140

- CAS No.: Chemical Abstracts Service number.
- DNEL: Derived no-effect level.
- EC No: European Community number
- EC50: Effective concentration of the substance that causes adverse effects in 50% of test animals.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Dangerous Goods.
- LC50: Lethal Concentration to 50 % of a test animals.
- LD50: Lethal Dose to 50% of a test animals.
- OEL: Occupational exposure limit.
- PBT: Persistent, Bioaccumulative and Toxic.
- PNEC: Predicted no-effect concentration.
- RID: International Carriage of Dangerous Goods by Rail.
- STEL: Short-term exposure limit
- TWA: Time weighted average
- vPvB: very Persistent and very Bioaccumulative.

Texts of the regulatory sentences

| | |
|----------------------------|---|
| Acute Tox. 2 Inhalation | Acute toxicity (inhalative) - Category 2 |
| Acute Tox. 3 Dermal | Acute toxicity (dermal) - Category 3 |
| Acute Tox. 3 Inhalation | Acute toxicity (inhalative) - Category 3 |
| Acute Tox. 4 Oral | Acute toxicity (oral) - Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Aquatic Acute 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Aquatic Chronic 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Aquatic Chronic 2 |
| Asp. Tox. 1 | Aspiration hazard - Category 1 |
| Eye Dam. 1 | Serious eye damage, Category 1 |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H311+H331 | Toxic in contact with skin or if inhaled. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure . |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Not Classified | Not classified |
| Skin Corr. 1 | Skin corrosion, Category 1 |
| Skin Corr. 1B | Skin corrosion, Category 1B |
| Skin Sens. 1 | Skin sensitization - Category 1 |
| Skin Sens. 1A | Skin sensitization - Category 1A |

MAXIGEAR EP-X 85W-140

| | |
|-----------|--|
| STOT RE 2 | STOT-repeated exposure - Category 2 |
| STOT SE 3 | STOT-single exposure - Category 3 (H335) |

The information provided in this Safety Data Sheet (SDS) is current on the date the SDS was prepared or revised. Implementation of measures that are provided on SDS is under downstream user companies' responsibility. Downstream users may change the measures in the SDS according to the conditions in their own business.

*** **