

SAFETY DATA SHEET MAXIMA DIESEL 5W-40

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MAXIMA DIESEL 5W-40

Product number 11280

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

Uses advised against This product must not be used in applications other than those recommended in Section 1,

without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. This product is designed only to suit automotive applications and no provision is made for the requirements of aviation

applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFISI A.Ş.

Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul

Tel: +90 850 339 1919 Fax: +90 216 275 3854 madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone Emergency Medical Services: 112 National Poison Consultance Center: 114

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word Warning

MAXIMA DIESEL 5W-40

Hazard statements H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P26

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

Contains Kalsiyum uzun zincirli alkaril sülfonat

2.3. Other hazards

No other information known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

60-80%

CAS number: 64742-54-7 EC number: 265-157-1 REACH registration number: 01-

2119484627-25-0065

Classification

Asp. Tox. 1 - H304

Mineral Oil 5-10%

CAS number: 64742-55-8

Classification

Not Classified

Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50)

1-5%

CAS number: —

Classification

Not Classified

polyolefin polyamine succinimide, polyol

1-5%

CAS number: -

Classification

Aquatic Chronic 4 - H413

MAXIMA DIESEL 5W-40

Alkil fenat sülfit dallanmış kalsiyum zinciri CAS number: — Classification Aquatic Chronic 4 - H413

Zinc alkyl dithiophosphate CAS number: 68649-42-3 M factor (Acute) = 1 Classification Eye Dam. 1 - H318 Aquatic Acute 1 - H400

Kalsiyum uzun zincirli alkaril sülfonat CAS number: 722503-68-6 Classification Skin Sens. 1 - H317 Aquatic Chronic 4 - H413

Alkaril amin	1-5%
CAS number: —	
Classification Aquatic Chronic 4 - H413	

Kalsiyum uzun zincirli alkaril sülfonat	<1%
CAS number: —	
Classification Aquatic Chronic 4 - H413	

Branched alkyl phenol and cald	cium alkyl phenol	<1%
CAS number: —		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Repr. 1B - H360		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

Aquatic Chronic 2 - H411

Composition commentsSome substances are not classified by legistlation. They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes See Section 8 for occupational exposure limits.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

Protection of first aidersFirst aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

InhalationNo specific symptoms known.IngestionNo specific symptoms known.

Skin contact May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific treatment. Treat symptomatically.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates

and gases, including carbon monoxide, oxides of sulfur, and unidentified organic and inorgaic

compounds.

Hazardous combustion

products

Yanma sonucu şu maddelerin oksitleri oluşabilir: Bor, Fosfor, Kalsiyum, Çinko, Nitrojen.

Sulphur oxides. Carbon dioxide (CO2). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out

of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

MAXIMA DIESEL 5W-40

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Necessary precautions should be taken to ensure that non-educated personnel do not

intervene.

For emergency responders Wear protective clothing as shown in section 8 of this safety data sheet. Stop the leakage

source if it can be done without risk.Limit spillage to prevent further contamination of soil, surface or ground water.Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection.Use suitable techniques such as non-flammable absorbent materials or pumping.When possible or appropriate, remove the contaminated soil from the area.Place contaminated products in disposable boxes and dispose of in accordance with regulations.If a heated material is spilled, allow it to cool

before handling with disposal methods.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13. See Section 1 for

emergency contact information. See Section 11 for additional information on health hazards.

See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Do not empty into drains.

Advice on general occupational hygiene

No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store in a

demarcated bunded area to prevent release to drains and/or watercourses. Take

precautionary measures against static discharges.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet. Good ventilation should be provided

in the working environment and the vapor generated during use should be avoided. Avoid contact with skin and apply hygienic rules . Avoid contact with eyes. Goggles or face to prevent

eye contact

mask should be used. Use disposable clothing. Dispose of contaminated clothing without

packaging. It should not be siphoned by mouth.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

There is no available data.

Mineral Oil

Mineral oil - Inhalable fraction:TWA:5 mg/m3,US. ACGIH Threshold Limit Values (03 2014)

Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50)

Mineral Oil; TWA: 5 mg/m3, ACGIH (United States)

Mineral oil: ACGIH, STEL:10 mg/m3

Ingredient comments No other information known. **Biological limit values** No other information known. **DNEL** No other information known. **DMEL** No other information known. **PNEC** No other information known.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil (CAS: 64742-54-7)

There is no available data. Ingredient comments

Biological limit values There is no available data.

DNEL Workers - Inhalation; Long term systemic effects: 2,7 (8h) mg/m³

Workers - Inhalation; Long term local effects: 5,4 (8h) mg/m³ Consumer - Inhalation; Long term local effects: 1,2 (24h) mg/m³ Consumer - Oral; Long term systemic effects: 0,74 (24h) mg/kg/day Workers - Dermal; Long term systemic effects: 1,0 (8h) mg/kg

DMEL No information available. **PNEC** No information available.

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Personal protection

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Nitrile rubber. Polyvinyl chloride (PVC).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

MAXIMA DIESEL 5W-40

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

Thermal hazards If there is a risk of contact with hot product, all protective equipment worn should be suitable

for use with high temperatures.

Environmental exposure

controls

Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Brown.

Odour Characteristic.

Odour threshold No information available.

pH Scientifically unjustified.

Melting point No information available.

Initial boiling point and range No information available.

Flash point 230°C OC (Open cup).

Evaporation rate No information available.

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

No information available.

Other flammability

No information available.

Vapour pressure

No information available.

Vapour density No information available.

Relative density 0.86 g/ml @ 15°C

Bulk density No information available.

Solubility(ies) Insoluble in water.

Partition coefficient

No information available.

Auto-ignition temperature

No information available.

Decomposition Temperature

No information available.

Viscosity 14 cSt @ 100°C

Explosive properties No information available.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties

Not known.

MAXIMA DIESEL 5W-40

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information No information required.

Refractive index No information available.

Particle size No information available.

Molecular weight No information available.

Volatility No information available.

Saturation concentration

No information available.

Critical temperature

No information available.

Volatile organic compound

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

ReactivityThere are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising

agents.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation. Strong acids. Chlorates. Nitrates. Peroxides. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Alkyl mercaptans. Hydrogen sulphide (H2S). Bozunma sıcaklığına ısıtıldığında COx duman ve tahriş edici buharlarını salabilir. Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide irritating vapara and other products of incomplete combustion.

carbon dioxide, irritating vapors and other products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Other health effects No relevant information available.

Acute toxicity - oral

Summary

Based on available data the classification criteria are not met.

Notes (oral LD₅₀)

Based on available data the classification criteria are not met.

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

MAXIMA DIESEL 5W-40

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary In case of frequent and / or often contact with skin, irritation symptoms may occur.

Skin corrosion/irritation Based on available data the classification criteria are not met.

Animal data Based on available data the classification criteria are not met.

Human skin model testBased on available data the classification criteria are not met.

Extreme pH Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary Eye contact may cause irritation.

Serious eye damage/irritation Causes eye irritation.

Respiratory sensitisation

Summary There is no available data.

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Summary Skin Sens. = Skin sensitisation

Skin sensitisation May cause sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Summary There is no available data.

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP 346.

Carcinogenicity Based on available data the classification criteria are not met.

Target organ for carcinogenicity

No specific target organs known.

IARC carcinogenicity Not known.

NTP carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Summary There is no test data indicating that this product has a toxic effect on the reproductive system.

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

STOT - single exposure Based on available data the classification criteria are not met.

MAXIMA DIESEL 5W-40

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

STOT - repeated exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Aspiration hazard

Summary There is no available data.

Aspiration hazard Based on available data the classification criteria are not met.

Toxicokinetics Based on available data the classification criteria are not met.

General information Based on available data the classification criteria are not met.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health

Medical considerations

hazards

No other information known.

No other information known.

Route of exposure No other information known.

Target organs No specific target organs known.

Medical symptoms No other information known.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicological effects Information given is based on data of the components and of similar products.

Other health effects No information required.

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Notes (oral LD50) LD50 >5000 (OECD 401)/API 1982a mg/kg, Oral, Rat

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Notes (dermal LD₅o) LD₅o >5000 (OECD 402)/API 1982a mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Notes (inhalation LC₅₀) LC50, 4h 5,53 (OECD 403)/Exxon Biomedical Sciences, Inc.(1988a) mg/l,

Inhalation, Rat

Skin corrosion/irritation

MAXIMA DIESEL 5W-40

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation Based on available data the classification criteria are not met.

Animal data Based on available data the classification criteria are not met.

Human skin model test Based on available data the classification criteria are not met.

Extreme pH Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary Based on available data the classification criteria are not met.

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Summary Based on available data the classification criteria are not met.

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Summary Based on available data the classification criteria are not met.

Carcinogenicity Based on available data the classification criteria are not met.

Target organ for carcinogenicity

No specific target organs known.

IARC carcinogenicity Not listed.

NTP carcinogenicity Not listed.

Reproductive toxicity

Summary Based on available data the classification criteria are not met.

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

STOT - single exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

MAXIMA DIESEL 5W-40

Summary Based on available data the classification criteria are not met.

STOT - repeated exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Aspiration hazard

Summary Slight irritation of the respiratory tract may occur, if mists are inhaled.

Aspiration hazard May be fatal if swallowed and enters airways.

.

Toxicokinetics No information required.

General information No information required.

Inhalation No information required.

Ingestion No information required.

Skin contact No information required.

Eye contact No information required.

Acute and chronic health

hazards

No information required.

Route of exposure No information required.

Target organs No specific target organs known.

Medical symptoms No information required.

Medical considerations No information required.

Mineral Oil

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP

346.

Specific target organ toxicity - single exposure

irritation of mucous membranes and the upper respiratory tract. (Supplier

information)

Aspiration hazard

Aspiration hazard Material can be aspirated into the lungs during the act of swallowing or vomiting.

This could result in severe injury to the lungs and death. (Supplier information)

Exchangeable neutral oils

Acute toxicity - oral

Notes (oral LD50) LD50 >2000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Ecotoxicity Based on available data the classification criteria are not met.

12.1. Toxicity

Toxicity May cause long lasting harmful effects to aquatic life.

Acute aquatic toxicity

Summary No other information known.

Acute toxicity - fishNo other information known.

Acute toxicity - aquatic

invertebrates

No other information known.

Acute toxicity - aquatic plants No other information known.

Acute toxicity - microorganisms

No other information known.

Acute toxicity - terrestrial No other information known.

Chronic aquatic toxicity

Summary No other information known.

Chronic toxicity - fish early life No other information known.

stage

No other information known.

Short term toxicity - embryo and sac fry stages

and odd my olds

No other information known.

Chronic toxicity - aquatic

invertebrates

No other information known.

Toxicity to soil

No other information known.

Toxicity to terrestrial plants No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish LL50, : >100 mg/l, Fish

LL₅₀, 96 (OECD 203) hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

LL₅₀, 24 (OECD 202) hours: >10000 mg/l, Gammarus pulex EL50, 24 (OECD 202) hours: >10000 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

No information required.

Acute toxicity -

LL₅₀, : >100 mg/l, Micro-organisms

microorganisms

MAXIMA DIESEL 5W-40

Acute toxicity - terrestrial No information required.

Chronic aquatic toxicity

Based on available data the classification criteria are not met. Summary

Chronic toxicity - fish early No information required.

life stage

Short term toxicity -

embryo and sac fry stages

No information required.

Chronic toxicity - aquatic

invertebrates

No information required.

Toxicity to soil No information required.

Toxicity to terrestrial plants No information required.

Zinc alkyl dithiophosphate

Acute aquatic toxicity

LE(C)50 $0.1 < L(E)C50 \le 1$

M factor (Acute) 1

Branched alkyl phenol and calcium alkyl phenol

Acute aquatic toxicity

LE(C)50 $0.1 < L(E)C50 \le 1$

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability No other information known.

Phototransformation No other information known.

Stability (hydrolysis) No other information known.

Biodegradation No other information known.

Biological oxygen demand No other information known.

Chemical oxygen demand No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Persistence and degradability

OECD 301B:2-4 %,28 d ;OECD 301F:31 %,28 d

Phototransformation Inconclusive data. Inconclusive data. Stability (hydrolysis)

Biodegradation Inconclusive data.

Biological oxygen demand Inconclusive data.

MAXIMA DIESEL 5W-40

Chemical oxygen demand Inconclusive data.

12.3. Bioaccumulative potential

Bioaccumulative potential No other information known.

Partition coefficient No information available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Bioaccumulative potential Inconclusive data.

Partition coefficient Inconclusive data.

12.4. Mobility in soil

Mobility The product is immiscible with water and will spread on the water surface.

Adsorption/desorption

coefficient

No other information known.

Henry's law constant

No other information known.

Surface tension

No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Mobility No data available.

Adsorption/desorption

coefficient

Inconclusive data.

Henry's law constant Inconclusive data.

Surface tension Inconclusive data.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB No other

assessment

No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Results of PBT and vPvB Not relevant.

assessment

12.6. Other adverse effects

Other adverse effects No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Other adverse effects This product contains components that have a harmful effect on the aquatic

environment.Do not allow to enter into soil, rivers or sewers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

MAXIMA DIESEL 5W-40

General information The packaging must be empty (drop-free when inverted).

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Environmental Manager must be informed of all major

spillages. Avoid the spillage or runoff entering drains, sewers or watercourses.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue

(EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on

Hazardous Substances and Mixtures

T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization.

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.

Guidance Safety Data Sheets for Substances and Preparations.

Source: European Chemicals Agency, http://echa.europa.eu/

15.2. Chemical safety assessment

SECTION 16: Other information

MAXIMA DIESEL 5W-40

Abbreviations and acronyms used in the safety data sheet

E.U.: European union DMSO: Dimethyl sulfoxide

KKE: Personal protective aquipment

T.C.: Republic of Turkey

TWA: Workplace exposure limits

UZEM: National Poison Information Center

DNEL: Derived No Effect Level. CAS: Chemical Abstracts Service.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

GHS: Globally Harmonized System.

IATA: International Air Transport Association.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
Asp. Tox. = Aspiration hazard

STOT SE = Specific target organ toxicity-single exposure STOT RE = Specific target organ toxicity-repeated exposure

Skin Corr. = Skin corrosion Skin Sens. = Skin sensitisation Skin Irrit. = Skin irritation

Eye Dam. = Serious eye damage

Eye Irrit. = Eye irritation Carc. = Carcinogenicity

Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

General information

Only trained personnel should use this material. Disclaimer: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Key literature references and sources for data

This SDS is prepared based on the information received from raw material suppliers.

Classification procedures according to Regulation (EC) 1272/2008

Skin Sens. 1 - H317, Eye Irrit. 2 - H319, Aquatic Chronic 3 - H412: Calculation method.,

Supplier information

Training advice Untrained personnel should not use.

Revision comments Revised classification.

Issued by Emrah Parmak Sevda ŞAHAN Certified Safety Data Sheet Preparer (Certificate

Id:GBF01.23.08;Dates: 03.11.2018-03.11.2021)

Revision date 06/07/2020

Revision 4

Supersedes date 17/06/2011

SDS number 10057

Hazard statements in full H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.