



SAFETY DATA SHEET

MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MAXIMA DIESEL LA 5W30

Product number 11169

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

Uses advised against This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. This product is designed only to suit automotive applications and no provision is made for the requirements of aviation applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

Manufacturer PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone number Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Precautionary statements

P273 Avoid release to the environment.
P501 Dispose of contents/ container in accordance with national regulations.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P502 Refer to manufacturer or supplier for information on recovery or recycling.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash contaminated skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic baseoil			60-80%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01-2119484627-25-0065	
Classification Asp. Tox. 1 - H304			
Distillates (petroleum), hydrogenated heavy paraffinic			10-20%
CAS number: —	EC number: 265-157-1		
Classification Asp. Tox. 1 - H304			
Mineral oil (mixture)			5-10%
CAS number: —			
The mineral oil in its content can be defined by one or more of the following: EC No. 265-157-1, Registration No. 01-2119484627-25, Distillates (petroleum), hydro-treated heavy paraffinic; EC No. 265-169-7, Registration No. 01-2119471299-27, Distillates (petroleum), solvent-waxed heavy paraffinic; EC No. 265-158-7, Registration No. 01-2119487077-29, Distillates (petroleum), hydro-treated light paraffinic; EC No. 265-159-2, Registration No. 01-2119480132-48, Distilatlar (petrol), solvent-waxed light paraffinic.			
Classification Asp. Tox. 1 - H304			
bis(nonylphenyl)amine			1-5%
CAS number: 36878-20-3	EC number: 253-249-4		
Classification Aquatic Chronic 4 - H413			

The full text for all hazard statements is displayed in Section 16.

Composition comments

Some substances are not classified by legislation. They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Ingredient notes If REACH registration numbers do not appear the substance is either exempt from registration, does not meet the minimum volume threshold for registration, the registration date has not yet come due or this information is proprietary.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Using a water jet can be inconvenient.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m ³ . Oxides of carbon. Oxides of nitrogen.
Hazardous combustion products	None known.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses.
---	---



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Necessary precautions should be taken to ensure that non-educated personnel do not intervene.

For emergency responders Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

6.4. Reference to other sections

Reference to other sections See Section 1 for emergency contact information. For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash contaminated skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Mineral Oil- inhalable fraction: TWA : 5 mg/m³ (Source:US. ACGIH Threshold Limit Values (02 2012))

Distillates (petroleum) hydrotreated heavy paraffinic: EU OEL (Europe) TWA: 5 mg/m³, 8 hours.

Distillates (petroleum) solvent-dewaxed heavy paraffinic: EU OEL (Europe) TWA: 5 mg/m³, 8 hours/ STEL: 10 mg/m³, 15 minutes.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

There is no available data.

Ingredient comments	WEL = Workplace Exposure Limits
Biological limit values	There is no available data.
DNEL	No information available.
DMEL	No information available.
PNEC	No information available.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil (CAS: 64742-54-7)

Ingredient comments	There is no available data.
Biological limit values	There is no available data.
DNEL	Workers - Inhalation; Long term systemic effects: 2,7 (8h) mg/m ³ Workers - Inhalation; Long term local effects: 5,4 (8h) mg/m ³ Consumer - Inhalation; Long term local effects: 1,2 (24h) mg/m ³ Consumer - Oral; Long term systemic effects: 0,74 (24h) mg/kg/day Workers - Dermal; Long term systemic effects: 1,0 (8h) mg/kg
DMEL	No information available.
PNEC	No information available.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Personal protection Keep away from foodstuffs, beverages and foods. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. The effectiveness of personal protective equipment, together with other elements, depends on the degree of ventilation. Depending on the particular situation in question, Get professional support.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). Nitrile rubber. Butyl rubber.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear rubber footwear. Wear apron or protective clothing in case of contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Brown.
Odour	Characteristic.
Odour threshold	No specific test data are available.
pH	Scientifically unjustified.
Melting point	No specific test data are available.
Initial boiling point and range	No specific test data are available.
Flash point	min. 200°C OC (Open cup).
Evaporation rate	No specific test data are available.
Evaporation factor	No specific test data are available.
Flammability (solid, gas)	No specific test data are available.
Upper/lower flammability or explosive limits	No specific test data are available.
Other flammability	No specific test data are available.
Vapour pressure	No specific test data are available.
Vapour density	No specific test data are available.
Relative density	0.85 g/ml @ 15°C
Bulk density	No specific test data are available.
Solubility(ies)	Insoluble in water.
Partition coefficient	No specific test data are available.
Auto-ignition temperature	No specific test data are available.
Decomposition Temperature	No specific test data are available.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Viscosity	9,3-12,5 cSt @ 100°C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	No information available.
Oxidising properties	No information available.
Comments	No information available.
Particle characteristic	Not applicable
9.2. Other information	
Other information	No information required.
Refractive index	No specific test data are available.
Particle size	No specific test data are available.
Molecular weight	No specific test data are available.
Volatility	No specific test data are available.
Saturation concentration	No specific test data are available.
Critical temperature	No specific test data are available.
Volatile organic compound	No specific test data are available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	This product is stable under normal conditions.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No hazardous reaction under normal conditions of storage and use.
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Strong acids. Strong oxidising agents.
--------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	In the event of incomplete combustion, smoke, carbon dioxide and carbon monoxide are formed. Aldehydes. Hydrogen sulphide. Alkyl mercaptans. Sulphur. Oxides of nitrogen.
----------------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Other health effects	No information available.
Toxicological effects	Information given is based on data of the components and of similar products.
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Based on available data the classification criteria are not met.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

NTP carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	Based on available data the classification criteria are not met.
Specific target organ toxicity - repeated exposure	
Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	Based on available data the classification criteria are not met.
Toxicokinetics	No information required.
General information	Information given is based on data of the components and of similar products.
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed. Gastrointestinal symptoms, including upset stomach.
Skin contact	Skin irritation should not occur when used as recommended. Liquid may irritate skin.
Eye contact	May cause temporary eye irritation.
Acute and chronic health hazards	No information required.
Route of exposure	Not specific
Target organs	No information required.
Medical symptoms	No information required.
Medical considerations	No information required.
11.2 Information on other hazards	
Information on other hazards	
Toxicological information on ingredients.	

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Other health effects No information required.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Toxicological effects	Information given is based on data of the components and of similar products.
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD₅₀)	LD ₅₀ >5000 (OECD 401)/API 1982a mg/kg, Oral, Rat
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	LD ₅₀ >5000 (OECD 402)/API 1982a mg/kg, Dermal, Rabbit
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	LC ₅₀ , 4h 5,53 (OECD 403)/Exxon Biomedical Sciences, Inc.(1988a) mg/l, Inhalation, Rat
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

IARC carcinogenicity	Not listed.
NTP carcinogenicity	Not listed.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
Specific target organ toxicity - repeated exposure	
Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
Aspiration hazard	
Summary	Slight irritation of the respiratory tract may occur, if mists are inhaled.
Aspiration hazard	May be fatal if swallowed and enters airways.
Toxicokinetics	No information required.
General information	No information required.
Inhalation	No information required.
Ingestion	No information required.
Skin contact	No information required.
Eye contact	No information required.
Acute and chronic health hazards	No information required.
Route of exposure	No information required.
Target organs	No specific target organs known.
Medical symptoms	No information required.
Medical considerations	No information required.

Distillates (petroleum), hydrogenated heavy paraffinic

Carcinogenicity



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Carcinogenicity This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

Aspiration hazard

Aspiration hazard Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)

Mineral oil (mixture)

Skin sensitisation

Skin sensitisation Classification: Not a skin sensitizer. (Read across) (Supplier information)

Specific target organ toxicity - single exposure

STOT - single exposure If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information)

Aspiration hazard

Aspiration hazard Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)

bis(nonylphenyl)amine

Germ cell mutagenicity

Genotoxicity - in vitro This material has not exhibited mutagenic or genotoxic potential in laboratory tests. (Supplier information)

Zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)

Skin sensitisation

Skin sensitisation Classification: Not a skin sensitizer.

Mineral oil

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

2,6-di-tert-butyl-p-cresol

Reproductive toxicity

Reproductive toxicity - development Gestation to pregnant mice 6-13. days after di-tert-butyl-p-cresol up to 800 mg / kg / day, no teratogenic effect was observed. (Supplier information)

SECTION 12: Ecological information

Ecotoxicity May be harmful to aquatic organisms. Spills form film layer on water surface and prevent oxygen transfer

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Ecotoxicity

Based on available data the classification criteria are not met.

12.1. Toxicity

Toxicity

Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Acute toxicity - fish

No specific test data are available.

Acute toxicity - aquatic invertebrates

No information required.

Acute toxicity - aquatic plants

No information required.

Acute toxicity - microorganisms

Scientifically unjustified.

Acute toxicity - terrestrial

Scientifically unjustified.

Chronic aquatic toxicity

Summary

Calculation method.

Chronic toxicity - fish early life stage

Supplier's information.

Short term toxicity - embryo and sac fry stages

Supplier's information.

Chronic toxicity - aquatic invertebrates

Supplier's information.

Toxicity to soil

Supplier's information.

Toxicity to terrestrial plants

Supplier's information.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicity

Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Acute toxicity - fish

LL₅₀, : >100 mg/l, Fish
LL₅₀, 96 (OECD 203) hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates

LL₅₀, 24 (OECD 202) hours: >10000 mg/l, Gammarus pulex
EL50, 24 (OECD 202) hours: >10000 mg/l, Daphnia magna

Acute toxicity - aquatic plants

No information required.

Acute toxicity - microorganisms

LL₅₀, : >100 mg/l, Micro-organisms

Acute toxicity - terrestrial

No information required.

Chronic aquatic toxicity

Summary

Based on available data the classification criteria are not met.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Chronic toxicity - fish early life stage No information required.

Short term toxicity - embryo and sac fry stages No information required.

Chronic toxicity - aquatic invertebrates No information required.

Toxicity to soil No information required.

Toxicity to terrestrial plants No information required.

Distillates (petroleum), hydrogenated heavy paraffinic

Acute aquatic toxicity

Acute toxicity - aquatic invertebrates EC₅₀, 2 day: >10000 mg/l, Daphnia magna
EC₅₀, 21 day: >10 mg/l, Daphnia magna
NOEC, 21 day: 10 mg/l, Daphnia magna

Mineral oil (mixture)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 4 day: >100 mg/l, Fathead Minnow

Acute toxicity - aquatic invertebrates EC₅₀, 2 day: >10000 mg/l, Daphnia magna
EC₅₀, 21 day: >10 mg/l, Daphnia magna
NOEC, 21 day: >10 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 3 day: >100 mg/l, Scenedesmus quadricauda

bis(nonylphenyl)amine

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 4 day: >100 mg/l, Danio rerio (Zebrafish)

Acute toxicity - aquatic invertebrates EC₅₀, 2 day: >100 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 3 day: 600 mg/l, Selenastrum capricornutum

Acute toxicity - microorganisms EC₅₀, 0,1 day: >1000 mg/l, Sludge

Zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 4 day: 4,5 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 2 day: 23 mg/l, Daphnia magna
NOEC, 2 day: 10 mg/l, Daphnia magna
NOEC, 21 day: 0,4 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 3 day: 21 mg/l, Selenastrum capricornutum

Mineral oil



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 4 day: >100 mg/l, Fathead Minnow
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: >10000 mg/l, Daphnia magna EC ₅₀ , 21 day: >10 mg/l, Daphnia magna NOEC, 21 day: >10 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 3 day: >100 mg/l, Scenedesmus quadricauda

2,6-di-tert-butyl-p-cresol

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - aquatic invertebrates	EC ₅₀ , 2 day: 0,48 mg/l, Daphnia magna
Chronic aquatic toxicity	
M factor (Chronic)	1

12.2. Persistence and degradability

Persistence and degradability	Based on available data the classification criteria are not met.
Phototransformation	Based on available data the classification criteria are not met.
Stability (hydrolysis)	Based on available data the classification criteria are not met.
Biodegradation	Based on available data the classification criteria are not met.
Biological oxygen demand	Based on available data the classification criteria are not met.
Chemical oxygen demand	Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Persistence and degradability	OECD 301B:2-4 %,28 d ;OECD 301F:31 %,28 d
Phototransformation	Inconclusive data.
Stability (hydrolysis)	Inconclusive data.
Biodegradation	Inconclusive data.
Biological oxygen demand	Inconclusive data.
Chemical oxygen demand	Inconclusive data.

Distillates (petroleum), hydrogenated heavy paraffinic

Biodegradation	Oxygen discharge - 31 %: 28 day, OECD TG 301 F
----------------	--

Mineral oil (mixture)



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Biodegradation	Carbon dioxide formation - 31: 28 day, OECD TG 301B
	bis(nonylphenyl)amine
Biodegradation	Carbon dioxide formation - 0 %: 28 day, OECD TG 301B
	Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)
Biodegradation	Carbon dioxide formation - 1,5 %: 28 day, OECD TG 301B
	Mineral oil
Biodegradation	Carbon dioxide formation - 31 %: 28 day, OECD TG 301B
	2,6-di-tert-butyl-p-cresol
Biodegradation	Miscellaneous - 30 %: 14 day, OECD TG 302 C Oxygen discharge - 4,5 %: 28 day, OECD TG 301 C

12.3. Bioaccumulative potential

Bioaccumulative potential Based on available data the classification criteria are not met.

Partition coefficient No specific test data are available.

Ecological information on ingredients.

	Distillates (petroleum), hydrotreated heavy paraffinic baseoil
Bioaccumulative potential	Inconclusive data.
Partition coefficient	Inconclusive data.
	bis(nonylphenyl)amine
Bioaccumulative potential	BCF: 1584,89, Measured
	Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)
Partition coefficient	log Kow: °C 2,21 20
	2,6-di-tert-butyl-p-cresol
Partition coefficient	log Kow: 5,03

12.4. Mobility in soil

Mobility The product is immiscible with water and will spread on the water surface.

Adsorption/desorption coefficient Based on available data the classification criteria are not met.

Henry's law constant Based on available data the classification criteria are not met.

Surface tension Based on available data the classification criteria are not met.

Ecological information on ingredients.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Mobility	No data available.
Adsorption/desorption coefficient	Inconclusive data.
Henry's law constant	Inconclusive data.
Surface tension	Inconclusive data.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	No data available.
---	--------------------

12.6 Endocrine disrupting properties

Endocrine disrupting properties

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Results of PBT and vPvB assessment	Not relevant.
---	---------------

12.6. Other adverse effects

Other adverse effects	Harmful to aquatic life.
------------------------------	--------------------------

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Other adverse effects	This product contains components that have a harmful effect on the aquatic environment. Do not allow to enter into soil, rivers or sewers.
------------------------------	--

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Environmental Manager must be informed of all major spillages. Avoid the spillage or runoff entering drains, sewers or watercourses.
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Avoid releasing into the environment.
Rail transport notes	Not classified.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Sea transport notes Do not release into the environment.

Air transport notes Not classified.

14.1. UN number

UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Maritime transport in bulk
according to IMO instruments**

**Transport in bulk according to
Annex II of MARPOL 73/78 and
the IBC Code** Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization.

EU legislation REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

Guidance Safety Data Sheets for Substances and Preparations.

Health and environmental listings Hazardous ingredients are listed.

**Authorisations (Annex XIV
Regulation 1907/2006)** No specific authorisations are known for this product.

**Restrictions (Annex XVII
Regulation 1907/2006)** No specific restrictions on use are known for this product.

.



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

E.U. : European union
DMSO: Dimethyl sulfoxide
KKE: Personal protective equipment
T.C. : Republic of Turkey
UZEM: National Poison Information Center
CAS: Chemical Abstracts Service.
DNEL: Derived No Effect Level.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
vPvB: Very Persistent and Very Bioaccumulative.
EC₅₀: 50% of maximal Effective Concentration.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
Asp. Tox. = Aspiration hazard
STOT SE = Specific target organ toxicity-single exposure
STOT RE = Specific target organ toxicity-repeated exposure
Skin Corr. = Skin corrosion
Skin Sens. = Skin sensitisation
Skin Irrit. = Skin irritation
Eye Dam. = Serious eye damage
Eye Irrit. = Eye irritation
Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

General information

Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. MSDS Distribution : The information in this document should be made available to all who may handle the product. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Key literature references and sources for data

This SDS is prepared based on the information received from raw material suppliers.

Classification procedures according to Regulation (EC) 1272/2008

Aquatic Chronic 3 - H412: Calculation method.

Training advice

Untrained personnel should not use.

Revision comments

Revised classification.

Issued by

Sena Ezgi Selçuk Chemical Assessment Specialist (Certificate No: KDU01.29.06 17.12.2027)



MAXIMA DIESEL LA 5W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Revision date	02/09/2024
Revision	5
Supersedes date	17/06/2011
SDS number	10056
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.