

## DENIZ DIZEL 4000 SAE 40

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 - Product identifier

Trade name/designation DENIZ DIZEL 4000 SAE 40

Chemical name

Product-type Mixture

Product code -

#### 1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- Marine oil

Uses advised against

- The uses are provided in Section 1.2. Other uses are not recommended unless a risk assessment is carried out, prior to commencement of that use, which demonstrates that the is safe.

#### 1.3 - Details of the supplier of the safety data sheet

PETROL OF S. A. .

Ünalan Mahallesi, Libadiye Caddesi No: 82F

Kat: 2-3-4, 34700 Üsküdar/ İstanbul

Turkey

Telephone : +90 850 339 1919 Fax +90 216 275 3854

Website : [www.petrolofisi.com.tr](http://www.petrolofisi.com.tr) - [madeniyag@petrolofisi.com.tr](mailto:madeniyag@petrolofisi.com.tr)

#### 1.4 - Emergency telephone number

- National Poisons Information Service of England: <http://npis.org> -  
NHS 111: dial 111 United Kingdom

- Company phone number (see section 1.3).

### SECTION 2: Hazards identification

#### 2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Sens. 1	Skin sensitization - Category 1
--------------	---------------------------------

#### 2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: Salts of alkyl hydroxybenzoic acids | Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivs., calcium salts (2:1)

Signal word : Warning

Hazard pictograms



Hazard statements

H317	May cause an allergic skin reaction.
------	--------------------------------------

Precautionary statements

## DENIZ DIZEL 4000 SAE 40

P261	Avoid breathing vapours/mist.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear eye protection/protective gloves/protective clothing/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P321	Specific treatment (see information on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to an appropriate recycling or disposal facility in accordance with national regulation.

EUH-phrases : None

### 2.3 - Other hazards

PBT-substance. - The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.

vPvB-substance. - The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.

## SECTION 3: Composition / information on ingredients

### 3.1 - Substances

Not applicable

### 3.2 - Mixtures

Chemical name	No.	%	Class(es)	Specific concentration limit
Salts of alkyl hydroxybenzoic acids	CAS No. : Index No. : EC No. :	1 - 5	Aquatic Chronic 4 - H413 Skin Irrit. 2 - H315 Skin Sens. 1 - H317	Not applicable
Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivs., calcium salts (2:1)	CAS No. : 900185-23-1 Index No. : EC No. : 682-811-5	1 - 5	Skin Sens. 1 - H317	Not applicable
phenol, dodecyl-, branched	CAS No. : 121158-58-5 Index No. : 604-092-00-9 EC No. : 310-154-3	< 0,25	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Eye Dam. 1 - H318 Repr. 1B - H360F Skin Corr. 1C - H314	M-factor: 10 / 10

- If REACH registration numbers are not visible, the substance is exempt from registration, does not exceed the minimum volume threshold for registration, the registration date has not yet arrived, or this information is registered information.

## SECTION 4: First aid measures

### 4.1 - Description of first aid measures

Following inhalation - Provide fresh air.  
 - Rinse nose and mouth with water.  
 - When in doubt or if symptoms are observed, get medical advice.

Following skin contact - After contact with skin, wash immediately with plenty of water and soap.  
 - Remove contaminated clothing and shoes.  
 - When in doubt or if symptoms are observed, get medical advice.

After eye contact - Remove affected person from the danger area and lay down.  
 - Rinse immediately carefully and thoroughly with eye-bath or water.

## DENIZ DIZEL 4000 SAE 40

- In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
- Protect uninjured eye.

### After ingestion

- Rinse mouth thoroughly with water.
- Do not leave affected person unattended.
- Do NOT induce vomiting.
- Seek medical advice immediately.
- Never give anything by mouth to an unconscious person or a person with cramps.
- When in doubt or if symptoms are observed, get medical advice.

### 4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - - No known symptoms to date.  
Following inhalation

Symptoms and effects - - Itching.  
Following skin contact

- Allergic reactions
- Redness.

Symptoms and effects - After eye contact - Itching.  
- Redness.

Symptoms and effects - After ingestion - Nausea

### 4.3 - Indication of any immediate medical attention and special treatment needed

- No information available.
- Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 - Extinguishing media

Suitable extinguishing media - The product is not flammable. Use a suitable extinguishing agent to control the fire.

Unsuitable extinguishing media - Strong water jet

### 5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture - In case of fire hazardous decomposition products may be formed, such as: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).  
- In case of combustion, emission of toxic fumes.  
- Thermal decomposition results in the formation of smoke, carbon oxides and low molecular weight organic compounds of unknown composition.

Hazardous decomposition products - Formation of CO and CO<sub>2</sub> in the event of combustion (carbon monoxide - carbon dioxide).

### 5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.

## DENIZ DIZEL 4000 SAE 40

- Move undamaged containers from immediate hazard area if it can be done safely.
- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Co-ordinate fire-fighting measures to the fire surroundings.

### SECTION 6: Accidental release measures

#### 6.1 - Personal precautions, protective equipment and emergency procedures

<u>For non-emergency personnel</u>	<ul style="list-style-type: none"> <li>- Use personal protection equipment.</li> <li>- Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.</li> <li>- Provide adequate ventilation.</li> <li>- Caution: Spreads are slippery</li> </ul>
<u>For emergency responders</u>	<ul style="list-style-type: none"> <li>- Provide adequate ventilation.</li> <li>- Use personal protection equipment.</li> <li>- Mittens.</li> <li>- Spectacles.</li> <li>- NOTICE: Report spillage to local authorities as appropriate or necessary.</li> <li>- If it can be done without risk, stop the source of leakage.</li> <li>- Limit spillage to prevent further contamination of soil, surface or groundwater.</li> <li>- Use appropriate techniques such as non-flammable absorbent materials or pumping.</li> <li>- Where possible or appropriate, scrape off the soil contaminated by the product from the area.</li> <li>- Place product contaminated materials in disposable containers and dispose of in accordance with regulations.</li> <li>- In case of spillage of a heated substance, allow it to cool down before proceeding with disposal methods.</li> <li>- Provide adequate ventilation.</li> </ul>

#### 6.2 - Environmental precautions

- Ensure waste is collected and contained.
- Do not allow to enter into surface water or drains.

#### 6.3 - Methods and material for containment and cleaning up

<u>Methods and material for containment</u>	<ul style="list-style-type: none"> <li>- Soak up inert absorbent and dispose as waste requiring special attention.</li> <li>- Collect in closed and suitable containers for disposal.</li> </ul>
<u>Methods and material for cleaning up</u>	<ul style="list-style-type: none"> <li>- Absorb with liquid-binding material ( e.g. sand, diatomaceous earth, acid- or universal binding agents).</li> <li>- Ventilate affected area.</li> <li>- Clear contaminated areas thoroughly.</li> <li>- Clean contaminated articles and floor according to the environmental legislation.</li> <li>- Refer to manufacturer or supplier for information on recovery or recycling.</li> <li>- Do not allow to enter into surface water or drains.</li> <li>- If the product contaminates water tables, rivers or sewers, alert the competent authorities according to regulatory procedures.</li> </ul>
<u>Inappropriate techniques</u>	<ul style="list-style-type: none"> <li>- Never return spills to original containers for reuse.</li> </ul>

## DENIZ DIZEL 4000 SAE 40

### 6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8
- Safe handling: see section 7
- See Section 1 for emergency contact information.

## SECTION 7: Handling and storage

### 7.1 - Precautions for safe handling

#### Recommendation

- It is recommended to design all work processes always so that the following is excluded:Eye contact
- Ensure sufficient ventilation.
- Avoid breathing vapours, mist, spray, fumes.
- Keep away from sources of ignition - No smoking.

#### Advices on general occupational hygiene

- Avoid contact with skin, eyes and clothes.
- Wash contaminated clothing prior to re-use.
- Immediately remove any contaminated clothing, shoes or stockings.
- Wash hands before breaks and after work.
- Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be exposed to any process in which this product is used.
- If exposure limits have not been observed maintain airborne levels at an acceptable level. Provide eye wash station and safety shower.

### 7.2 - Conditions for safe storage, including any incompatibilities

- Keep/store only in original container.
- Keep container tightly closed in a cool, well-ventilated place.
- Protect against:Heat
- Keep away from:Food and feedingstuffs
- Protect from direct sunlight.

### 7.3 - Specific end use(s)

- See section 1.2 of the SDS.

## SECTION 8: Exposure controls/personal protection

### 8.1 - Control parameters

- No exposure limit value is known.
- There is no chemical substance to be specified under this section.

### DNEL / PNEC

#### **phenol, dodecyl-, branched (121158-58-5)**

Type	Value	User	Effect
DNEL long-term oral (repeated)	0,075 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	1,762 mg/m <sup>3</sup>	Workers	Systemic
DNEL long-term inhalative	0,79 mg/m <sup>3</sup>	Consumers	Systemic
DNEL long-term dermal	0,25 mg/kg bw/day	Workers	Systemic
DNEL long-term dermal	0,075 mg/kg bw/day	Consumers	Systemic

## DENIZ DIZEL 4000 SAE 40

PNEC aquatic, freshwater	7,4E-05 mg/l		
PNEC aquatic, marine water	7E-06 mg/l		
PNEC aquatic, intermittent release	0,00037 mg/l		
PNEC sediment, freshwater	0,226 mg/kg		
PNEC sediment, marine water	0,0226 mg/kg		
PNEC soil	0,118 mg/kg		
PNEC Secondary Poisoning	4 mg/kg		
PNEC sewage treatment plant (STP)	100 mg/l		

### 8.2 - Exposure controls

Appropriate engineering controls

- Do not eat, drink or smoke during use.

- Ensure adequate ventilation.

- If exposure limits have not been observed maintain airborne levels at an acceptable level. Provide eye wash station and safety shower.

Individual protection measures, such as personal protective equipment

- Lab coat.

- Eye protection



- Tight-fitting goggles.

- In case of risk of splashes: Goggles with side-shields.

- EN 166

- Protective gloves



- Chemical resistant gloves conforming to EN 374.

- Wear suitable chemical resistant gloves.

- Nitrile rubber

- PVA (Polyvinyl alcohol).

- Protective apron.

- Suitable protective clothing:Protective apron



- If there is a danger of contact with hot product, suitable protective equipment must be used, which protects against high temperatures.

Environmental exposure controls

- It is important to test emissions from ventilation systems or process equipment to ensure that they comply with the requirements of environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1 - Information on basic physical and chemical properties

## DENIZ DIZEL 4000 SAE 40

<u>Physical state</u>	Solid	<u>Appearance</u>	Gel characteristic
<u>Colour</u>	yellow	<u>Odour</u>	
Odour threshold		No information available.	
pH		No information available.	
Melting point		No information available.	
Freezing point		No information available.	
Boiling point		No information available.	
Flash point	270 °C Open vase		
Evaporation rate		No information available.	
flammability		Not relevant.	
Lower explosion limit		No information available.	
Upper explosion limit		No information available.	
Vapour pressure		No information available.	
Vapour density		No information available.	
Relative density		No information available.	
Density	0,91 g/ml @15°C		
Solubility (Water)	Insoluble		
Solubility (Ethanol)		No information available.	
Solubility (Acetone)		No information available.	
Solubility (Organic solvents)		No information available.	
Log KOC		No information available.	
Auto-ignition temperature		No information available.	
Decomposition temperature		No information available.	
Kinematic viscosity	12,5 mm <sup>2</sup> /s < V < 16,3 mm <sup>2</sup> /s (cSt) @100°C		
Dynamic viscosity		No information available.	

### Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

### 9.2 - Other information

VOC content	Undetermined
Minimum ignition energy	No data available
Conductivity	No data available
Refractive index	No data available
Solids content	No data available
Surface tension	No data available
Saturation concentration	No data available

- Worked Penetration 270 (@ 25°C)

## SECTION 10: Stability and reactivity

## DENIZ DIZEL 4000 SAE 40

### 10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

### 10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

### 10.4 - Conditions to avoid

- Stable under recommended storage and handling conditions.
- The product can decompose at high temperature.
- Exposure to cold. Do not freeze

### 10.5 - Incompatible materials

- Strong oxidising agents.

### 10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.
- In combustion emits toxic fumes.
- Carbon dioxide (CO<sub>2</sub>)
- Carbon monoxide

## SECTION 11: Toxicological information

### 11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation gas (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- The product has not been tested.
- Based on available data, the classification criteria are not met.

Toxicity : Substances

phenol, dodecyl-, branched (121158-58-5)	
LD50 oral (rat)	2100 mg/kg (OECD Guideline 401, Acute Oral Toxicity)
LD50 dermal (rabbit)	15000 mg/kg (OECD Guideline 402, Acute Dermal Toxicity)

Skin corrosion/irritation

- Not classified

## DENIZ DIZEL 4000 SAE 40

	- Based on available data, the classification criteria are not met.
<u>Serious eye damage/eye irritation</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Respiratory or skin sensitisation</u>	- Skin sensitization - Category 1 - May cause an allergic skin reaction.
<u>Germ cell mutagenicity</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Carcinogenicity</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Reproductive toxicity</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>STOT-single exposure</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>STOT-repeated exposure</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Aspiration hazard</u>	- Not classified
	- Based on available data, the classification criteria are not met.

### 11.2 - Information on other hazards

- This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## SECTION 12: Ecological information

### 12.1 - Toxicity

#### Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

- The product has not been tested.
- Based on available data, the classification criteria are not met.

#### Toxicity : Substances

## DENIZ DIZEL 4000 SAE 40

phenol, dodecyl-, branched (121158-58-5)	
EC50 48 hr crustacea	0,037 mg/l Daphnia magna (Big water flea) OECD 202
LC50 96 hr fish	40 mg/l Pimephales promelas (fathead minnow) OECD 203
ErC50 algae	0,36 mg/l Scenedesmus subspicatus OECD 201
NOEC chronic crustacea	0,004 mg/l Daphnia magna (Big water flea) OECD 211
NOEC chronic algae	0,07 mg/l Scenedesmus subspicatus

### 12.2 - Persistence and degradability

#### Mixture

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

#### Substances

phenol, dodecyl-, branched (121158-58-5)	
% of biodegradation in 28 days	< 10 % Not readily biodegradable (according to OECD criteria).

### 12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No information available.

- The product has not been tested.

### 12.4 - Mobility in soil

- The product is immiscible with water and will spread on the surface of water.

### 12.5 - Results of PBT and vPvB assessment

- The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.

- The substances in this mixture do not meet the PTB/vPvB criteria of REACH annex XIII.

### 12.6 - Endocrine disrupting properties

Endocrine disruptors phenol, dodecyl-, branched (Index No.: 604-092-00-9 - EC No.: 310-154-3 - CAS No.: 121158-58-5)

- This product does not have endocrine disrupting properties.

## DENIZ DIZEL 4000 SAE 40

### 12.7 - Other adverse effects

- No data available.
- No information available.

## SECTION 13: Disposal considerations

### 13.1 - Waste treatment methods

<u>Waste treatment methods</u>	<ul style="list-style-type: none"><li>- Dispose of waste according to applicable legislation.</li><li>- Handle contaminated packages in the same way as the substance itself.</li></ul>
<u>Sewage disposal</u>	<ul style="list-style-type: none"><li>- Do not empty into drains.</li></ul>
<u>Special precautions for waste treatment</u>	<ul style="list-style-type: none"><li>- Consult the appropriate local waste disposal expert about waste disposal.</li><li>- The waste is to be kept separate from other types of waste until its recycling.</li><li>- For recycling, contact recycling exchanges.</li><li>- Non-contaminated packages must be recycled or disposed of.</li></ul>
<u>Community or national or regional provisions</u>	<ul style="list-style-type: none"><li>- Dispose of waste according to applicable legislation.</li></ul>

## SECTION 14: Transport information

### 14.1 - UN number or ID number

Not applicable

### 14.2 - UN proper shipping name

Not applicable

### 14.3 - Transport hazard class(es)

Not applicable

### 14.4 - Packing group

Not applicable

### 14.5 - Environmental hazards

Not applicable

### 14.6 - Special precautions for user

Not applicable

### 14.7 - Maritime transport in bulk according to IMO instruments

Not applicable

- Not applicable.

## SECTION 15: Regulatory information

### 15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

## DENIZ DIZEL 4000 SAE 40

<u>Substances REACH candidates</u>	phenol, dodecyl-, branched (Index No.: 604-092-00-9 - EC No.: 310-154-3 - CAS No.: 121158-58-5)
<u>Substances Annex XIV</u>	None
<u>Substances Annex XVII</u>	None
<u>VOC content</u>	No data available

### 15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - A chemical safety assessment has been conducted for this mixture.

## SECTION 16: Other information

### SDS versions

Version	Issue date	Author	Description of the amendments
3	22/02/2025		Updated according to current legislation.
2	23/08/2016		Updated according to current legislation.
1	17/06/2011		It was prepared for the first time.

Certificate holder Ece Yigit - Chemical Assessment Specialist (Certificate No: KDU01.30.08 18.02.2028 - Certificate valid for 5 years)

### Abbreviations and acronyms

- ADR: The Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE: Acute Toxicity Estimate.
- CAS No.: Chemical Abstracts Service number.
- DNEL: Derived no-effect level.
- EC No: European Community number
- EC50: Effective concentration of the substance that causes adverse effects in 50% of test animals.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Dangerous Goods.
- LC50: Lethal Concentration to 50 % of a test animals.
- LD50: Lethal Dose to 50% of a test animals.
- OEL: Occupational exposure limit.
- PBT: Persistent, Bioaccumulative and Toxic.
- PNEC: Predicted no-effect concentration.
- RID: International Carriage of Dangerous Goods by Rail.
- STEL: Short-term exposure limit
- TWA: Time weighted average
- vPvB: very Persistent and very Bioaccumulative.

### Texts of the regulatory sentences

Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Aquatic Chronic 1
Aquatic Chronic 4	Hazardous to the aquatic environment - Aquatic Chronic 4
Eye Dam. 1	Serious eye damage, Category 1
H314	Causes severe skin burns and eye damage.

---

## DENIZ DIZEL 4000 SAE 40

---

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 1B	Reproductive toxicity - Category 1B (H360F)
Skin Corr. 1C	Skin corrosion, Category 1C
Skin Irrit. 2	Irritation, Category 2
Skin Sens. 1	Skin sensitization - Category 1

The information provided in this Safety Data Sheet (SDS) is current on the date the SDS was prepared or revised. Implementation of measures that are provided on SDS is under downstream user companies' responsibility. Downstream users may change the measures in the SDS according to the conditions in their own business.

\*\*\* \*\*\* \*\*\*