



SAFETY DATA SHEET

SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SUPER GRES EP 3

Product number 43125

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Grease.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone number National Poison Consultance Center: 114 Emergency Medical Services: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Aquatic Chronic 3 - H412

Human health Prolonged skin contact may cause temporary irritation. Splashes in the eyes may cause redness and irritation.

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements EUH208 Contains N-1-naftilanilin. May produce an allergic reaction.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Precautionary statements

P264 Wash contaminated skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

No other information known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic			20-25%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01-2119484627-25-0033	
Classification Not Classified			

Distillates (petroleum), hydrotreated heavy naphthenic			20-25%
CAS number: 64742-52-5	EC number: 265-155-0		
Classification Not Classified			

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts			1-5%
CAS number: —	EC number: 273-527-9		
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411			

2,6-di-tert-butylphenol			1-5%
CAS number: 128-39-2	EC number: 204-884-0		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Bis(nonilfenil)amin CAS number: 36878-20-3 EC number: 253-249-4	<1%
Classification Aquatic Chronic 4 - H413	
Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol CAS number: — EC number: 947-696-0	<1%
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen CAS number: — EC number: 922-153-0	<1%
Classification Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	
N-1-naftilanilin CAS number: 90-30-2 EC number: 201-983-0 M factor (Acute) = 1 M factor (Chronic) = 1	<1%
Classification Acute Tox. 4 - H302 Skin Sens. 1B - H317 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
Fuelsi diesel CAS number: 68334-30-5 EC number: 269-822-7	<1%
Classification Carc. 2 - H351	

The full text for all hazard statements is displayed in Section 16.

Composition comments Some substances are not classified by legislation.They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes Does not contain volatile organic compounds.

SECTION 4: First aid measures



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Not known.
Hazardous combustion products	None known.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
For non-emergency personnel	Necessary precautions should be taken to ensure that non-educated personnel do not intervene.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

For emergency responders	Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods. Proper ventilation should be provided.
6.2. Environmental precautions	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other sections	
Reference to other sections	See Section 7 for more information on safe handling. For personal protection, see Section 8. See Section 1 for emergency contact information. For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Wash after use and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters	
Occupational exposure limits	
Distillates (petroleum), hydrotreated heavy paraffinic	
Oil mist: TWA: 5 mg/m ³ (ACGIH). In no case should this limit be exceeded or the local limit, if it is more restrictive.	
Distillates (petroleum), hydrotreated heavy naphthenic	
Mineral Oil; TWA: 5 mg/m ³ , ACGIH (United States)	
Ingredient comments	WEL = Workplace Exposure Limits
Biological limit values	No information available.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

DNEL	No other information known.
DMEL	No other information known.
PNEC	No other information known.

Highly refined mineral oil (CAS: 64742-01-4)

Ingredient comments Oil Mist TWA: 5 mg /m3 (ACGIH).

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

DNEL	Workers - Dermal; Long term systemic effects: 9,6 mg/kg, bw/day Consumer - Dermal; Long term systemic effects: 4,8 mg/kg, bw/day Consumer - Oral; Long term systemic effects: 0,19 mg/kg, bw/day
PNEC	- Water; 0,004 mg/l

2,6-di-tert-butylphenol (CAS: 128-39-2)

DNEL	Workers - Dermal; Long term systemic effects: 11,25 mg/kg, bw/day Workers - Inhalation; Long term systemic effects: 70,61 mg/m ³ Consumer - Oral; Long term systemic effects: 6,75 mg/kg, bw/day Consumer - Inhalation; Long term systemic effects: 20,9 mg/m ³
PNEC	- Water; 0,00045 mg/l - marine water; 0,000045 mg/l

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik (CAS: 64742-54-7)

DNEL	Workers - Inhalation; Long term : 5,4 mg/m ³ Consumer - Inhalation; Long term : 1,2 mg/m ³
PNEC	Oral Value: 9,33 mg/kg

Bis(nonilfenil)amin (CAS: 36878-20-3)

PNEC	Water; 0,1 mg/l
-------------	-----------------

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

DNEL	Workers - Dermal; Long term systemic effects: 4 mg/kg, bw/day Consumer - Dermal; Long term systemic effects: 2 mg/kg, bw/day Consumer - Oral; Long term systemic effects: 2 mg/kg, bw/day
-------------	---

Distillates (petroleum) solvent dewaxed heavy paraffinic (CAS: 64742-65-0)

DNEL	Workers - Inhalation; Long term : 5,4 mg/m ³
PNEC	Oral Value: 9,33 mg/kg

N-1-naftilanilin (CAS: 90-30-2)

DNEL	Workers - Dermal; Long term systemic effects: 0,05 mg/kg
-------------	--



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

PNEC

Water; 0,0002 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Personal protection

Koruyucu elbise ve önlüklerin düzenli bakımı yapılmalıdır.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

Thermal hazards

If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Grease.
Colour	Yellow.
Odour	Characteristic.
Odour threshold	Inconclusive data.
pH	Scientifically unjustified.
Melting point	Inconclusive data.
Initial boiling point and range	Inconclusive data.
Flash point	Inconclusive data.
Evaporation rate	Inconclusive data.
Evaporation factor	Inconclusive data.
Flammability (solid, gas)	Inconclusive data.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Upper/lower flammability or explosive limits	Inconclusive data.
Other flammability	Inconclusive data.
Vapour pressure	Inconclusive data.
Vapour density	Inconclusive data.
Relative density	Inconclusive data.
Bulk density	Inconclusive data.
Solubility(ies)	Insoluble in water.
Partition coefficient	Inconclusive data.
Auto-ignition temperature	Inconclusive data.
Decomposition Temperature	Inconclusive data.
Viscosity	Inconclusive data.
Explosive properties	Inconclusive data.
Explosive under the influence of a flame	Inconclusive data.
Oxidising properties	Inconclusive data.
Comments	No other information known.
Particle characteristic	Not applicable.

9.2. Other information

Other information	No information required.
Refractive index	No information required.
Particle size	No information required.
Molecular weight	No information required.
Volatility	No information required.
Saturation concentration	No information required.
Critical temperature	No information required.
Volatile organic compound	No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	This product is stable under normal conditions.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None known.
------------------------------------	-------------



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents.

10.5. Incompatible materials

Materials to avoid Strong reducing agents. Strong oxidising agents. Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Carbon dioxide (CO₂). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Other health effects	Based on available data the classification criteria are not met.
Toxicological effects	Based on available data the classification criteria are not met.
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Summary	Skin contact may cause allergic skin reactions.Repeated skin contact may cause irritation.Symptoms may include pain, itching, bruising, bloating and swelling.Thermal burns may occur in contact with the skin when heated.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	No other information known.
Human skin model test	No other information known.
Extreme pH	No other information known.
Serious eye damage/irritation	
Summary	Causes serious eye irritation.
Serious eye damage/irritation	Causes eye irritation.
Respiratory sensitisation	
Summary	No other information known.
Respiratory sensitisation	No other information known.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Skin sensitisation

Summary No other information known.

Skin sensitisation No other information known.

Germ cell mutagenicity

Summary No other information known.

Genotoxicity - in vitro No other information known.

Genotoxicity - in vivo No other information known.

Carcinogenicity

Summary No other information known.

Carcinogenicity No other information known.

Target organ for carcinogenicity No other information known.

IARC carcinogenicity No other information known.

NTP carcinogenicity No other information known.

Reproductive toxicity

Summary No other information known.

Reproductive toxicity - fertility No other information known.

Reproductive toxicity - development No other information known.

Specific target organ toxicity - single exposure

Summary No other information known.

STOT - single exposure No other information known.

Target organs No other information known.

Specific target organ toxicity - repeated exposure

Summary No other information known.

STOT - repeated exposure No other information known.

Target organs No other information known.

Aspiration hazard

Summary No other information known.

Aspiration hazard No other information known.

Toxicokinetics

No other information known.

General information

No other information known.

Inhalation

Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

Ingestion

May cause discomfort if swallowed.

Skin contact

May cause sensitisation or allergic reactions in sensitive individuals.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Eye contact May cause temporary eye irritation.

Acute and chronic health hazards No other information known.

Route of exposure No other information known.

Target organs No other information known.

Medical symptoms No other information known.

Medical considerations No other information known.

11.2 Information on other hazards

Information on other hazards This product does not have endocrine disrupting properties.

Toxicological information on ingredients.

Highly refined mineral oil

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal,

Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal,

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP 346.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >5,53 mg/l, 4 hour, Dust/Mist Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity Negative., Dermal, Mouse, Female

Reproductive toxicity

Reproductive toxicity - development Teratogenicity: - : Negative., Dermal, Rat

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 3600 mg/kg, Oral, Rat NOAEL, Sub-akut 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 13800 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >2 mg/l, 1 hour, Vapour Rat

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Positive. Bacterial reverse mutation test: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat, Male

Reproductive toxicity - development Maternal toxicity: - : Positive., Oral, Rat, Male Developmental toxicity: - : Ambiguous uncertain, Oral, Rat, Male

2,6-di-tert-butylphenol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 270 mg/kg, Oral, Rat NOAEL, Sub-akut 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >10000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative., Oral, Rat
Reproductive toxicity - development	Developmental toxicity: - : Ambiguous uncertain, Oral, Rat Maternal toxicity: - : Positive., Oral, Rat
Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik	
Acute toxicity - oral	
Notes (oral LD₅₀)	LD ₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 125 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD ₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 30 mg/kg, Dermal, Rat, Female NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,22 mg/l, 4 week, Dust/Mist Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Dust/Mist Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Not irritating.
Serious eye damage/irritation	
Serious eye damage/irritation	Not irritating.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.
Carcinogenicity	
Carcinogenicity	78 week, Negative., Dermal, Mouse
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative., Oral, Rat
Reproductive toxicity - development	Teratogenicity: - : Negative., Dermal, Rat Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Oral, Rat

Bis(nonilfenil)amin

Acute toxicity - oral	
Notes (oral LD₅₀)	LD ₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 100 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD ₅₀ >2000 mg/kg, Dermal, Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Moderately irritating.
Skin sensitisation	



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. Rodent Dominant Lethal Test: Negative.
Reproductive toxicity	
Reproductive toxicity - development	Teratogenicity: - : Negative., Oral, Rat

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

Acute toxicity - oral	
Notes (oral LD₅₀)	LD ₅₀ 2000 mg/kg, Oral, Rat NOAEL, Sub-kronik 300 mg/kg, Oral, Rat
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD ₅₀ >2000 mg/kg, Dermal, Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Skin irritation.
Serious eye damage/irritation	
Serious eye damage/irritation	Moderately irritating.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative., Oral, Rat
Reproductive toxicity - development	Maternal toxicity: - : Negative., Oral, Rat Developmental toxicity: - : Negative., Oral, Rat Teratogenicity: - : Negative., Oral, Rat

Distillates (petroleum) solvent dewaxed heavy paraffinic

Acute toxicity - oral	
Notes (oral LD₅₀)	LD ₅₀ >5000 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD ₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Vapour Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Not irritating.
Serious eye damage/irritation	



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Serious eye damage/irritation	Not irritating.
Respiratory sensitisation	
Respiratory sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Chromosome aberration, memeliler-hayvan: Negative.
Carcinogenicity	
Carcinogenicity	NOAEL 78 weeks., Dermal, Negative., Mouse
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative. , Oral, Rat
Reproductive toxicity - development	Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Dermal, Rat Teratogenicity: - : Negative., Dermal, Rat
Aspiration hazard	
Aspiration hazard	Aspiration Hazard

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen

Acute toxicity - oral	
Notes (oral LD₅₀)	LD ₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 750 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD ₅₀ >2000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 495 mg/kg, Dermal, Rat
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	LC50 >5,28 mg/m ³ , 4 hour, Vapour Rat NOAEL, Sub-kronik 1000 mg/m ³ , 90 day, Vapour Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Not irritating.
Serious eye damage/irritation	
Serious eye damage/irritation	Not irritating.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. In vitro Sister Chromatid Exchange Assay: Negative.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative., Oral, Rat
Reproductive toxicity - development	Developmental toxicity: - : Negative., Oral, Rat Maternal toxicity: - : Positive., Oral, Rat
Aspiration hazard	
Aspiration hazard	Aspiration Hazard



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

N-1-naftilanilin

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 1625 mg/kg, Oral, Rat Potential chronic effects on health: 407 Repeated Dose 28-day Oral Toxicity Study in Rodents Sub-akut, NOAEL 5 mg/kg, Oral, Rat 408 Repeated Dose 90-Day Oral Toxicity Study in Rodents Sub-kronik, NOAEL 5 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - development Teratogenicity: - : Negative., Oral, Rat

Specific target organ toxicity - repeated exposure

Target organs Kidneys Blood system

Fuelsi diesel

Carcinogenicity

Carcinogenicity Known or suspected carcinogen for humans.

SECTION 12: Ecological information

Ecotoxicity Aquatic Chronic 3 - H412

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Ecotoxicity May be harmful to aquatic organisms. Spills form film layer on water surface and prevent oxygen transfer

12.1. Toxicity

Toxicity Aquatic Chronic 3 - H412

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish Based on available data the classification criteria are not met.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - aquatic invertebrates	Based on available data the classification criteria are not met.
Acute toxicity - aquatic plants	Based on available data the classification criteria are not met.
Acute toxicity - microorganisms	Based on available data the classification criteria are not met.
Acute toxicity - terrestrial	Based on available data the classification criteria are not met.
Chronic aquatic toxicity Summary	Based on available data the classification criteria are not met.
Chronic toxicity - fish early life stage	Based on available data the classification criteria are not met.
Short term toxicity - embryo and sac fry stages	Based on available data the classification criteria are not met.
Chronic toxicity - aquatic invertebrates	Based on available data the classification criteria are not met.
Toxicity to soil	Based on available data the classification criteria are not met.
Toxicity to terrestrial plants	Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute aquatic toxicity

Acute toxicity - fish	LL ₅₀ , 96 hour: >100 mg/l, Fish
Acute toxicity - aquatic invertebrates	EL50, 96 hour: >10000 mg/l, Daphnia magna NOEL, chronic, 21 day: 10 mg/l, Daphnia magna
Acute toxicity - aquatic plants	NOEL, 72 hour: >100 mg/l, Algae

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Acute aquatic toxicity

Acute toxicity - aquatic invertebrates	EL50, 48 hour: 5,4 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL50, 72 hour: 2,1 mg/l, Selenastrum capricornutum NOEL, 72 hour: 1 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	EL50, 3 hour: >10000 mg/l, Micro-organisms
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 0,4 mg/l, Daphnia magna

2,6-di-tert-butylphenol

Acute aquatic toxicity

LE(C)₅₀	0.1 < L(E)C50 ≤ 1
---------------------------	-------------------



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hour: 1,4 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: 0,45 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 96 hour: 1,2 mg/l, Algae
Acute toxicity - microorganisms	EC ₅₀ , 3 hour: >1000 mg/l, Micro-organisms
Chronic aquatic toxicity	
M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEC, 21 day: 0,035 mg/l, Daphnia magna NOEC, 96 hour: 0,64 mg/l, Alg

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute aquatic toxicity	
Acute toxicity - fish	LL ₅₀ , 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow) NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: >10000 mg/l, Daphnia magna
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 10 mg/l, Daphnia magna NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Bis(nonilfenil)amin

Acute aquatic toxicity	
Acute toxicity - fish	LL ₅₀ , 96 hour: >100 mg/l, Danio rerio (Zebrafish)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL50, 72 hour: >100 mg/l, Desmodesmus subspicatus
Acute toxicity - microorganisms	IC ₅₀ , 3 hour: >100 mg/l, Micro-organisms
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEL, 72 hour: >10 mg/l, Alg

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

Acute aquatic toxicity	
Acute toxicity - fish	LC ₅₀ , 96 hour: 26,3 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: 84,91 mg/l, Daphnia magna



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - aquatic plants EC₅₀, 72 hour: >59,6 mg/l, Pseudokirchneriella subcapitata
NOEC, 72 hour: 59,6 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms EL50, 3 hour: >1000 mg/l, Micro-organisms

Distillates (petroleum) solvent dewaxed heavy paraffinic

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)
NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EL50, 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEL, 21 day: 10 mg/l, Daphnia magna
NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Hidrokarbonlar, C10-13, aromatikler, <1%, naftalen

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: 2-5 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EL50, 48 hour: 1,4 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 72 hour: >1 mg/l, Pseudokirchneriella subcapitata
NOEL, 72 hour: 1 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEL, 21 day: 0,48 mg/l, Daphnia magna

N-1-naftilanilin

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C50 ≤ 1

M factor (Acute) 1

Acute toxicity - fish LL₅₀, 96 hour: 0,44 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EL50, 48 hour: 0,3 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 96 hour: 0,93 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms EL50, 3 hour: >10000 mg/l, Micro-organisms

Chronic aquatic toxicity

M factor (Chronic) 1

Chronic toxicity - aquatic invertebrates NOEL, 21 day: 0,032 mg/l, Daphnia magna



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

12.2. Persistence and degradability

Persistence and degradability	Based on available data the classification criteria are not met.
Phototransformation	Based on available data the classification criteria are not met.
Stability (hydrolysis)	Based on available data the classification criteria are not met.
Biodegradation	Based on available data the classification criteria are not met.
Biological oxygen demand	Based on available data the classification criteria are not met.
Chemical oxygen demand	Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Biodegradation	Not expected to be readily biodegradable.
-----------------------	---

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Biodegradation	OECD 301 B - 1,5 %: 28 day
-----------------------	----------------------------

2,6-di-tert-butylphenol

Biodegradation	OECD TG 302 C - 12-24: % 28 day Not readily biodegradable.
-----------------------	---

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Biodegradation	OECD 301 F - 31 %: 28 day
-----------------------	---------------------------

Bis(nonilfenil)amin

Biodegradation	OECD 301 B - 1: % 28 day
-----------------------	--------------------------

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

Biodegradation	OECD 301 B - 0 %: 28 day
-----------------------	--------------------------

Distillates (petroleum) solvent dewaxed heavy paraffinic

Biodegradation	OECD 301 F - 31 %: 28 day
-----------------------	---------------------------

Hidrokarbonlar, C10-13, aromatikler, <1%, naftalen

Biodegradation	OECD 301 F - 58,6 %: 28 day
-----------------------	-----------------------------

N-1-naftilanilin

Biodegradation	OECD 301 C - 0: % 28 day Not readily biodegradable.
-----------------------	--

12.3. Bioaccumulative potential

Bioaccumulative potential	Based on available data the classification criteria are not met.
----------------------------------	--



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Partition coefficient Inconclusive data.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Bioaccumulative potential Potentially bioaccumulating.

Distillates (petroleum), hydrotreated heavy naphthenic

Bioaccumulative potential log Pow: 2-6, BCF: <500,

2,6-di-tert-butylphenol

Bioaccumulative potential log Pow: 4,5,

Bis(nonilfenil)amin

Bioaccumulative potential log Pow: 3,64-7,02, BCF: 1730,

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen

Bioaccumulative potential log Pow: 2,8-6,5, BCF: 99-5780,

N-1-naftilanilin

Bioaccumulative potential log Pow: 4,28, BCF: 1424,

12.4. Mobility in soil

Mobility The product is immiscible with water and will spread on the water surface.

Adsorption/desorption coefficient Based on available data the classification criteria are not met.

Henry's law constant Based on available data the classification criteria are not met.

Surface tension Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Mobility Liquid under most environmental conditions. Floats on water. If spread into ground the groundwater may be polluted.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No other information known.

12.6 Endocrine disrupting properties

Endocrine disrupting properties This product does not have endocrine disrupting properties.

Ecological information on ingredients.

Fuelsi diesel



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No other information known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

Waste class The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization.
According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

EU legislation

Commission Regulation (EU) No 453/2010 of 20 May 2010.
Dangerous Preparations Directive 1999/45/EC.
Dangerous Substances Directive 67/548/EEC.

Guidance

Safety Data Sheets for Substances and Preparations.
Source: European Chemicals Agency, <http://echa.europa.eu/>

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

E.U. : European union
DMSO: Dimethyl sulfoxide
STEL: Short term exposure limit
T.C. : Republic of Turkey
TWA: Workplace exposure limits
UZEM: National Poison Information Center
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service.
GHS: Globally Harmonized System.
DNEL: Derived No Effect Level.
IATA: International Air Transport Association.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
vPvB: Very Persistent and Very Bioaccumulative.
IARC: International Agency for Research on Cancer.
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
BCF: Bioconcentration Factor.
LOAEL: Lowest Observed Adverse Effect Level.
NOAEL: No Observed Adverse Effect Level.
NOEC: No Observed Effect Concentration.
DMEL: Derived Minimal Effect Level.



SUPER GRES EP 3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Classification abbreviations and acronyms	Acute Tox. = Acute toxicity STOT RE = Specific target organ toxicity-repeated exposure Skin Sens. = Skin sensitisation Skin Irrit. = Skin irritation Eye Irrit. = Eye irritation Carc. = Carcinogenicity Aquatic Chronic = Hazardous to the aquatic environment (chronic) Aquatic Acute = Hazardous to the aquatic environment (acute)
General information	MSDS Distribution : The information in this document should be made available to all who may handle the product. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Key literature references and sources for data	This SDS is prepared based on the information received from raw material suppliers. Source: European Chemicals Agency, http://echa.europa.eu/
Classification procedures according to Regulation (EC) 1272/2008	Aquatic Chronic 3 - H412: Calculation method., Supplier information Eye Irrit. 2 - H319: Supplier information, On basis of test data. EUH208: Supplier information, Calculation method.
Training advice	Untrained personnel should not use.
Revision comments	Revised classification. Adding content information.
Issued by	Ece Yigit Chemical Assessment Specialist (Certificate No: KDU01.30.08 18.02.2028)
Revision date	21/02/2024
Revision	4
Supersedes date	13/06/2011
SDS number	10155
Hazard statements in full	H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. H373 May cause damage to organs through prolonged or repeated exposure if swallowed or if inhaled. EUH208 Contains N-1-naftilanilin. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.