

SAFETY DATA SHEET MAXIMA PRO 5W30

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	MAXIMA PRO 5W30	
Product number	11247	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	Engine oil.	
Uses advised against	Use only for intended applications.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	PETROL OFİSİ A.Ş. Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul Tel: +90 850 339 1919 Fax: +90 216 275 3854 madeniyag@petrolofisi.com.tr	
Contact person	Customer Services: madeniyag@petrolofisi.com.tr	
1.4. Emergency telephone nul	nber	
Emergency telephone	Madeni Yağ Customer Services: 0850 339 1919 (working hours)	
National and an environmentations		
National emergency telephone number	Emergency Medical Services: 112 National Poison Consultance Center: 114	
number	ation	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008)	ation ance or mixture	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards	ation ance or mixture Not Classified	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008)	ation ance or mixture	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards	ation ance or mixture Not Classified	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards	ation ance or mixture Not Classified Not Classified	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	ation ance or mixture Not Classified Not Classified	

2.3. Other hazards

When the product is heated above 90C (194F), a low level of CO, CO2, phosphorus oxides, metal oxide / oxides, hydrogen sulfide may be released by thermal decomposition.

SECTION 3: Composition/information	tion on ingredients	
3.2. Mixtures		
Distillates (petroleum), hydrotreat	ed heavy paraffinic baseoil	80-95%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01- 2119484627-25-0065
Classification Asp. Tox. 1 - H304		
Mineral Oil		1-5%
CAS number: 64742-55-8		1-07
Classification Not Classified		
Damıtıklar (petrol), solvent cilası	alınmış ağır parafinik	1-5%
CAS number: 64742-65-0	EC number: 265-169-7	
Classification Not Classified		
Ethylene glycol		1-5%
CAS number: 107-21-1		
Classification Acute Tox. 4 - H302 STOT RE 2 - H373		
Phenol, deodesil, sulphurized, ca overbased	rbonates, calcium salts,	1-5%
CAS number: 68784-26-9		
Classification Aquatic Chronic 4 - H413		
Phosphorodithioic acid, mixed O, iso-Pr) esters, zinc salts	O-bis(1, 3-dimethylbutyl and	<1%
CAS number: 84605-29-8	EC number: 283-392-8	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318		
Aquatic Chronic 2 - H411		

Zin bis [O, O-bis (2-ethylhez	xyl)] bis (dihtiophosphate)	<1%
CAS number: 4259-15-8		
Classification Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
Distillates (petroleum), hydr	rogenated heavy parafinic	<1%
CAS number: —	EC number: 265-157-1	
Classification Asp. Tox. 1 - H304		
Difenilamin		<1%
CAS number: 122-39-4	EC number: 204-539-4	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Eye Irrit. 2 - H319 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
phenol, (tetrapropenyl) deri	vatives	<1%
CAS number: 74499-35-7	EC number: 616-100-8	
M factor (Acute) = 10	M factor (Chronic) = 10	
Classification Skin Corr. 1 - H314 Eye Dam. 1 - H318 Repr. 1B - H360 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
The full text for all hazard sta	atements is displayed in Section 16.	
Composition comments	The DMSO contents of some substances are classified by the manufacturer as <3% according to IP 346.	
Ingredient notes	If REACH registration numbers cannot be seen, the item is exempt from registering, min volume threshold for recording does not meet, the registration date has not yet arrived, or this information has been registered. See Se	

the registration date has not yet arrived, or this information has been registered. See Section 8 for occupational exposure limits.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Personal protective equipment should be used to minimize first-aid treatment. First aid personnel should wear appropriate protective equipment during any rescue.	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention. Artificial respiration and / or oxygen may be required.	
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. If the material is swallowed and the victim is conscious, give low amounts of water to drink. Stop if the affected person feels sick as vomiting may be dangerous. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms are severe or persist. Never give anything by mouth to an unconscious person. If the victim is unconscious, place them in the recovery position and seek immediate medical attention. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.	
Skin contact	In case of any discomfort, seek medical advice immediately. Take off contaminated clothing and wash it before reuse. In case of contact, the skin should be washed with plenty of water for at least 15 minutes. Get medical attention if symptoms are severe or persist.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Occasionally open and close eyelids during the wash process. Get medical attention immediately.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	See Section 11 for additional information on health hazards.	
Inhalation	No specific symptoms known.	
Ingestion	No specific symptoms known.	
Skin contact	No specific symptoms known.	
Eye contact	Causes serious eye irritation.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	The effect of decomposition products that may be released during the fire may be delayed. The exposed person may need to be kept under medical observation for 48 hours.	
Specific treatments	Treat symptomatically.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Use a suitable extinguishing agent to extinguish the fire.	
Unsuitable extinguishing media	Using a water jet can be inconvenient.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Not known.	
Hazardous combustion products	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrogen sulphide (H2S). Metal oxide(s). Oxides of nitrogen. Oxides of phosphorus.	
5.3. Advice for firefighters		
Protective actions during firefighting	Evacuate area. No action shall be taken without appropriate training or involving any personal risk.	

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Ensure procedures and training for emergency decontamination and disposal are in place. Take care as floors and other surfaces may become slippery. For non-emergency personnel Necessary precautions should be taken to ensure that non-educated personnel do not intervene. For emergency responders Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection.Use suitable techniques such as non-flammable absorbent materials or pumping.When possible or appropriate, remove the contaminated soil from the area.Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods. 6.2. Environmental precautions Apply protective methods to prevent spilled material from entering into water sources, water **Environmental precautions** channels, sewers and soil. The product contains a substance which is very toxic to aquatic organisms. May be harmful to the environment if released in large quantities. Environmental manager must be informed of all major spillages. Inform respective authorities in case product reaches water or sewage system. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Provide adequate ventilation. Remove all sources of ignition. Small spill : Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Large spill : Stop leak if without risk. Move containers from spill area. Approach release from

Large spill : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water sources, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may be pose the same hazard as the spilled product. Inform authorities if large amounts are involved.

6.4. Reference to other sections

Reference to other sections See Section 1 for emergency contact information. For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Do not ingest. Avoid siphonage by mouth. Avoid contact with skin, eyes and clothing. Do not breathe dust or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Product residues retained in emptied containers can be hazardous. Do not reuse empty containers.

Advice on general occupational hygiene	Avoid breathing vapors / mist. Proper ventilation should be provided in areas where the product is used. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Wash contaminated skin thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse. Remove contaminated clothing and protective equipment before entering eating areas. Good personal hygiene procedures should be implemented.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in accordance with local regulations. Keep only in the original container in a cool, well- ventilated place. Protect from freezing and direct sunlight. Store away from incompatible materials (see Section 10). Containers that have been opened must be carefully released and kept upright to prevent leakage. Do not store in unlabeled containers. Avoid environmental contamination. NOTE: Exposure to elevated temperatures may increase the possibility of H2S and mercaptan generation.	
Storage class	Not applicable. Note: This product contains a component with a storage class of 6.1 C.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	The product must be used as specified in the data sheet.	
SECTION & Evenesure control	a Paranal protection	

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Mineral Oil- inhalable fraction: TWA : 5 mg/m3 (Source:US. ACGIH Threshold Limit Values (02 2012)) Distillates (petroleum) hydrotreated heavy paraffinic: EU OEL (Europe) TWA: 5 mg/m3, 8 hours. Distillates (petroleum) solvent-dewaxed heavy paraffinic: EU OEL (Europe) TWA: 5 mg/m3, 8 hours/ STEL: 10 mg/m3, 15 minutes.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

There is no available data.

Mineral Oil

Mineral oil - Inhalable fraction:TWA:5 mg/m3,US. ACGIH Threshold Limit Values (03 2014)

Damıtıklar (petrol), solvent cilası alınmış ağır parafinik

TWA: Workplace exposure limits 5 mg/m3 8 hours STEL: Short term exposure limit 10 mg/m3 15 minutes.

DNEL

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic DNEL: 2,7 (8h) mg/m3 (long trm inhalativ worker systemic) DNEL: 5,4 (8h) mg/m3 (long-term inhalativ worker local) DNEL: 1,2 (24h) mg/m3 (long-term inhalativ comsumer local) DNEL: 0,74 (24h) mg/kg/d (long-term oral consumer systemic) DNEL: 1,0 (8h) mg/kg (long-term dermal worker systemic)

Distillates (petroleum), hydrotreated heavy paraffinic baseoil (CAS: 64742-54-7)

Ingredient comments	There is no available data.
Biological limit values	There is no available data.

DNEL	Workers - Inhalation; Long term systemic effects: 2,7 (8h) mg/m ³ Workers - Inhalation; Long term local effects: 5,4 (8h) mg/m ³ Consumer - Inhalation; Long term local effects: 1,2 (24h) mg/m ³ Consumer - Oral; Long term systemic effects: 0,74 (24h) mg/kg/day Workers - Dermal; Long term systemic effects: 1,0 (8h) mg/kg
DMEL	No information available.
PNEC	No information available.
	Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate) (CAS: 4259-15-8)
DNEL	Workers - Dermal; Long term systemic effects: 9,6 mg/kg, bw/day
PNEC	Water; 0,004 mg/l
8.2. Exposure controls	
Appropriate engineering controls	As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist. Good general ventilation should be adequate to control worker exposure to airborne contaminants.
Personal protection	Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. Keep away from foodstuffs, beverages and foods. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately.
Eye/face protection	Normally, eye protection equipment is not required.Wear side goggles for safe operation when a risk of splashing is possible.If this material is heated, use chemical goggles, protective goggles or face shield.(EN 166)
Hand protection	Chemical resistant gloves: Nitril gloves of minimum thickness 0.4 mm have an expected breakthrough time of 480 minutes orless when if frequent contact with the product. This information does not replace suitability tests by the end user since glove protection varis depending on the conditions under which the product is used. Use good industrial hygiene practices.
Other skin and body protection	Avoid contact with skin. Personal protective equipment for the body should be selected based on the task being performed and the risk involved and should be approved by a specialist before handling this product.
Hygiene measures	Good personal hygiene procedures should be implemented. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product.
Respiratory protection	Use appropriate respiratory protection if there is the potential to exceed the exposure limits. Select respirator based on suitability to provide adequate worker protection for given working conditions and level of airborne contaminant. Seek professional advice prior to respirator selection and use.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures. If there is a risk of contact with refrigerated product, all protective equipment should be suitable for use with low temperatures.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Brown.	
Odour	Odorless or slightly petroleum oil	
Odour threshold	No specific test data are available.	
рН	Scientifically unjustified.	
Melting point	No specific test data are available.	
Initial boiling point and range	No specific test data are available.	
Flash point	~ 232°C Cleveland open cup.	
Evaporation rate	No specific test data are available.	
Evaporation factor	No specific test data are available.	
Flammability (solid, gas)	No information available.	
Upper/lower flammability or explosive limits	No information available.	
Other flammability	No information available.	
Vapour pressure	No information available.	
Vapour density	No information available.	
Relative density	No information available.	
Bulk density	~ 0,85 @15⁰C g/ml	
Solubility(ies)	Insoluble in water.	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	
Decomposition Temperature	No information available.	
Viscosity	>22,5 cSt @ 40°C	
Explosive properties	No information available.	
Explosive under the influence of a flame	No suitable data is available.	
Oxidising properties	No data available.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	No information required.	
Refractive index	No specific test data are available.	

Particle size	No specific test data are available.
Molecular weight	No specific test data are available.
Volatility	No specific test data are available.
Saturation concentration	No specific test data are available.
Critical temperature	No specific test data are available.
Volatile organic compound	No specific test data are available.
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	This material is considered stable under normal environmental conditions and in the conditions of storage and handling foreseen.
10.3. Possibility of hazardous	s reactions
Possibility of hazardous reactions	No hazardous reaction under normal conditions of storage and use.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	Strong oxidising agents. Strong reducing agents.
10.6. Hazardous decomposit	tion products
Hazardous decomposition products	Mercaptans. Hydrogen sulphide (H2S). Sulphurous gases (SOx). Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, irritating vapors and other products of incomplete combustion. Methacrylates.
SECTION 11: Toxicological i	information
11.1. Information on toxicolo	gical effects
Toxicological effects	Information given is based on data of the components and of similar products.
Other health effects	No relevant information available.
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	37,735.85
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.

Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Not classified as a primary skin irritant. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Prolonged skin contact may cause temporary irritation.
Animal data	No information available.
Human skin model test	No information available.
Extreme pH	No information available.
Serious eye damage/irritation	
Summary	Causes serious eye irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Based on available data the classification criteria are not met.
NTP carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	No specific test data are available.
Reproductive toxicity - development	No information is required.
Specific target organ toxicity -	single exposure
Summary	Based on available data the classification criteria are not met.
STOT - single exposure	No specific test data are available.
Target organs	No specific target organs known.
Specific target organ toxicity -	repeated exposure
Summary	Based on available data the classification criteria are not met.

STOT - repeated exposure	No specific test data are available.
Target organs	No specific target organs known.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	May be fatal if swallowed and penetrates into the respiratory tract.
Toxicokinetics	No information is required.
General information	Information given is based on data of the components and of similar products.
Inhalation	May be harmful if inhaled.
Ingestion	Aspiration hazard if swallowed.
Skin contact	In case of skin contact damage / irritation effect is not expected. Prolonged and high doses may cause harmful effects as a result of contact.
Eye contact	May cause severe eye irritation.
Acute and chronic health hazards	There is not enough data.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Medical symptoms	No specific tes data are available.
Medical considerations	No specific tes data are available.
Tauda ala ala al la famo atian an h	

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicological effects	Information given is based on data of the components and of similar products.
Other health effects	No information required.
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD₅₀)	LD₅₀ >5000 (OECD 401)/API 1982a mg/kg, Oral, Rat
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	LD₅₀ >5000 (OECD 402)/API 1982a mg/kg, Dermal, Rabbit
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	LC50, 4h 5,53 (OECD 403)/Exxon Biomedical Sciences, Inc.(1988a) mg/l, Inhalation, Rat
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.

Human skin model test	Based on available data the classification criteria are not met.	
Extreme pH	Based on available data the classification criteria are not met.	
Serious eye damage/irritati		
Summary	Based on available data the classification criteria are not met.	
	Based on available data the classification criteria are not met.	
Serious eye damage/irritation		
Respiratory sensitisation		
Summary	Based on available data the classification criteria are not met.	
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Summary	Based on available data the classification criteria are not met.	
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Summary	Based on available data the classification criteria are not met.	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity		
Summary	Based on available data the classification criteria are not met.	
Carcinogenicity	Based on available data the classification criteria are not met.	
Target organ for carcinogenicity	No specific target organs known.	
IARC carcinogenicity	Not listed.	
NTP carcinogenicity	Not listed.	
Reproductive toxicity		
Summary	Based on available data the classification criteria are not met.	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
Summary	Based on available data the classification criteria are not met.	
Summary STOT - single exposure	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.	
STOT - single exposure	Based on available data the classification criteria are not met. No specific target organs known.	
STOT - single exposure Target organs	Based on available data the classification criteria are not met. No specific target organs known.	
STOT - single exposure Target organs <u>Specific target organ toxicit</u> Summary	Based on available data the classification criteria are not met. No specific target organs known. y - repeated exposure	

Aspiration hazard	
Summary	Slight irritation of the respiratory tract may occur, if mists are inhaled.
Aspiration hazard	May be fatal if swallowed and enters airways.
Toxicokinetics	No information required.
General information	No information required.
Inhalation	No information required.
Ingestion	No information required.
Skin contact	No information required.
Eye contact	No information required.
Acute and chronic health hazards	No information required.
Route of exposure	No information required.
Target organs	No specific target organs known.
Medical symptoms	No information required.
Medical considerations	No information required.
	Mineral Oil
Carcinogenicity	
Summary	The base oils in the product content contain less than 3% DMSO according to IP 346.
Specific target organ toxicit	y - single exposure
Specific target organ toxicit STOT - single exposure	ty - single exposure If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information)
	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier
STOT - single exposure	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier
STOT - single exposure Aspiration hazard	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting.
STOT - single exposure Aspiration hazard	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)
STOT - single exposure Aspiration hazard Aspiration hazard	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)
STOT - single exposure Aspiration hazard Aspiration hazard Aspiration hazard Acute toxicity - oral	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information) Damitiklar (petrol), solvent cilasi alinmiş ağır parafinik
STOT - single exposure Aspiration hazard Aspiration hazard Aspiration hazard Acute toxicity - oral Notes (oral LD50)	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information) Damitiklar (petrol), solvent cilasi alinmiş ağır parafinik
STOT - single exposure Aspiration hazard Aspiration hazard Aspiration hazard Aspiration hazard Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information) Damitiklar (petrol), solvent cilasi alinmiş ağır parafinik LD ₅₀ >5000 mg/kg, Oral, Rat LD ₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit
STOT - single exposure Aspiration hazard Aspiration hazard Aspiration hazard Aspiration hazard Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀)	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information) Damitiklar (petrol), solvent cilası alınmış ağır parafinik LD ₅₀ >5000 mg/kg, Oral, Rat
STOT - single exposure Aspiration hazard Aspiration hazard Aspiration hazard Aspiration hazard Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information) Damitiklar (petrol), solvent cilasi alinmiş ağır parafinik LD ₅₀ >5000 mg/kg, Oral, Rat LD ₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week,

Serious eye damage/irritat	ion
Serious eye	Moderately irritating.
damage/irritation	
Respiratory sensitisation	
Respiratory sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Chromosome aberration, memeliler- hayvan: Negative.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative. , Oral, Rat
Reproductive toxicity - development	Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Oral, Rat Teratogenicity: - Negative.: , Dermal, Rat
	Ethylene glycol
Acute toxicity - oral	
 Notes (oral LD₅₀)	LDLO 786 mg/kg, Oral, Human
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ >3500 mg/kg, Dermal, Mouse
Acute toxicity - inhalation	
Notes (inhalation LC_{50})	LC50 >2,5 (6 sa/h) mg/l, Inhalation, Rat
Phosphorodit	hioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts
Acute toxicity - oral	
Notes (oral LD₅₀)	LD₅₀ 3100 mg/kg, Oral, Rat NOAEL, chronic 160 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ >2002 mg/kg, Dermal, Rat
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	LC50 >2,3 mg/l, 4 hour, Vapour Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Causes serious eye irritation.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Gene mutation: Positive. Micronucleus Test: Negative.

Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative., Oral, Rat
Reproductive toxicity - development	Maternal toxicity: - : Negative., Oral, Rat Developmental toxicity: - : Negative., Oral, Rat
	Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)
Acute toxicity - oral	
Notes (oral LD₅₀)	LD₅₀ 3100 mg/kg, Oral, Rat NOAEL, Sub-akut 125 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ >5000 mg/kg, Dermal, Rabbit
Skin corrosion/irritation	
Skin corrosion/irritation	Not corrosive to skin. Rabbit
Serious eye damage/irritat	ion
Serious eye damage/irritation	Causes serious eye damage.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	memeliler-hayvan: Positive. Bacterial reverse mutation test: Negative.
Genotoxicity - in vivo	Micronucleus Test, memeliler-hayvan: Negative.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Negative., ,
Reproductive toxicity - development	Developmental toxicity: - : Negative., , Maternal toxicity: - : Negative., ,
	Distillates (petroleum), hydrogenated heavy parafinic
Carcinogenicity	
Carcinogenicity	This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Aspiration hazard	
Aspiration hazard	Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)
	Difenilamin
Acute toxicity - oral	
Notes (oral LD ₅₀)	LD₅₀ 1165 mg/kg, Oral, Rat NOAEL 3 mg/kg, Oral, Rat
ATE oral (mg/kg)	100.0
Acute toxicity - dermal	

Notes (dermal LD₅₀)	LD₅₀ >5000 mg/kg, Dermal, Rabbit
ATE dermal (mg/kg)	300.0
Acute toxicity - inhalation	
ATE inhalation (vapours mg/l)	3.0
Skin corrosion/irritation	
Skin corrosion/irritation	Not irritating.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Slightly irritating.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Chromosome aberration: Positive. Bacterial reverse mutation test: Negative. Micronucleus Test: Negative.
Carcinogenicity	
Carcinogenicity	NOAEL Negative., Oral, Mouse
Reproductive toxicity	
Reproductive toxicity - development	Developmental toxicity: - : Ambiguous uncertain, Oral, Rat
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	STOT RE = Specific target organ toxicity-repeated exposure
	phenol, (tetrapropenyl) derivatives
Acute toxicity - oral	
Notes (oral LD₅₀)	LD₅₀ 2200 mg/kg, Oral, Rat NOAEL, Sub-kronik 15 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ 15000 mg/kg, Dermal, Rabbit
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Gene mutation: Negative.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - Positive., Oral, Rat
Reproductive toxicity - development	Maternal toxicity: - : Positive., Oral, Rat Developmental toxicity: - : Positive., Oral, Rat

SECTION 12: Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

	Distillates (petroleum), hydrotreated heavy paraffinic baseoil
Ecotoxicity	Based on available data the classification criteria are not met.
12.1. Toxicity	
Toxicity	Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity Summary	Harmful to aquatic life with long lasting effects.
Acute toxicity - fish	No specific test data are available.
Acute toxicity - aquatic invertebrates	No specific test data are available.
Acute toxicity - aquatic plants	No specific test data are available.
Acute toxicity - microorganisms	No specific test data are available.
Acute toxicity - terrestrial	No specific test data are available.
Chronic aquatic toxicity	
Summary	No specific test data are available.
Chronic toxicity - fish early life stage	No information required.
Short term toxicity - embryo and sac fry stages	No information required.
Chronic toxicity - aquatic invertebrates	No specific test data are available.
Toxicity to soil	There is not enough data.
Toxicity to terrestrial plants	There is not enough data.
Ecological information on ingre	adients

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicity	Based on available data the classification criteria are not met.
Acute aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - fish	LL₅₀, : >100 mg/l, Fish LL₅₀, 96 (OECD 203) hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	LL₅₀, 24 (OECD 202) hours: >10000 mg/l, Gammarus pulex EL50, 24 (OECD 202) hours: >10000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	No information required.
Acute toxicity - microorganisms	LL₅o, : >100 mg/l, Micro-organisms
Acute toxicity - terrestrial	No information required.

Chronic aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
Chronic toxicity - fish early life stage	No information required.
Short term toxicity - embryo and sac fry stages	No information required.
Chronic toxicity - aquatic invertebrates	No information required.
Toxicity to soil	No information required.
Toxicity to terrestrial plants	No information required.
	Damıtıklar (petrol), solvent cilası alınmış ağır parafinik
Acute aquatic toxicity	
Acute toxicity - fish	LL₅₀, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow) NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: >10000 mg/l, Daphnia magna
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 10 mg/l, Daphnia magna NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata
	Ethylene glycol
Acute aquatic toxicity	Ethylene glycol
Acute aquatic toxicity Acute toxicity - fish	<u>Ethylene glycol</u> LC₅₀, 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - fish Acute toxicity - aquatic	LC₅₀, 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic	LC₅₀, 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout) , 48 hours: >100 mg/l, Daphnia magna
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - microorganisms	LC₅₀, 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout) , 48 hours: >100 mg/l, Daphnia magna IC₅₀, 7 days: 10000 mg/l, Algae
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - microorganisms	LC₅₀, 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout) , 48 hours: >100 mg/l, Daphnia magna IC₅₀, 7 days: 10000 mg/l, Algae EC₅₀, 16 hours: >10000 mg/l, pseudomonas putida
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - microorganisms <u>Phosphorodith</u>	LC₅₀, 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout) , 48 hours: >100 mg/l, Daphnia magna IC₅₀, 7 days: 10000 mg/l, Algae EC₅₀, 16 hours: >10000 mg/l, pseudomonas putida
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - microorganisms <u>Phosphoroditt</u> Acute aquatic toxicity	LC ₅₀ , 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout) , 48 hours: >100 mg/l, Daphnia magna IC ₅₀ , 7 days: 10000 mg/l, Algae EC ₈₀ , 16 hours: >10000 mg/l, pseudomonas putida nioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - aquatic microorganisms <u>Phosphorodith</u> Acute aquatic toxicity Acute toxicity - fish Acute toxicity - aquatic	LC ₅₀ , 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout) , 48 hours: >100 mg/l, Daphnia magna IC ₅₀ , 7 days: 10000 mg/l, Algae EC ₈₀ , 16 hours: >10000 mg/l, pseudomonas putida hioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts LL ₅₀ , 96 hour: 4,5 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - microorganisms <u>Phosphorodith</u> Acute aquatic toxicity Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic	LC ₅₀ , 96 hours: >18500 mg/l, Oncorhynchus mykiss (Rainbow trout) , 48 hours: >100 mg/l, Daphnia magna IC ₅₀ , 7 days: 10000 mg/l, Algae EC ₈₀ , 16 hours: >10000 mg/l, pseudomonas putida hioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts LL ₅₀ , 96 hour: 4,5 mg/l, Oncorhynchus mykiss (Rainbow trout) EL50, 48 hour: 23 mg/l, Daphnia magna

Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 0,4 mg/l, Daphnia magna NOEC, 72 hour: 10 mg/l, Desmodesmus subspicatus
	Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)
Acute aquatic toxicity	
Acute toxicity - fish	LL_{50} , 96 hour: 4,4 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: 75 mg/l, Daphnia magna NOEC, 21 day: 0,4 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL50, 72 hour: 410 mg/l, Desmodesmus subspicatus NOEL, chronic, 72 hour: 220 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EL50, 16 hour: 380 mg/l, Micro-organisms
	Distillates (petroleum), hydrogenated heavy parafinic
Acute aquatic toxicity	
Acute toxicity - aquatic invertebrates	EC₅o, 2 day: >10000 mg/l, Daphnia magna EC₅o, 21 day: >10 mg/l, Daphnia magna NOEC, 21 day: 10 mg/l, Daphnia magna
	Difenilamin
Acute aquatic toxicity	
LE(C)50	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
Acute toxicity - fish	LC₅₀, 96 hour: 3,79 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hour: 2 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hour: 0,43 mg/l, Algae
Chronic aquatic toxicity	
M factor (Chronic)	1
Chronic toxicity - fish early life stage	NOEL, 21 day: 0,625 mg/l, Oryzias latipes (Red killifish)
Chronic toxicity - aquatic invertebrates	NOEC, 72 hour: 0,027 mg/l, Alg NOEL, 21 day: 0,125 mg/l, Daphnia magna
	phenol, (tetrapropenyl) derivatives
Acute aquatic toxicity	
LE(C)50	$0.01 < L(E)C50 \le 0.1$
M factor (Acute)	10
Acute toxicity - fish	LL₅₀, 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: 0,037 mg/l, Daphnia magna

Acute toxicity - aquatic plants	EL50, 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus
Acute toxicity - microorganisms	EL50, 3 hour: >1000 mg/l, Micro-organisms
Chronic aquatic toxicity	
M factor (Chronic)	10
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 0,0037 mg/l, Daphnia magna
12.2. Persistence and degradability	
Persistence and degradability There and	re no data on the degradability of this product.

• •	
Phototransformation	No specific test data are available.
Stability (hydrolysis)	No specific test data are available.
Biodegradation	No specific test data are available.
Biological oxygen demand	No specific test data are available.
Chemical oxygen demand	No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Persistence and degradability	OECD 301B:2-4 %,28 d ;OECD 301F:31 %,28 d
Phototransformation	Inconclusive data.
Stability (hydrolysis)	Inconclusive data.
Biodegradation	Inconclusive data.
Biological oxygen demand	Inconclusive data.
Chemical oxygen demand	Inconclusive data.
	Damıtıklar (petrol), solvent cilası alınmış ağır parafinik
Biodegradation	OECD 301 F - 31 %: 28 day
Phosphorodith	nioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts
Biodegradation	OECD 301 B - 1,5 %: 28 day
	Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)
Biodegradation	OECD 301 D - <5%: The other substances in the product are not expected to be readily biodegradable. 27 day
	Distillates (petroleum), hydrogenated heavy parafinic
Biodegradation	Oxygen discharge - 31 %: 28 day, OECD TG 301 F
	Difenilemin

Difenilamin

Biodegradation	OECD 301 C - 38: % 28 day			
	OECD 301 D - 26: % 28 day			
	phenol, (tetrapropenyl) derivatives			
Biodegradation	OECD 301 B - 6-25 %: 28 day			
12.3. Bioaccumulative potential				
Bioaccumulative potential	lo specific test data are available.			
Partition coefficient	lo information available.			
Ecological information on ingredi	ents.			
	Distillates (petroleum), hydrotreated heavy paraffinic baseoil			
Bioaccumulative po	tential Inconclusive data.			
Partition coefficient	Inconclusive data.			
Phosphorodithioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts				
Bioaccumulative po	tential log Pow: 0,56,			
	Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)			
Partition coefficient	log Pow: 3,59			
	Difenilamin			
Bioaccumulative po	tential log Pow: 3,5, BCF: 151,36,			
	phenol, (tetrapropenyl) derivatives			
Dia a su su dativa a s				
· · · · · · · · · · · · · · · · · · ·	tential BCF: 289-1601,			
12.4. Mobility in soil Mobility	lo data available.			
coefficient	lo specific test data are available.			
Henry's law constant	lo specific test data are available.			
Surface tension	lo specific test data are available.			
Ecological information on ingredi	ents.			
Distillates (petroleum), hydrotreated heavy paraffinic baseoil				
Mobility	No data available.			
Adsorption/desorptic	on Inconclusive data.			

Surface tension

Henry's law constant

Inconclusive data.

Inconclusive data.

Results of PBT and vPvBNot applicable.assessment		
Ecological information on ingr	edients.	
	Distillates (petroleum), hydrotreated heavy paraffinic baseoil	
Results of PBT a assessment	nd vPvB Not relevant.	
	Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiophosphate)	
Results of PBT a assessment	nd vPvB This product does not contain any substances classified as PBT or vPvB.	
	phenol, (tetrapropenyl) derivatives	
Results of PBT a assessment	nd vPvB This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	May cause minor damage to water. Dangerous for the environment.	
Ecological information on ingr	edients.	
	Distillates (petroleum), hydrotreated heavy paraffinic baseoil	
Other adverse et	fects This product contains components that have a harmful effect on the aquatic environment.Do not allow to enter into soil, rivers or sewers.	
SECTION 13: Disposal consid	lerations	
13.1. Waste treatment method		
General information	The generation of waste should be minimised or avoided wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Avoid the spillage or runoff entering drains, sewers or watercourses. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Reuse or recycle products wherever possible. Dispose of contents/container in accordance with national regulations. When handling waste, the safety precautions applying to handling of the product should be considered.	
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
Road transport notes	Avoid releasing into the environment.	
Rail transport notes	Not classified.	
Sea transport notes	Do not release into the environment.	

Not classified.

Air transport notes

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage. Always transport in closed containers that are upright and secure.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	 T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization. T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on Hazardous Substances and Mixtures T. C. Ministry of Environment and Urbanization Guidelines for Safe Storage of Chemicals T. C. The Ministry of Labor and Social Security, Regulation on the Use of Personal Protective Equipment at Workplaces No. 28695 dated July 2, 2013
EU legislation	T. C. The Ministry of Labor and Social Security, Implementing Regulation on Health and Safety Measures for Working with Chemical Substances, numbered 28733 dated August 12, 2013 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). https://echa.europa.eu
Guidance	Safety Data Sheets for Substances and Preparations.
Authorisations (Annex XIV Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Annex XVII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 E.U. : European union DMSO: Dimethyl sulfoxide KKE: Personal protective aquipment T.C. : Republic of Turkey TWA: Workplace exposure limits UZEM: National Poison Information Center ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. GHS: Globally Harmonized System. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. Lethal Concentration to 50 % of a test population. LDwa: Lethal Dose to 50% of a test population. PBT: Persistent, Bioaccumulative and Toxic substance. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. vPvB: Very Persistent and Very Bioaccumulative. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration.
Classification abbreviations and acronyms	 Asp. Tox. = Aspiration hazard Skin Irrit. = Skin irritation Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Skin Corr. = Skin corrosion Aquatic Acute = Hazardous to the aquatic environment (acute) STOT SE = Specific target organ toxicity-single exposure STOT RE = Specific target organ toxicity-repeated exposure Skin Irrit. = Skin is sensitisation Skin Irrit. = Skin is sensitisation Eye Irrit. = Eye irritation Eye Irrit. = Eye irritation Carc. = Carcinogenicity Repr. = Reproductive toxicity Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. MSDS Distribution : The information in this document should be made available to all who may handle the product. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Key literature references and sources for data	This SDS is prepared based on the information received from raw material suppliers.

Classification procedures according to Regulation (EC) 1272/2008	Aquatic Chronic 3 - H412: Calculation method., Supplier information Eye Irrit. 2 - H319: Calculation method., Supplier information
Training advice	Untrained personnel should not use.
Revision comments	Revised classification.
Issued by	Sevda ŞAHAN Certified Safety Data Sheet Preparer (Certificate Id:GBF01.23.08;Dates: 03.11.2018-03.11.2021)
Revision date	19/06/2021
Revision	2
Supersedes date	19/02/2019
SDS number	20806
Hazard statements in full	 H301 Toxic if swallowed. H302 Harmful if swallowed and enters airways. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H360 May damage fertility or the unborn child if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. H373 May cause damage to organs through prolonged or repeated exposure if swallowed or if inhaled.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.