



SAFETY DATA SHEET HYDRO TECH HVI 15

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name HYDRO TECH HVI 15

Product number 22140

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial oil

Uses advised against This product must not be used outside of the practices recommended in Section 1 without prior advice from the supplier.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone number Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Asp. Tox. 1 - H304

Environmental hazards Not Classified

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways.

HYDRO TECH HVI 15

Precautionary statements P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/ container in accordance with national regulations.

Contains Distillates (petroleum), hydrotreated heavy paraffinic baseoil

2.3. Other hazards

As supplied, the material does not present a health hazard.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic baseoil		60-80%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01-2119484627-25-0065
Classification Asp. Tox. 1 - H304		
Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)		25-40%
CAS number: 74869-22-0	EC number: 278-012-2	
See Section 8 for occupational exposure limits.		
Classification Not Classified		
Damıtıklar (petrol), solvent cılası alınmış ağır parafinik		1-5%
CAS number: 64742-65-0	EC number: 265-169-7	
Classification Not Classified		
Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiphosphate)		<1%
CAS number: 4259-15-8		
Classification Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
2,6-di-tert-butylphenol		<1%
CAS number: 128-39-2	EC number: 204-884-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

HYDRO TECH HVI 15

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased CAS number: 122384-87-6 EC number: 272-234-3	<1%
Classification Aquatic Chronic 4 - H413	
Bis(nonilfenil)amin CAS number: 36878-20-3 EC number: 253-249-4	<1%
Classification Aquatic Chronic 4 - H413	
Polyglycol ether CAS number: —	<1%
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
Fuelsi diesel CAS number: 68334-30-5 EC number: 269-822-7	<1%
Classification Carc. 2 - H351	
Calcium bis (dinonilnaftalinsulfonat) CAS number: 57855-77-3 EC number: 260-991-2	<1%
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
phenol, (tetrapropenyl) derivatives CAS number: 74499-35-7 EC number: 616-100-8 M factor (Acute) = 10 M factor (Chronic) = 10	<1%
Classification Skin Corr. 1 - H314 Eye Dam. 1 - H318 Repr. 1B - H360 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

The full text for all hazard statements is displayed in Section 16.

Composition comments

Some substances are not classified by legislation. They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

HYDRO TECH HVI 15

Ingredient notes See Section 8 for occupational exposure limits.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical advice/attention if you feel unwell.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically.
Inhalation	Toxic by inhalation.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Not known.
Hazardous combustion products	A complex mixture of airborne solids, liquids and gases can be released. Carbon monoxide (CO). Oxides of sulphur. Unidentified organic or inorganic compounds. Oxides of carbon. Carbon dioxide (CO ₂). Oxides of nitrogen. Oxides of phosphorus. Metal oxide(s). Hydrogen sulphide (H ₂ S).

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

HYDRO TECH HVI 15

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Necessary precautions should be taken to ensure that non-educated personnel do not intervene.

For emergency responders Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. See Section 1 for emergency contact information. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

There is no available data.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

There is no available data.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

HYDRO TECH HVI 15

None of the components has assigned exposure limits.

Damıtıklar (petrol), solvent cılası alınmış ağır parafinik

TWA: Workplace exposure limits

5 mg/m³

8 hours

STEL: Short term exposure limit

10 mg/m³

15 minutes.

Ingredient comments	Oil Mist TWA: 5 mg /m ³ (ACGIH). Distillates (petroleum) hydrotreated heavy parafinik: EU OEL (Eu.) TWA: 5 mg/m ³ (8 h.)
Biological limit values	There is no available data.
DNEL	There is no available data.
DMEL	There is no available data.
PNEC	There is no available data.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil (CAS: 64742-54-7)

Ingredient comments	There is no available data.
Biological limit values	There is no available data.
DNEL	Workers - Inhalation; Long term systemic effects: 2,7 (8h) mg/m ³ Workers - Inhalation; Long term local effects: 5,4 (8h) mg/m ³ Consumer - Inhalation; Long term local effects: 1,2 (24h) mg/m ³ Consumer - Oral; Long term systemic effects: 0,74 (24h) mg/kg/day Workers - Dermal; Long term systemic effects: 1,0 (8h) mg/kg
DMEL	No information available.
PNEC	No information available.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50) (CAS: 74869-22-0)

Ingredient comments	There is no approximate limit value for this product. Steam, fog or smoke should be controlled to the lowest possible level.
Biological limit values	No information available.
DNEL	No information available.
DMEL	No information available.
PNEC	No information available.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

HYDRO TECH HVI 15

Personal protection	Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.
Environmental exposure controls	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Characteristic.
Odour threshold	No specific test data are available.
pH	Scientifically unjustified.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	~ 190°C OC (Open cup).
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No specific test data are available.
Other flammability	No specific test data are available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	Inconclusive data.
Bulk density	~ 0,84 @15°C g/ml

HYDRO TECH HVI 15

Solubility(ies)	Insoluble in water.
Partition coefficient	No specific test data are available.
Auto-ignition temperature	No specific test data are available.
Decomposition Temperature	No specific test data are available.
Viscosity	13,5-16,5 cSt @ 40°C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	No suitable data is available.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

9.2. Other information

Other information	No information required.
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents.
---------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO ₂). Methacrylates. Oil vapors in case of overheating.
---	--

SECTION 11: Toxicological information

HYDRO TECH HVI 15

11.1. Information on toxicological effects

Toxicological effects	Information given is based on product data, a knowledge of the components and the toxicology of similar products.
Other health effects	No relevant information available.
<u>Acute toxicity - oral</u>	
Summary	Based on available data, the classification criteria are not met.
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - dermal</u>	
Summary	Based on the available data, the classification criteria are not met.
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - inhalation</u>	
Summary	Based on the available data, the classification criteria are not met.
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
<u>Skin corrosion/irritation</u>	
Summary	Based on the available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Inconclusive data.
Human skin model test	Inconclusive data.
Extreme pH	Inconclusive data.
<u>Serious eye damage/irritation</u>	
Summary	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Summary	Based on available data, the classification criteria are not met. Mist may cause slight irritation if inhaled.
Respiratory sensitisation	Inconclusive data.
<u>Skin sensitisation</u>	
Summary	Does not meet the classification criteria.
Skin sensitisation	Inconclusive data.
<u>Germ cell mutagenicity</u>	
Summary	It is not expected to cause genetic damage in the light of current data.
Genotoxicity - in vitro	Inconclusive data.
Genotoxicity - in vivo	Inconclusive data.
<u>Carcinogenicity</u>	
Summary	The base oils in the product content contain less than 3% DMSO according to IP 346.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
<u>Reproductive toxicity</u>	

HYDRO TECH HVI 15

Summary There is no test data indicating that this product has a toxic effect on the reproductive system.

Reproductive toxicity - fertility Inconclusive data.

Reproductive toxicity - development No information is required.

Specific target organ toxicity - single exposure

Summary There is no available data.

STOT - single exposure Inconclusive data.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary There is no available data.

STOT - repeated exposure Inconclusive data.

Target organs No specific target organs known.

Aspiration hazard

Summary Aspiration Hazard

Aspiration hazard Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.

Toxicokinetics No information is required.

General information Information given is based on data of the components and of similar products.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health hazards There is not enough data.

Route of exposure There is no available data.

Target organs No specific target organs known.

Medical symptoms No specific tes data are available.

Medical considerations No specific tes data are available.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicological effects Information given is based on data of the components and of similar products.

Other health effects No information required.

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Notes (oral LD₅₀) LD₅₀ >5000 (OECD 401)/API 1982a mg/kg, Oral, Rat

Acute toxicity - dermal

HYDRO TECH HVI 15

Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	LD ₅₀ >5000 (OECD 402)/API 1982a mg/kg, Dermal, Rabbit
<u>Acute toxicity - inhalation</u>	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	LC50, 4h 5,53 (OECD 403)/Exxon Biomedical Sciences, Inc.(1988a) mg/l, Inhalation, Rat
<u>Skin corrosion/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.
<u>Serious eye damage/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.
<u>Germ cell mutagenicity</u>	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u>	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Not listed.
NTP carcinogenicity	Not listed.
<u>Reproductive toxicity</u>	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.

HYDRO TECH HVI 15

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

STOT - single exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

STOT - repeated exposure Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Aspiration hazard

Summary Slight irritation of the respiratory tract may occur, if mists are inhaled.

Aspiration hazard May be fatal if swallowed and enters airways.

Toxicokinetics No information required.

General information No information required.

Inhalation No information required.

Ingestion No information required.

Skin contact No information required.

Eye contact No information required.

Acute and chronic health hazards No information required.

Route of exposure No information required.

Target organs No specific target organs known.

Medical symptoms No information required.

Medical considerations No information required.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Toxicological effects No information available.

Other health effects No information available.

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Notes (oral LD₅₀) Inconclusive data.

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

HYDRO TECH HVI 15

Notes (dermal LD₅₀)	Inconclusive data.
<u>Acute toxicity - inhalation</u>	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	Inconclusive data.
<u>Skin corrosion/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.
<u>Serious eye damage/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.
<u>Germ cell mutagenicity</u>	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u>	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Based on available data the classification criteria are not met.
NTP carcinogenicity	Not listed.
<u>Reproductive toxicity</u>	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.

HYDRO TECH HVI 15

Specific target organ toxicity - single exposure

Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.

Aspiration hazard

Summary	Based on available data the classification criteria are not met.
Aspiration hazard	Based on available data the classification criteria are not met.

Toxicokinetics	None known.
General information	None known.
Inhalation	None known.
Ingestion	None known.
Skin contact	None known.
Eye contact	None known.
Acute and chronic health hazards	None known.
Route of exposure	None known.
Target organs	No specific target organs known.
Medical symptoms	None known.
Medical considerations	None known.

distillates (petroleum), solventrefined heavy paraffinic; baseoil - unspecified

Acute toxicity - oral

Notes (oral LD₅₀)	LD ₅₀ >2000 mg/kg, Oral, Rat
-------------------------------------	---

Acute toxicity - dermal

Notes (dermal LD₅₀)	LD ₅₀ >2000 mg/kg, Dermal, Rat
---------------------------------------	---

Damıtıklar (petrol), solvent cılası alınmış ağır parafinik

Acute toxicity - oral

Notes (oral LD₅₀)	LD ₅₀ >5000 mg/kg, Oral, Rat
-------------------------------------	---

Acute toxicity - dermal

Notes (dermal LD₅₀)	LD ₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit
---------------------------------------	---

Acute toxicity - inhalation

HYDRO TECH HVI 15

Notes (inhalation LC₅₀) LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Moderately irritating.

Serious eye damage/irritation

Serious eye damage/irritation Moderately irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration, memeliler-hayvan: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative. , Oral, Rat

Reproductive toxicity - development Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Oral, Rat Teratogenicity: - Negative.: , Dermal, Rat

Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiphosphate)

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 3100 mg/kg, Oral, Rat NOAEL, Sub-akut 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Not corrosive to skin. Rabbit

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro memeliler-hayvan: Positive. Bacterial reverse mutation test: Negative.

Genotoxicity - in vivo Micronucleus Test, memeliler-hayvan: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., ,

Reproductive toxicity - development Developmental toxicity: - : Negative., , Maternal toxicity: - : Negative., ,

2,6-di-tert-butylphenol

Acute toxicity - oral

HYDRO TECH HVI 15

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 270 mg/kg, Oral, Rat NOAEL, Sub-akut 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >10000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity - development Developmental toxicity: - : Ambiguous uncertain, Oral, Rat Maternal toxicity: - : Positive., Oral, Rat

Exchangeable neutral oils

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 30 mg/kg, Dermal, Rat, Female NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,22 mg/l, 4 week, Dust/Mist Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Dust/Mist Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

HYDRO TECH HVI 15

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity 78 week, Negative., Dermal, Mouse

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity - development Teratogenicity: - : Negative., Dermal, Rat Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Oral, Rat

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-akut 200 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 250 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin corrosion/irritation Slightly irritating.

Serious eye damage/irritation

Serious eye damage/irritation Slightly irritating.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Gene mutation, memeliler-hayvan: Negative.

Reproductive toxicity

Reproductive toxicity - development Teratogenicity: - : Negative., Oral, Rat

Bis(nonilfenil)amin

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin corrosion/irritation Moderately irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. Gene mutation: Negative.

Reproductive toxicity

HYDRO TECH HVI 15

Reproductive toxicity - development

Teratogenicity: - : Negative., Oral, Rat

Polyglycol ether

Acute toxicity - oral

Notes (oral LD₅₀)

LD₅₀ 300-2000 mg/kg, Oral, Rat NOAEL, Sub-akut 100 mg/kg, Oral, Rat

ATE oral (mg/kg)

500.0

Acute toxicity - dermal

Notes (dermal LD₅₀)

LD₅₀ >2000 mg/kg, Dermal, Rabbit

Skin sensitisation

Skin sensitisation

Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility

Two-generation study - Maternal toxicity: Positive., Inhalation, Rat Fertility, Two-generation study - Negative., Inhalation, Rat Two-generation study - Developmental toxicity: Negative., Inhalation, Rat

Reproductive toxicity - development

Maternal toxicity: - : Positive., Oral, Rat Developmental toxicity: - : Negative., Oral, Rat Fertility - : Negative., Oral, Rat Teratogenicity: - : Negative., Dermal, Rat

Fuelsi diesel

Carcinogenicity

Carcinogenicity

Known or suspected carcinogen for humans.

Calcium bis (dinonilnaftalinsulfonat)

Acute toxicity - oral

Notes (oral LD₅₀)

LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-akut 95 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀)

LD₅₀ >20000 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

LC50 >18 mg/l, 1 hour, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation

Corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation

Causes serious eye irritation.

Germ cell mutagenicity

Genotoxicity - in vitro

Bacterial reverse mutation test, memeliler-hayvan: Negative.

phenol, (tetrapropenyl) derivatives

Acute toxicity - oral

HYDRO TECH HVI 15

Notes (oral LD₅₀)	LD ₅₀ 2200 mg/kg, Oral, Rat NOAEL, Sub-kronik 15 mg/kg, Oral, Rat
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	LD ₅₀ 15000 mg/kg, Dermal, Rabbit
<u>Skin sensitisation</u>	
Skin sensitisation	Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Gene mutation: Negative.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Fertility - Positive., Oral, Rat
Reproductive toxicity - development	Maternal toxicity: - : Positive., Oral, Rat Developmental toxicity: - : Positive., Oral, Rat

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. May be harmful to aquatic organisms. Spills form film layer on water surface and prevent oxygen transfer

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Ecotoxicity Based on available data the classification criteria are not met.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Ecotoxicity No information available.

12.1. Toxicity

Toxicity There is not enough data.

Acute aquatic toxicity

Summary Based on available information, the classification criteria are not met.

Acute toxicity - fish Based on available data the classification criteria are not met.

Acute toxicity - aquatic invertebrates Based on available data the classification criteria are not met.

Acute toxicity - aquatic plants Based on available data the classification criteria are not met.

Acute toxicity - microorganisms Based on available data the classification criteria are not met.

Acute toxicity - terrestrial No information required.

Chronic aquatic toxicity

Summary Based on available information, the classification criteria are not met.

Chronic toxicity - fish early life stage No information required.

Short term toxicity - embryo and sac fry stages No information required.

HYDRO TECH HVI 15

Chronic toxicity - aquatic invertebrates Based on available data the classification criteria are not met.

Toxicity to soil There is not enough data.

Toxicity to terrestrial plants There is not enough data.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish LL₅₀, : >100 mg/l, Fish
LL₅₀, 96 (OECD 203) hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates LL₅₀, 24 (OECD 202) hours: >10000 mg/l, Gammarus pulex
EL₅₀, 24 (OECD 202) hours: >10000 mg/l, Daphnia magna

Acute toxicity - aquatic plants No information required.

Acute toxicity - microorganisms LL₅₀, : >100 mg/l, Micro-organisms

Acute toxicity - terrestrial No information required.

Chronic aquatic toxicity

Summary Based on available data the classification criteria are not met.

Chronic toxicity - fish early life stage No information required.

Short term toxicity - embryo and sac fry stages No information required.

Chronic toxicity - aquatic invertebrates No information required.

Toxicity to soil No information required.

Toxicity to terrestrial plants No information required.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Toxicity No information available.

Acute aquatic toxicity

Summary No information available.

Acute toxicity - fish Inconclusive data.

Acute toxicity - aquatic invertebrates No information available.

Acute toxicity - aquatic plants No information available.

HYDRO TECH HVI 15

Acute toxicity - microorganisms	Not known.
Acute toxicity - terrestrial	No information available.
<u>Chronic aquatic toxicity</u>	
Summary	No information available.
Chronic toxicity - fish early life stage	No information available.
Short term toxicity - embryo and sac fry stages	No information available.
Chronic toxicity - aquatic invertebrates	No information available.
Toxicity to soil	No information available.
Toxicity to terrestrial plants	No information available.

Damıtıklar (petrol), solvent cılası alınmış ağır parafınık

Acute aquatic toxicity

Acute toxicity - fish	LL ₅₀ , 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow) NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 10 mg/l, Daphnia magna NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata
---	--

Zin bis [O, O-bis (2-ethylhexyl)] bis (dihtiphosphate)

Acute aquatic toxicity

Acute toxicity - fish	LL ₅₀ , 96 hour: 4,4 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: 75 mg/l, Daphnia magna NOEC, 21 day: 0,4 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL ₅₀ , 72 hour: 410 mg/l, Desmodesmus subspicatus NOEL, chronic, 72 hour: 220 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EL ₅₀ , 16 hour: 380 mg/l, Micro-organisms

2,6-di-tert-butylphenol

Acute aquatic toxicity

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hour: 1,4 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: 0,45 mg/l, Daphnia magna

HYDRO TECH HVI 15

Acute toxicity - aquatic plants	EC ₅₀ , 96 hour: 1,2 mg/l, Algae
Acute toxicity - microorganisms	EC ₅₀ , 3 hour: >1000 mg/l, Micro-organisms
<u>Chronic aquatic toxicity</u>	
M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEC, 21 day: 0,035 mg/l, Daphnia magna NOEC, 96 hour: 0,64 mg/l, Alg

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LL ₅₀ , 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow) NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: >10000 mg/l, Daphnia magna
<u>Chronic aquatic toxicity</u>	
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 10 mg/l, Daphnia magna NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LL ₅₀ , 96 hour: >1000 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: >1000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL ₅₀ , 96 hour: >500 mg/l, Desmodesmus subspicatus
Acute toxicity - microorganisms	EL ₅₀ , 3 hour: >10000 mg/l, Micro-organisms

Bis(nonilfenil)amin

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LL ₅₀ , 96 hour: >100 mg/l, Danio rerio (Zebrafish)
Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL ₅₀ , 72 hour: 100 mg/l, Desmodesmus subspicatus
Acute toxicity - microorganisms	IC ₅₀ , 3 hour: >100 mg/l, Micro-organisms
<u>Chronic aquatic toxicity</u>	
Chronic toxicity - aquatic invertebrates	NOEL, 72 hour: >10 mg/l, Alg

Polyglycol ether

HYDRO TECH HVI 15

Acute aquatic toxicity

Acute toxicity - fish	LL ₅₀ , 96 hour: 104 mg/l, Danio rerio (Zebrafish)
Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL ₅₀ , 96 hour: 326 mg/l, Selenastrum capricornutum EL ₁₀ , chronic, 96 hour: 113 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	EL ₅₀ , 10 minute: >1000 mg/l, Micro-organisms

Calcium bis (dinonilnaftalinsulfonat)

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hour: >0,28 mg/l, Cyprinus carpio (Common carp)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: >0,27 mg/l, Daphnia magna NOEL, chronic, 21 day: 4,6 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hour: >1,2 mg/l, Pseudokirchneriella subcapitata
Acute toxicity - microorganisms	EL ₅₀ , 3 hour: 560 mg/l, Micro-organisms

phenol, (tetrapropenyl) derivatives

Acute aquatic toxicity

LE(C)₅₀	0.01 < L(E)C ₅₀ ≤ 0.1
M factor (Acute)	10
Acute toxicity - fish	LL ₅₀ , 96 hour: 40 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: 0,037 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL ₅₀ , 72 hour: 0,36 mg/l, Desmodesmus subspicatus NOEL, 72 hour: 0,07 mg/l, Desmodesmus subspicatus
Acute toxicity - microorganisms	EL ₅₀ , 3 hour: >1000 mg/l, Micro-organisms
<u>Chronic aquatic toxicity</u>	
M factor (Chronic)	10
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 0,0037 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability	Based on available information, the classification criteria are not met.
Phototransformation	No specific test data are available.
Stability (hydrolysis)	No specific test data are available.
Biodegradation	No specific test data are available.
Biological oxygen demand	No specific test data are available.

HYDRO TECH HVI 15

Chemical oxygen demand No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Persistence and degradability	OECD 301B:2-4 %,28 d ;OECD 301F:31 %,28 d
Phototransformation	Inconclusive data.
Stability (hydrolysis)	Inconclusive data.
Biodegradation	Inconclusive data.
Biological oxygen demand	Inconclusive data.
Chemical oxygen demand	Inconclusive data.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Persistence and degradability	It has the ability to accumulate in the soil. May have negative effects on aquatic organisms.
Phototransformation	Inconclusive data.
Stability (hydrolysis)	Inconclusive data.
Biodegradation	Inconclusive data.
Biological oxygen demand	Inconclusive data.
Chemical oxygen demand	Inconclusive data.

Damıtıklar (petrol), solvent cılası alınmış ağır parafinik

Biodegradation	OECD 301 F - 31 %: 28 day
-----------------------	---------------------------

Zin bis [O, O-bis (2-ethylhexyl)] bis (diitiophosphate)

Biodegradation	OECD 301 D - <5%: The other substances in the product are not expected to be readily biodegradable. 27 day
-----------------------	--

2,6-di-tert-butylphenol

Biodegradation	OECD TG 302 C - 12-24: % 28 day Not readily biodegradable.
-----------------------	---

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Biodegradation	OECD 301 F - 31 %: 28 day
-----------------------	---------------------------

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased

Biodegradation	OECD 301 B - 13,4 %: 28 day
-----------------------	-----------------------------

Bis(nonilfenil)amin

Biodegradation	OECD 301 B - 1: % 28 day
-----------------------	--------------------------

HYDRO TECH HVI 15

Polyglycol ether

Biodegradation OECD 301 F - 79: % 28 day

Calcium bis (dinonilnaftalinsulfonat)

Biodegradation OECD 301 B - 14: % 29 day

phenol, (tetrapropenyl) derivatives

Biodegradation OECD 301 B - 6-25 %: 28 day

12.3. Bioaccumulative potential

Bioaccumulative potential No information required.

Partition coefficient No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Bioaccumulative potential Inconclusive data.

Partition coefficient Inconclusive data.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Bioaccumulative potential Inconclusive data.

Partition coefficient Inconclusive data.

Zin bis [O, O-bis (2-ethylhexyl)] bis (diithiophosphate)

Partition coefficient log Pow: 3,59

2,6-di-tert-butylphenol

Bioaccumulative potential log Pow: 4,5,

Bis(nonilfenil)amin

Bioaccumulative potential log Pow: 3,64-7,02, BCF: 1730,

Polyglycol ether

Bioaccumulative potential log Pow: 1,18-4,37,

phenol, (tetrapropenyl) derivatives

Bioaccumulative potential BCF: 289-1601,

12.4. Mobility in soil

Mobility The product is miscible with water. May spread in water systems.

Adsorption/desorption coefficient No specific test data are available.

HYDRO TECH HVI 15

Henry's law constant No specific test data are available.

Surface tension No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Mobility No data available.

Adsorption/desorption coefficient Inconclusive data.

Henry's law constant Inconclusive data.

Surface tension Inconclusive data.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Mobility The product is non-volatile. It has the ability to accumulate in the soil.

Adsorption/desorption coefficient Inconclusive data.

Henry's law constant Inconclusive data.

Surface tension Inconclusive data.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Results of PBT and vPvB assessment Not relevant.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Results of PBT and vPvB assessment Not relevant.

Zin bis [O, O-bis (2-ethylhexyl)] bis (dithiophosphate)

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Fuelsi diesel

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Calcium bis (dinonilnaftalinsulfonat)

HYDRO TECH HVI 15

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

phenol, (tetrapropenyl) derivatives

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects This product contains components that have a harmful effect on the aquatic environment. Do not allow to enter into soil, rivers or sewers.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Other adverse effects This product contains components that have a harmful effect on the aquatic environment. Do not allow to enter into soil, rivers or sewers.

Lubricating Oils, complex combination of hydrocarbons obtained from solvent extraction and dewaxing.(C15-C50)

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Waste class The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

Road transport notes Not classified.

Rail transport notes Not classified.

Sea transport notes Not classified.

Air transport notes Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

HYDRO TECH HVI 15

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization. T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on Hazardous Substances and Mixtures
EU legislation	Commission Regulation (EU) No 453/2010 of 20 May 2010. Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.
Guidance	Safety Data Sheets for Substances and Preparations.
Health and environmental listings	Hazardous ingredients are listed.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DMSO: Dimethyl sulfoxide E.U. : European union KKE: Personal protective equipment T.C. : Republic of Turkey TWA: Workplace exposure limits UZEM: National Poison Information Center ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. LC ₅₀ : Lethal Concentration to 50 % of a test population. LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. vPvB: Very Persistent and Very Bioaccumulative. NOEC: No Observed Effect Concentration. EC ₅₀ : 50% of maximal Effective Concentration.
---	---

HYDRO TECH HVI 15

Classification abbreviations and acronyms	Asp. Tox. = Aspiration hazard Eye Dam. = Serious eye damage Aquatic Chronic = Hazardous to the aquatic environment (chronic) Skin Irrit. = Skin irritation Aquatic Acute = Hazardous to the aquatic environment (acute) Acute Tox. = Acute toxicity Eye Irrit. = Eye irritation Skin Corr. = Skin corrosion Repr. = Reproductive toxicity
General information	Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Key literature references and sources for data	This SDS is prepared based on the information received from raw material suppliers. Source: European Chemicals Agency, http://echa.europa.eu/
Classification procedures according to Regulation (EC) 1272/2008	Asp. Tox. 1 - H304: Calculation method., Supplier information Not classified for environmental hazards.: Calculation method., Supplier information Not classified for physical hazards.: Calculation method., Supplier information
Training advice	Untrained personnel should not use.
Revision comments	Revised classification.
Issued by	Sevda ŞAHAN Certified Safety Data Sheet Preparer (Certificate Id:GBF01.23.08;Dates: 03.11.2018-03.11.2021)
Revision date	08/12/2020
Revision	4
Supersedes date	17/06/2011
SDS number	10243
SDS status	Approved.
Hazard statements in full	H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer if swallowed. H360 May damage fertility or the unborn child if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.